Index for Volume 103

AUTHOR AND SUBJECT INDEX. Page numbers of errata are in italic.

Aadum, B. B., S2.124
AAL-toxin, 733
Abad, G., 1204
Abad, J., S2.76
Abad, J. A., S2.1, S2.5
Abad, Z. G., S2.179
Abatzoglou, J., 1130
Abawi, G. S., S2.1
Abbas, H., S2.158
Abbas, H. K., S2.68, S2.176
ABC genes, S2.78
Abdalla, O., S2.1, S2.5
Abdelsamad, N., S2.2
Abdullah, S., S2.4, S3.1
Abeysekara, N. S., S3.1
Abildgaard, M., S3.12
Abou Ghanem-Sabanadzovic, N. J., S1.5, S2.2, S2.59, S2.87, S2.125
Abraham-Juarez, M. D., S2.41
Abreu, L. M., S2.113, S2.122
Abro, M. A., 261
ACC oxidase, S4.2
Acetosyringone, 888
Acevedo, M., S2.37, S3.2, S3.3, S3.5, S3.9
Achata Bottger, J., S2.2
Achor, D. S., 488, 545, S2.124
Acibenzolar-*S*-methyl (ASM)
  control of bacterial diseases and PR-gene induction, S2.79
  control of citrus canker, S2.52
  control of downy mildew of basil, S2.95
  induction of antiviral responses against *Cucurbit chlorotic yellow virus* in melon, 960
Acidovorax citrulli, S2.37
Acid protease, production by fungal root endophytes, S2.92
Aćimović, S. G., S2.2
Acosta-Leal, R., S3.1
acr genes, S2.164
Actin
  imaging the actin cytoskeleton in *Aspergillus nidulans*, S2.186
  localization and dynamics in *Aspergillus nidulans*, S2.60
Actin contractile ring, S2.187
Actinidia deliciosa. *See* Kiwi
Actinomycetes, characterization of plant growth-promoting and disease suppressing abilities in isolates from groundnut rhizosphere, S2.66
Adachi, N., S2.174
Adams, G., S2.2
Adams, G. C., 190
Adams, M. J., 949
Adaskaveg, J., S2.3, S2.138
Ader, D., S2.140
ADiv project, S2.142
Adkins, S., 1243, S2.137, S2.158, S3.13
Adult-plant resistance, to virulence of *Puccinia striiformis* f. sp. *tritici* in wheat, S2.97
Aerial blight, S2.42
Aerosols, analysis for microorganisms, S1.2
Afkhami, M. E., S2.55, S2.165
Afla-Guard, S2.158
Aflatoxin
  effect of sexual recombination on population diversity in aflatoxin production by *Aspergillus flavus*, S1.8
  human exposure to in mesquite pod flour products, S2.47
  influences of weather on concentrations in crops, S2.175
  in maize
    accumulation in IITA-ARS lines, S1.2
    corn smut galls, S2.176
    etiology of contamination in Zambia, S2.70
    impact of the Midwest 2012 drought on, S2.175
    management with Afla-Guard, S2.158
    transgenic approaches to control, S2.127
  reduction in pistachio orchards with biopesticide AF36, S2.175
Aflatoxin B_1, contamination of groundnut, S2.104
Aflatoxin-producing fungi, effect of weather on, S2.175
African horned cucumber (*Cucumis metulifer*), S2.144
Agaricales, S2.142
Agaric fungi, evolutionary consequences of intra- and interspecific hybridization in, S2.63
Agaricomycotina, S2.181
Agaricus bisporus, S2.158
Agindotan, B. O., S2.3
Agra, L. A. N., S2.3
Agricultural biosecurity
  masters-level education, S2.189
  next generation sequencing and, S2.33
  recent innovations, S2.176
Agrobacterium tumefaciens
  effects of Tzs protein and exogenous cytokinin on virulence gene expression and growth, 888
  impact of biological amendments on survival in soil, S2.140
Agrobacterium tumefaciens-mediated transformation, using to create gene knockouts in *Setosphaeria turcica*, 641
Agrobacterium vitis
  distribution and detection in vines, S2.69
  magnetic capture hybridization real-time PCR assays, 633
  strain ARK-1, biological control of grape crown gall, S2.71
  strain F2/5, host-specific biological control of grape crown gall, 427
Aguayo, J., 190
Agudelo, P., S2.131
Aguilar Moreno, G. S., S2.9
Aguirre-Rayo, J. M., S2.134
Ahern, S. J., S2.34
Ahmed, A., S2.24
Ahmed, T., S3.8
Ailloud, F., S2.3, S2.66
Aime, M. C., S2.4, S2.35, S2.58, S2.74, S2.85, S2.94, S2.102, S2.135, S2.146, S2.150
AI-2 signaling, 352
Ajayi, O. O., S2.3
Akutsu, K., 513
Alabi, O., S2.20, S2.114
Alaraby, W., S2.4
Albers, C. R., S1.1, S2.161
Albu, S., S2.4, S2.158
Alder, building an index of pathogens, S2.2
Alder decline, 190
Alderman, S. C., S2.37
Aldrich-Wolfe, L., S2.27
Aldwinckle, H. S., S2.31
Alfaro, A. P., S2.60
Alfenas, A. C., S2.43, S2.107, S2.123
Al-Haddad, J., S2.117
Alhudaib, K., S2.4
Ali, A., S2.1, S2.4
Ali, G. S., S2.4, S2.73
Ali, N., S3.11
Ali, S., S2.4, S2.48, S2.78, S3.1
Ali, S. A., S2.38
Ali, S. S., 1260
Alkaloids, evolution, S2.109
Alkharouf, N., S2.98
Allan, E., S2.5
Allan, J., S3.12
Allele mining, functional analysis of the resistance gene *Pid3-A4* in wild rice, 594
Alleman, M., S1.2
Allen, C., S2.3, S2.32, S2.66, S2.86, S2.147
Allende-Molar, R., S3.11, S3.14
Allen, J., S2.47
Allen, T., S2.153, S2.158
Allen, T. W., S1.1, S1.4, S1.10, S2.49, S2.146, S2.168
Allium white rot, integrated control, S2.173
Almader, A., S2.5
Almeida, C. H. L. N., S2.67
Almeyda, C. V., S2.5
Almond trunk cankers, S3.12
Alnus, ectomycorrhizal fungi, S2.124, S2.182
Alnus acuminata, S2.122
Alphaflexiviridae, S2.188
Alpuche-Gonzalez, C., S2.5
Al Rwahnih, M., 1069, S2.3, S2.4
Al-Saleh, M., S2.5, S3.13
Alsanius, B. W., 1001
Al-Shahwan, I., S2.5
Alternanthera mosaic virus (AltMV), S2.188
Alternaria alternata
  competitiveness of field QoI-resistant isolates, S2.152
  nonhost resistance of *Arabidopsis thaliana*, 733
  pathogenicity and aggressiveness on potato, S2.149
  signatures of recombination in clonal lineages, 741
Alternaria brassicicola, 841
Alternaria brown spot of tangerine, competitiveness of field QoI-resistant isolates, S2.152
Alternaria cucumerina resistance, mapping in *Cucumis melo*, S2.32
Alternaria late blight of pistachio, reducing fungicide applications to control, S3.15
Alternaria solani, pathogenicity and aggressiveness on potato, S2.149
Alternaria spp.
  in the Bogotá plateau, S2.151
  fungicide resistance in populations from California pistachio orchards, S3.11
  new species from Korea, S2.165
  phylogenetic lineages within, S2.162
  resistance to azoxystrobin and bosacilid in the Columbia Basin, S3.17
Alternaria stem canker on tomato, 733
Alternaria triticina, pathogenicity and aggressiveness on potato, S2.149
Altier, C., S2.95
Alvarado-Rosales, D., S2.39
Alvarado, V. Y., S2.105
Alvarez, A. M., 1220, S2.6, S2.10, S2.128
Alvarez-Garcia, A., S2.57
Alvarez, R. A., S2.117
Alves, E., S2.6, S2.143, S4.3
Alves, M. C., S2.151
Amaradasa, B., S2.76, S3.1
Ambrosia beetles
  fungi isolated from stressed black walnut, S2.120
  Fusarium symbionts are pathogens of avocado, S2.114
  lateral transfer of a phytopathogenic symbiont, S2.114
  phylogenetic diversity of *Fusarium* fusaria cultivated by, S2.71

Index for Volume 103

AUTHOR AND SUBJECT INDEX. Page numbers of errata are in italic.

Aadum, B. B., S2.124
AAL-toxin, 733
Abad, G., 1204
Abad, J., S2.76
Abad, J. A., S2.1, S2.5
Abad, Z. G., S2.179
Abatzoglou, J., 1130
Abawi, G. S., S2.1
Abbas, H., S2.158
Abbas, H. K., S2.68, S2.176
ABC genes, S2.78
Abdalla, O., S2.1, S2.5
Abdelsamad, N., S2.2
Abdullah, S., S2.4, S3.1
Abeysekara, N. S., S3.1
Abildgaard, M., S3.12
Abou Ghanem-Sabanadzovic, N. J., S1.5, S2.2, S2.59, S2.87, S2.125
Abraham-Juarez, M. D., S2.41
Abreu, L. M., S2.113, S2.122
Abro, M. A., 261
ACC oxidase, S4.2
Acetosyringone, 888
Acevedo, M., S2.37, S3.2, S3.3, S3.5, S3.9
Achata Bottger, J., S2.2
Achor, D. S., 488, 545, S2.124
Acibenzolar-*S*-methyl (ASM)
  control of bacterial diseases and PR-gene induction, S2.79
  control of citrus canker, S2.52
  control of downy mildew of basil, S2.95
  induction of antiviral responses against *Cucurbit chlorotic yellow virus* in melon, 960
Acidovorax citrulli, S2.37
Acid protease, production by fungal root endophytes, S2.92
Aćimović, S. G., S2.2
Acosta-Leal, R., S3.1
acr genes, S2.164
Actin
  imaging the actin cytoskeleton in *Aspergillus nidulans*, S2.186
  localization and dynamics in *Aspergillus nidulans*, S2.60
Actin contractile ring, S2.187
Actinidia deliciosa. *See* Kiwi
Actinomycetes, characterization of plant growth-promoting and disease suppressing abilities in isolates from groundnut rhizosphere, S2.66
Adachi, N., S2.174
Adams, G., S2.2
Adams, G. C., 190
Adams, M. J., 949
Adaskaveg, J., S2.3, S2.138
Ader, D., S2.140
ADiv project, S2.142
Adkins, S., 1243, S2.137, S2.158, S3.13
Adult-plant resistance, to virulence of *Puccinia striiformis* f. sp. *tritici* in wheat, S2.97
Aerial blight, S2.42
Aerosols, analysis for microorganisms, S1.2
Afkhami, M. E., S2.55, S2.165
Afla-Guard, S2.158
Aflatoxin
  effect of sexual recombination on population diversity in aflatoxin production by *Aspergillus flavus*, S1.8
  human exposure to in mesquite pod flour products, S2.47
  influences of weather on concentrations in crops, S2.175
  in maize
    accumulation in IITA-ARS lines, S1.2
    corn smut galls, S2.176
    etiology of contamination in Zambia, S2.70
    impact of the Midwest 2012 drought on, S2.175
    management with Afla-Guard, S2.158
    transgenic approaches to control, S2.127
  reduction in pistachio orchards with biopesticide AF36, S2.175
Aflatoxin B_1, contamination of groundnut, S2.104
Aflatoxin-producing fungi, effect of weather on, S2.175
African horned cucumber (*Cucumis metulifer*), S2.144
Agaricales, S2.142
Agaric fungi, evolutionary consequences of intra- and interspecific hybridization in, S2.63
Agaricomycotina, S2.181
Agaricus bisporus, S2.158
Agindotan, B. O., S2.3
Agra, L. A. N., S2.3
Agricultural biosecurity
  masters-level education, S2.189
  next generation sequencing and, S2.33
  recent innovations, S2.176
Agrobacterium tumefaciens
  effects of Tzs protein and exogenous cytokinin on virulence gene expression and growth, 888
  impact of biological amendments on survival in soil, S2.140
Agrobacterium tumefaciens-mediated transformation, using to create gene knockouts in *Setosphaeria turcica*, 641
Agrobacterium vitis
  distribution and detection in vines, S2.69
  magnetic capture hybridization real-time PCR assays, 633
  strain ARK-1, biological control of grape crown gall, S2.71
  strain F2/5, host-specific biological control of grape crown gall, 427
Aguayo, J., 190
Agudelo, P., S2.131
Aguilar Moreno, G. S., S2.9
Aguirre-Rayo, J. M., S2.134
Ahern, S. J., S2.34
Ahmed, A., S2.24
Ahmed, T., S3.8
Ailloud, F., S2.3, S2.66
Aime, M. C., S2.4, S2.35, S2.58, S2.74, S2.85, S2.94, S2.102, S2.135, S2.146, S2.150
AI-2 signaling, 352
Ajayi, O. O., S2.3
Akutsu, K., 513
Alabi, O., S2.20, S2.114
Alaraby, W., S2.4
Albers, C. R., S1.1, S2.161
Albu, S., S2.4, S2.158
Alder, building an index of pathogens, S2.2
Alder decline, 190
Alderman, S. C., S2.37
Aldrich-Wolfe, L., S2.27
Aldwinckle, H. S., S2.31
Alfaro, A. P., S2.60
Alfenas, A. C., S2.43, S2.107, S2.123
Al-Haddad, J., S2.117
Alhudaib, K., S2.4
Ali, A., S2.1, S2.4
Ali, G. S., S2.4, S2.73
Ali, N., S3.11
Ali, S., S2.4, S2.48, S2.78, S3.1
Ali, S. A., S2.38
Ali, S. S., 1260
Alkaloids, evolution, S2.109
Alkharouf, N., S2.98
Allan, E., S2.5
Allan, J., S3.12
Allele mining, functional analysis of the resistance gene *Pid3-A4* in wild rice, 594
Alleman, M., S1.2
Allen, C., S2.3, S2.32, S2.66, S2.86, S2.147
Allende-Molar, R., S3.11, S3.14
Allen, J., S2.47
Allen, T., S2.153, S2.158
Allen, T. W., S1.1, S1.4, S1.10, S2.49, S2.146, S2.168
Allium white rot, integrated control, S2.173
Almader, A., S2.5
Almeida, C. H. L. N., S2.67
Almeyda, C. V., S2.5
Almond trunk cankers, S3.12
Alnus, ectomycorrhizal fungi, S2.124, S2.182
Alnus acuminata, S2.122
Alphaflexiviridae, S2.188
Alpuche-Gonzalez, C., S2.5
Al Rwahnih, M., 1069, S2.3, S2.4
Al-Saleh, M., S2.5, S3.13
Alsanius, B. W., 1001
Al-Shahwan, I., S2.5
Alternanthera mosaic virus (AltMV), S2.188
Alternaria alternata
  competitiveness of field QoI-resistant isolates, S2.152
  nonhost resistance of *Arabidopsis thaliana*, 733
  pathogenicity and aggressiveness on potato, S2.149
  signatures of recombination in clonal lineages, 741
Alternaria brassicicola, 841
Alternaria brown spot of tangerine, competitiveness of field QoI-resistant isolates, S2.152
Alternaria cucumerina resistance, mapping in *Cucumis melo*, S2.32
Alternaria late blight of pistachio, reducing fungicide applications to control, S3.15
Alternaria solani, pathogenicity and aggressiveness on potato, S2.149
Alternaria spp.
  in the Bogotá plateau, S2.151
  fungicide resistance in populations from California pistachio orchards, S3.11
  new species from Korea, S2.165
  phylogenetic lineages within, S2.162
  resistance to azoxystrobin and bosacilid in the Columbia Basin, S3.17
Alternaria stem canker on tomato, 733
Alternaria triticina, pathogenicity and aggressiveness on potato, S2.149
Altier, C., S2.95
Alvarado-Rosales, D., S2.39
Alvarado, V. Y., S2.105
Alvarez, A. M., 1220, S2.6, S2.10, S2.128
Alvarez-Garcia, A., S2.57
Alvarez, R. A., S2.117
Alves, E., S2.6, S2.143, S4.3
Alves, M. C., S2.151
Amaradasa, B., S2.76, S3.1
Ambrosia beetles
  fungi isolated from stressed black walnut, S2.120
  Fusarium symbionts are pathogens of avocado, S2.114
  lateral transfer of a phytopathogenic symbiont, S2.114
  phylogenetic diversity of *Fusarium* fusaria cultivated by, S2.71

Ambrosia *Fusarium* Clade (AFC), S2.71
Amenity trees, bacterial leaf scorch in Washington D. C., S4.2
Amer, M., S2.5
Ames, K. A., S2.94, S3.6
Amiri, A., S2.51, S2.107, S2.112
Ammar, E. D., S2.171
Ammophila arenaria, S2.69
Ammophila breviligulata, S2.183
Amore, T. D., S2.6
Amorim, L., S2.104
Amplex Red probe, S2.24
Amsden, B., S2.6
Amundsen, K., S3.1
Anadenobolus monilicornis, S2.29
Anaerobic soil disinfestation (ASD)
  bacterial population changes in fields treated with, S2.61
  in suppression of Rhizoctonia root rot of apple, S2.60
Analytical and theoretical plant pathology
  calculating fungicide dose decisions, 666
  disease risk curves, 1108
  fungicide application timings for disease control are an effective anti-resistance strategy, 1209
  modeling study of biocontrol agents controlling foliar pathogens, 108
  relating the progeny production curve to the speed of an epidemic, 204
  roguing with replacement in perennial crops, 117
  spatial frailty modeling in survival analysis of cucurbit downy mildew epidemics, 216
  synergy from the combined use of two biocontrol agents, 768
Anchieta, A., 268
Anco, D., S2.6
Ancona, V., S2.6
Andersen, K. F., S2.7
Anders, M. M., S2.150, S2.168
Anderson, G., S3.2
Anderson, G. M., S3.5
Anderson, J. B., S2.7
Anderson, M. M., 1069, S2.4, S2.140
Anderson, N. A., S2.108
Anderson, S., S2.7
Andrade-Piedra, J., S2.145, S3.8
Andreason, S., S2.7
Angel, C., S2.7, S2.43, S2.122, S2.188
Anishchenko, I. M., S2.53
Anisogramma anomala, S2.100, S3.15
Annis, S., S2.7, S2.8
Annual bluegrass, assessment of anthracnose severity, S2.65
Annual vinca (*Catharanthus roseus*), S2.155
Anselm, R., S2.141
Anther smut disease, assessment of infection susceptibility in the Montiaceae, S2.58
Anthracnose
  in annual bluegrass, assessment of, S2.65
  in bean, transmissibility by seed, S2.133
  graminicolous anthracnose fungi, 575
  in papaya fruits, caused by *Colletotrichum* spp., S3.11
  in pecan, effects of fungicides on the latent stage of, S1.5
  in soybean, real-time PCR detection and differentiation of *Colletotrichum* species causing, S2.164
  in spinach, biology and management, S1.3
  in strawberry
    effect of inoculum concentration on development of, S2.45
    evaluation of fungicide applications, S2.112
  unraveling anthracnose pathogens in legumes, S2.33
Anthracnose crown rot. *See Colletotrichum gloeosporioides*
Anthracnose resistance, screening strawberry germplasm for, S2.97
Anthurium
  biological control of bacterial blight, S2.6
  blight susceptibility index, S2.6
Antibiosis, in the suppression of clubroot on canola by Serenade, 245
Antilla, L., S3.13
Antonetti, J., S2.34
Antony, G., S2.88
Antrodia, S2.108
Aoki, T., 400, S2.71
Aoun, M., S3.2
Aphids
  feeding behavior in somatic fusions and crosses of *Solanum bublocastanum* and *S. tuberosum*, S1.3
  protein biomarkers linked to transmission competent and transmission refractive populations, S2.65
  transformative technologies from knowledge of virus–aphid vector interactions, S3.2
  transmission of *Soybean mosaic virus*, 941
Aphis glycines, 941
Apioplagiostoma populi, S2.108
Appel, D., S1.7
Apples (*Malus* × *domestica*)
  anaerobic soil disinfestation in suppression of Rhizoctonia root rot, S2.60
  changes in rhizosphere microbiome with *Brassicaceae* seed meal amendment, S2.92
  control of apple scab with foliar applications of phosphite fungicide, S2.39
  diversity of sooty blotch and flyspeck fungi in Spain, S2.12
  Erwinia amylovora presence in asymptomatic apple bud wood, S2.31
  Phacidiopycnis washingtonensis infection, S2.133
  phenology of infection by sooty blotch and flyspeck, S2.65
  postharvest fruit rot caused by *Lambertella* sp., S2.160
  pyrimethanil-resistance phenotypes of *Penicillium expansum* from, S2.22
  relationship of increased fungicide use to pesticide risk, S2.29
  sources and availability of *Sphaeropsis pyriputrescens* inoculum, S2.163
  trunk injection in control of apple scab, S2.2
  trunk injection in control of fire blight, S2.2
Apple scab
  control with foliar applications of phosphite fungicide, S2.39
  control with trunk injections of biopesticides and fungicides, S2.2
  leaf-shredding as a component of integrated management for, S2.154
  molecular characterization, S2.75
  See also Venturia inaequalis
AP-toxin, 135
Aquatic plants, fungal symbionts, S2.126
Aquino, O. M., 436
Arabidopsis
  bacterial effector targeting of a non-canonical signaling pathway for suppressing defenses, S2.47
  characterization of CRT1 in plant immunity and genome stability, S2.19
  dimerization of CRT1, S2.70
  nonhost resistance genes to defeat Asian soybean rust, S2.77
  role of humidity and light in *Arabidopsis-Pseudomonas* interaction, S2.110
Arabidopsis thaliana
  effect of *Trichoderma* volatile organic compounds on, S2.63
  immunity induced by *E. coli* O157:H7 and *Salmonella enterica* Typhimurium SL1344, 326
  nonhost resistance against *Alternaria alternata*, 733
  pen mutants, 733
Arabis mosaic virus (ArMV), 1180
Arachis hypogaea. *See* Groundnut; Peanut
Ara, J., S2.18, S2.38
Arancibia, R. A., S1.10, S2.139
Aranda, M. A., 1188
Arano, E., S2.158
Arauz-Cavallini, F., S2.16
Arbuscular mycorrhizal fungi
  an experimental test of the functioning of symbioses across scale, S2.181
  effect of cover crops on colonization in watermelon roots, S4.2
  factors affecting current distributions, S2.182
  in marram grass, S2.69
  molecular signaling in symbioses, S2.187
  in Phoenix and the surrounding desert, S2.140
Arcibal, E., S2.8
Arcibal, S. S., S1.1
Arellano, C., 460
Arenas-Buitrago, Y., S3.17
Arendt, K., S2.8, S2.150, S2.161
ARGONAUTE proteins (AGOs), S2.105
Arguedas, M., S2.123
Arias De Ares, R. S., S1.9
Arias Rojas, N., S2.67
Arias, R. S., S2.115
Arias, S., S1.1
Arif, M., S2.7, S2.8, S2.9
Arismendi, N. L., S2.100
Arizona mesquite (*Prosopis velutina*), S2.47
Arlat, M., S2.170
Armaleo, D., S2.185
Armengol, J., 851
Armillaria
  bioluminescence in, S2.96
  genome-wide mutation dynamic, S2.7
Armillaria root disease, characterization in peach orchards in Mexico, S2.39
Arne, S., S2.9
Arnold, A. E., S2.8, S2.30, S2.48, S2.62, S2.126, S2.130, S2.150, S2.161
Arnold, D. L., 1115
Arnold, E. A., S2.26
Arnold, K., S2.9
Arnthodi, A., S2.39
aroA gene, S1.6
aroB gene, S1.6
Arora, D., 1153
Arrebola, E., 1115
Arseneault, T., 995
Arthrinium phaeospermum, 135
Arthur, K. S., S2.174
Artificial microRNA-mediated resistance, 870
Aruppillai, S., S2.9
Arya, R., S2.9
Asalf, B., 717, S2.10, S2.14, S2.43
Asam, S., 1252
Ascomycetes
  diversity and community structure of marine species from the Gulf of Mexico, S2.152
  marine lignicolous ascomycetes from mangroves, S2.5
  population genomics, S2.49
Ascophyllum extract, S3.11
Asellaria jatibonicua, S2.121
Ash, G. J., S2.10
Ashrafi, H. A., S2.101
Asian prunus viruses, S2.116
Asian soybean rust (ASR), S1.4, S2.77
Asiatic citrus bacterial canker. *See Xanthomonas citri* subsp. *citri*
Asolkar, R. N., S2.146
Asparagus officinalis, S2.87

Aspergillus ear rot, aflatoxin contamination in maize, S2.175
Aspergillus flavus
aflatoxin contamination in maize, S2.175
in corn ears in Indiana under the drought conditions of 2012, S2.80
effect of sexual recombination on population diversity in aflatoxin production, S1.8
formulation development of nontoxigenic biocontrol strain, S2.68
histology and transcriptional changes in corn seed infected by, S2.133
hybrids with *A. minisclerotigenes*, S2.32
maize lipoxygenase LOX2 regulates pathogenicity of, S2.62
population structure before and after biocontrol treatment, S2.106
potential roles of WRKY transcription factors in corn defense against, S2.45
strain AF36
field performance as a biocontrol agent in cotton, S3.13
temporal dynamic of community structure in fields treated with, S2.66
using in pistachio orchards, S2.175
strain VCG YV36, variability in aflatoxin biosynthesis gene cluster, S2.108
WRKY transcription factors and defense gene expression in corn, S1.4
See also Atoxigenic *Aspergillus flavus*
Aspergillus minisclerotigenes, S2.32
Aspergillus nidulans
early steps of the ergot alkaloid pathway, S4.3
imaging of the dynamic actin cytoskeleton, S2.186
localization and dynamics of actin in, S2.60
Aspergillus niger, S2.175
Aspergillus niger-Y61, S2.116
Aspergillus section *Flavi*, genetic structure of soil populations, S2.79
Aspergillus section *Nigri*, fumonisin production in maize, S2.175
Aspergillus spp.
effect of tassel fungicide applications on harvested field corn, S1.1
multilocus database for identification, S2.113
oxidized lipids control disease development in maize, S2.19
Association mapping, 600
Astragalus pubentissimus, S2.12
Asymptomatic hosts, 538
AtBAG6, S2.79
Atkinson, George F., S2.60
Atkinson, S., S2.120
Atoxigenic *Aspergillus flavus*
evaluation of strains for aflatoxin control in corn, S2.65
genetic properties of isolates, S2.5
strain AF36
field performance as a biocontrol agent in cotton, S3.13
temporal dynamic of community structure in fields treated with, S2.66
using in pistachio orchards, S2.175
strain VCG YV36, variability in aflatoxin biosynthesis gene cluster in, S2.108
vegetative compatibility group adapted to maize production, S2.105
ATP-binding cassette (ABC) genes, S2.78
Attanayake, R. N., 750
Aureobasidium pullulans, S2.150
Austin, L., S2.74
Automated diagnostic primer design, S2.92
Autophagy, S2.79
Avellaneda, M. C., S2.10
Avenot, H. F., S3.11
Averett, D. R., 228
Avila-Adame, C., S2.10
Avila-Quezada, G. D., S3.12
aviR (quorum-sensing transcription factor), 427
Avirulence (*AVR*) genes, in *Magnaporthe oryzae*, S2.184
Avocado (*Persea americana*)
black spots caused by *Neofusicoccum parvum* in Mexico, S3.12
Fusarium symbionts of an ambrosia beetle are pathogens of, S2.114
laurel wilt, S2.114, S3.15
population genetic structure of *Phytophthora cinnamomi*, 91
AvrGf1, S2.168
AvrRxo1 virulence factor, S2.148
Awad, M. A., S2.39
Awokuse, T. O., S2.36
Ayin, C. M., S2.10
Azarmanesh, N., S2.101
Azegami, K., S2.174
Azoxystrobin
in combined use of PGPR strain MBI600 to control *Rhizoctonia solani*, S2.168
effect on conidial germination and mycelial growth in *Didymella bryoniae*, S1.4
Azoxystrobin resistance
in *Alternaria* spp. in the Colombia Basin, S3.17
monitoring in *Rhizoctonia solani* isolates causing rice sheath blight, S2.106
stability in *Didymella bryoniae*, S2.43

Babadoost, M., S2.70, S2.119
Bacillus amyloliquefaciens, 146
Bacillus amyloliquefaciens FZB42, 1001
Bacillus mojavensis RRC101, S2.16
Bacillus spp.
black-pigmented strain with potential biocontrol capabilities, S2.74
efficacy as biocontrol agents for sheath blight and narrow brown leaf spot in organic rice, S2.168
plant growth promoting characteristics of species associated with *Chenopodium quinoa*, S2.144
sheath blight suppression by rice-associated strains, S1.9
strain F727, control of fungal plant pathogens, S2.146
Bacillus subtilis
common bean production under web blight and, S2.91
effect of non-Mexican strains on melon, S2.41
induced tolerance to damping-off in cotton, S2.94
strain IN937b, surfactin and biofilm production, S2.98
suppression of clubroot on canola, 245
Backman, P., S2.144, S2.191
Backus, E., S2.119
Bacon, C. W., 400, S2.11, S2.101
Bacterial apical necrosis of mango, 1115
Bacterial blight
of anthurium, S2.6
of common bean, multilocus sequence analysis, S2.106
of *Pelargonium*, S2.94
Bacterial canker of tomato. *See Clavibacter michiganensis* subsp. *michiganensis*
Bacterial disease resistance, identifying novel sources for rice, S2.19
Bacterial diseases
control by phosphorous acid and acibenzolar-S-methyl, S2.79
insect-transmitted, S2.171
rates of recombination and point mutation compared to bacterial vertebrate pathogens, S2.23
Bacterial endophytes, of switchgrass, S2.163
Bacterial fruit blotch of cucurbits, survival and seed transmission in citron melon, S2.37
Bacterial leaf scorch
of amenity trees in Washington D. C., S4.2
genetic characterization and radiation of, S2.14
incidence and severity in a New Jersey urban forest, S2.51
Bacterial leaf spot
of lettuce, S2.21
See also Xanthomonas perforans
Bacterial panicle blight of rice
negative regulatory gene for toxoflavin production, S2.192
See also Burkholderia glumae
Bacterial pustule of soybean, S2.25
Bacterial rot of onions, S2.173
Bacterial spot
of pepper, molecular diagnosis, S2.74
of pumpkin
chemical and biocontrol agents for management, S2.144
detection in seed, S2.119
role of sRNAs in the virulence of *Xanthomonas campestris* pv. *vesicatoria*, S2.187
of stone fruit
leaf abscission and, S2.173
oxytetracycline resistance in, S2.11
of tomato
antibacterial activity of shiitake mycelial extracts, S2.105
development of biopesticide extractives from switchgrass, S2.109
molecular diagnosis, S2.74
photocatalytic nanoscale formulations of titanium dioxide in control of, 228
ultrastructural action of essential oils of *Xanthomonas vesicatoria*, S2.6
Bacterial wilt
of common bean, attenuation by rhizobacteria, S2.91
improved multiplex PCR and qPCR detection and identification, S2.140
See also Cucurbit bacterial wilt; *Ralstonia solanacearum*
Bacterial wilt resistance, evaluating tomato rootstocks in North Carolina, S2.134
Bactericera cockerelli, 1235, S2.130
Bacteriology
acquisition of copper resistance genes in citrus-associated *Xanthomonas*, 409
'*Candidatus* Liberibacter asiaticus'
heat treatment, 15
visualization of cells in citrus seed coat vascular bundles, 545
characterization of a *Xanthomonas citri* subsp. *citri* variant triggering a host-specific disease response, 555
effect of Zebra chip disease on tuber physiology, 419
effects of Tzs protein and exogenous cytokinin on virulence gene expression in *A. tumefaciens*, 888
genetic analysis of *Xanthomonas axonopodis* pv. *diffenbachiae*, 237
genetic and virulence variability among *Erwinia tracheiphila* strains, 900
genomic variability *Spiroplasma kunkelii*, 129
loop-mediated amplification of the *micA* gene in *Clavibacter michiganensis* subsp. *michiganensis*, 1220
photocatalytic nanoscale formulations of titanium dioxide in control of *Xanthomonas perforans*, 228
Pseudomonas syringae pv. *syringae*
differentiated phylotype associated with mango, 1115
genetic and phylogenetic diversity of strains from pea, 673

Bacteriophage
ecological niches and coevolution with *Xanthomonas arboricola* pv. *pruni* on peach trees, S2.135
phage seed treatments, S2.174
phage therapy for horse chestnut bleeding canker, S2.67
therapeutic and prophylactic application for Pierce's disease, S2.34
transmission by glassy-winged sharpshooters, S2.16
Badillo-Vargas, I. E., S3.2
Bagi, F., S2.21, S2.102
Bailey, D. J., 1012
Baird, R. E., S1.10, S2.139
Baird, S. M., S2.35
Bais, H. P., S2.90
Bai, Y., 623
Baker, S. E., 400
Balansia epichloe, additional hosts in tall fescue pastures, S2.11
Balci, Y., 1204, S2.60, S2.191, S4.2
Baldwin, B. S., S1.4, S2.49
Baldwin, T. T., S2.11
Balint-Kurti, P., S4.3
Ball, B., S2.150
Ballistosporic phylloplane yeast survey, S2.4
Baltrus, D. A., S2.8, S2.48, S2.130
Bamboo, metabolic effects of AP-toxin, 135
Bambusa pervariabilis × *Dendrocalamoisis grandis* blight, 135
Banana bunchy top disease (BBTD), S2.103
Bandara, A. Y., S2.11, S3.2
Bandla, P., S2.1
Bandyopadhyay, R., S2.5, S2.70, S3.13
Banihashemi, Z., S2.97
Bao, Y., 1162
Barak, J., S2.56, S2.185
Barak, J. D., S2.171
Barandoc-Alviar, K., S2.11
Baraoidan, M., S2.89
Barash, I., S2.24
Barbeau, A. D., S3.5
Barbetti, M. J., S2.53
Bardsley, S., S2.11, S2.173
Bargeron, C., S2.28
Barker, G., S3.13
Barley (*Hordeum vulgare*)
association mapping of Septoria speckled leaf blotch resistance in breeding germplasm, 600
brassinosteroid enhancement of resistance to Fusarium diseases, 1260
epidemics of stripe rust and races of *Puccinia striiformis* identified in the U.S. in 2012, S2.155
evaluation for *Xanthomonas translucens* pv. *undulosa* resistance, S2.127
genetic variation in *Cochliobolus sativus* isolates, S2.78
identification of Rhizoctonia root rot resistance in, S2.3
quantitative resistance to Fusarium head blight, 1252
temporal evaluations on the wheat stem rust infection process on, S3.9
Barley yellow dwarf virus (BYDV), S3.1
Barman, A., S2.137
Barnes, C. W., S2.11, S2.12, S2.108
Baroni, T., S2.53
Barphagha, I. K., S1.7, S1.8, S2.192
Barrerra, M. D., S2.153
Barreto, S. S., 436
Barry, K., S2.181
Barsoum, N., S2.181
Bartholomay, T., S2.190
Bartlett, B., 1180
Bartlett, J., S2.150
Bartlett, P. B., S2.25
Bartnicki-García, S., S2.118
Bartz, J. A., S2.12
Basidiomycetes, comparative analysis of 35 genomes, S2.121
Basidiomycota Consortium, S2.121
Basil downy mildew
control with acibenzolar-*S*-methyl, S2.95
effect of plant age on, S2.111
incubation and latent periods, S3.6
management by seed treatment with oxathiapiprolin, S2.111
Basu, D., 841
Bateman, C., S2.71
Bateman, H. L., S2.140
Bateman, M., S2.116
Bates, A., 1012
Bates, S., S2.144
Batrachochytrium dendrobatidis, S2.15, S2.67
Battista, L. J., S2.126
Batuman, O., S2.12
Batzer, J., S2.12
Batzer, J. C., 900, S2.65, S2.66, S2.83, S2.166
Bauchan, G., S2.67
Bauchan, G. R., S2.18
Baucom, D., S2.12
Baudoin, A., S2.12, S4.1
Baufumé, S., S2.13
Baumgartner, K., S2.13, S2.63, S2.148
Baum, T. J., 175, S2.129
Bautista-Jalon, L. D., S2.68
Bayoud disease, S2.125
Baysal-Gurel, F., S2.13
bcsA gene, 362
Beacham, J., S2.136
Bean common mosaic virus (BCMV), S2.42, S3.13
Beard, C. E., S2.13
Beattie, M., S2.7
Beauveria bassiana, S2.84
Beauveria bassiana ATCC 74040, 1001
Becerra, V., S2.45
Becker, L., S2.14
Beckerman, J., S2.79
Bec, S., S2.13
Beech bark disease (BBD), S2.23, S2.125
Beem, L. W., S2.159
Beet leafhopper, S2.31
Beet severe curly top virus (BSCTV), S2.139, S3.15
Begerow, D., S2.13
Begomoviruses
association of a monopartite begomovirus with okra leaf curl disease, S2.5
inadvertent selection of resistance-breaking begomoviruses, S2.179
infection of Gold Veined Oxalis, S2.59
survey tools, S2.120
weeds as potential inoculum sources for a tomato-infecting virus, 436
Behlau, F., 409
Behrens, T., S2.158
Behringer, G., S2.14
Beirn, L. A., S2.14, S4.1
Bejarano, J., S2.14
Bekoscke, K. A., S2.14
Belasque, J., S2.50
Belausov, E., 362
Belisario, A., 802
Bell, A. A., S2.31
Bell pepper. *See Capsicum annuum*: Pepper
Belonolaimus longicaudatus, S2.131
Belton, M., S2.124
Bemisia tabaci biotypes, S2.7
Benitez, M. S., S2.14, S2.35
Bennett, J. W., S2.63, S2.78, S2.99
Benson, D. M., S1.7, S2.47
Bent, A., S2.121
Benzamide, pre- and postharvest management of citrus brown rot, S2.3
Benzimidazole, sensitivity of *Cercospora beticola* to, S2.21
Berbee, M. L., S2.19
Berbegal, M., 851
Berberis brachypoda, 927
Berberis shensiana, 927
Berberis soulieana, 927
Berberis spp.
identification as alternate hosts of *Puccinia striiformis* f. sp. *tritici*, 927
infection by *Edythea quitensis*, S2.12
Bereman, M. S., S2.65
Berg, A., S2.63
Bergemann, S. E., S2.63, S2.71
Bergeron, M. J., S2.143
Bergsträsser, S., S2.128
Bergstrom, G. C., 146
Berlin, A., S2.181
Bermudagrass (*Cynodon dactylon*), evaluation of fertility and fungicide programs on foliar diseases, S2.112
Berner, D. K., 708, S2.15, S2.18, S4.1
Berthold, F., S2.188
Beseli, A., S2.15
Besler, K., S2.15
Bester, C., S2.75
Betancourt-Resendes, I., S2.15, S2.136
Betancourt-Román, C. M., S2.15, S2.67
Beta vulgaris. *See* Sugar beet
Beukes, I., S2.72
Bextine, B., S2.177
Beyer, M., S2.38
Bezerra, J. L., S2.122
Bhardwaj, M., S2.109
Bhattacharya, D., S2.173
Bhattacharyya, M. K., 400
Bhowmick, T. S., S2.16, S2.34
Bidartondo, M., S2.181
Biedrzycki, M. L., S4.3
Bienapfl, J., S2.179
Bilodeau, G. J., 43, S2.32, S2.76
Bimolecular fluorescence complementation, S2.148
Binder, M., S2.16, S2.104
Bindweeds, S4.1
Bing, Y., S2.167
bin Salleh, B., 400
Binucleate *Rhizoctonia*, spread potential during vegetative propagation, S2.30
Biochemistry and cell biology
AP-toxin from *Arthrinium phaeospermum*, purification and metabolic effects on bamboo, 135
glyceollin in soybean defense against *Phytophthora sojae* and *Macrophomina phaseolina*, 984
hydrogen peroxide accumulation and transcriptional changes in grapevines recovered from Flavescene dorée disease, 776
Biocontrol agents
field performance of *Aspergillus flavus* AF36 in cotton, S3.13
modeling study in the control of foliar pathogens, 108
Phoma macrostoma var. *macrostoma* as a potential control agent of field and hedge bindweed, S4.1
synergy from the combined use of, 768
Bioenergy grass. *See* Switchgrass
Biofumigation, management of Phytophthora blight, S2.93
Biofungicides, suppression of clubroot on canola by Serenade, 245
Bioinformatics, strategies for microbial forensics, S2.176
Biological control
abiotic stresses affect *Trichoderma harzianum* T39-induced resistance to grapevine downy mildew, 1227

of bacterial blight of anthurium, S2.6
of Canada thistle, S2.15
effect of biological control agents on strawberry leaf microbiota, 1001
effect of pathogen variation and urea on *Streptomyces* mixtures, 34
of Fusarium head blight of wheat by *Bacillus amyloliquefaciens*, 146
of *Fusarium oxysporum*, S2.14
host-specific control of grape crown gall by *Agrobacterium vitis* strain F2/5, 427
phenazine production by *Pseudomonas* sp. LBUM223, 995
of *Phytophthora* and *Verticillium* wilts in chile pepper, S2.56
of *Phytophthora nicotianae*, S2.56
root disease suppression in response to compost water extract, 255
soil suppressiveness to Fusarium disease, 23
suppression of clubroot on canola by Serenade, 245
Trichoderma control of soilborne pathogens, S2.42
Bioluminescence, in *Armillaria*, S2.96
Biopesticides, S2.109, S2.175
Biorational products, evaluation for efficacy against fungal pathogens of Valencia peanut, S3.16
Biosecurity
masters-level education, S2.189
next generation sequencing and, S2.33
recent innovations, S2.176
Biotrophic interfacial complexes (BICs), S2.186
Bipolaris, S2.89
Bi, Q., 641
Bishop, B. A., S2.189
Bitternut hickory (*Carya cordiformis*), *Ceratocystis smalleyi* infections reduce sap flow in, 565
Bittleston, L. S., S2.16
Bi, Y., 920
Black *Aspergillus*, S2.175
Black, A. W., S2.71
Blackberry, a new marafivirus in yellow vein disease-affected plants, S2.87
Blackberry cane blight, management, S4.3
Blackberry viruses, incidence in the U.S., S1.6
Blackcurrant, *Cronartium ribicola* on, S2.143
Black dot, factors affecting development in storage, S2.161
Black, M., S1.7, S2.126
Black pepper, fusariosis, S2.113
Black root rot of strawberry, S2.147
Black rot in cabbage, evaluation of control, S2.76
Black spot disease, 841
Black Turtle Soup common bean, S2.73
Black walnut (*Juglans nigra*), fungi isolated from ambrosia beetles, S2.120
Blackwell, M., S2.150
Blackwell, W. H., S2.115
Blacutt, A., S2.16
Blagden, T., S2.33, S2.176
Blair, J. E., S2.28, S2.178
Blair, M. W., 156
Blakeslee, J. J., S2.26
Blancaflor, E., S2.92
Blanchette, R. A., S2.11, S2.95, S2.121, S2.180
Blanco-Meneses. M., S2.16
Blanco-Zapata, D. C., S2.17
Blanvillain, S., S2.170
Blasioli, K., S2.82
Blastocladiomycota, S2.68
Block, C., S2.17
Blow flies, S2.185
Blueberry (*Vaccinium* spp.)
Blueberry shock virus sampling efficiency and cold hardiness studies, S2.127
comparing the effects of *Xylella fastidiosa* subspp. *multiplex* and *fastidiosa*, S2.107
control of gray mold with compost tea, S2.20
effects of environmental factors on infection by *Colletotrichum acutatum*, S2.127
morphogenetic diversity of *Chondrostereum purpureum* isolates, S2.45
stem blights and root rots in Mexico, S2.119
Blueberry shock virus (BlShV), S2.127
Blueberry silverleaf, S2.45
Blue grama grass (*Bouteloua gracilis*), S2.115
Blue mold, host range of rotting bulb crops, S2.37
Blue mold resistance
Malus sieversii, S2.67
to postharvest fungicides, S2.70
Bluhm, B. H., 1045, S1.9, S2.42, S2.60, S2.101, S2.120, S2.121, S2.127
Blumeriella jaapii, S2.191
Boal, R. J., S2.163
Boccacci, P., 776
Boch, J., S2.13, S2.170
Bock, C. H., S2.17
Bockus, W. W., 74, S3.1
Bocsanczy, A. M., S2.17, S2.18
Boehm, M. J., S2.14, S2.127, S4.1
Bogar, L., S2.182
Bogdanove, A. J., S2.171
Bois noir (BN), field treatment with resistance inducers, 785
Boiteux, L. S., S2.127
Boiteux, M. M. E., S2.127
Bóka, K., 623
Bokati, D., S2.18
Bokhari, S. S., S2.18
Boland, G., S2.111
Boletineae, S2.104
Bolot, S., S2.170
Bombecini, J., S2.10
Bonants, P., 1169
Bonas, U., S2.187
Bonato, A. L. V., S3.5
Bonde, M. R., 708, S2.18
Bond, J., S2.157
Bond, J. P., S2.101, S2.158
Bonello, P., S2.24, S2.29, S2.132
Bonito, G., S1.2, S2.18, S2.58, S2.135
Bonning, B. C., S3.2
Booher, N. J., S2.171
Booth, C., S1.3, S2.37
Bordeos, A., S2.89
Borderick, K., S3.3
Bordiya, Y., S2.19, S2.70
Boreal endophytes, genomic comparison, S2.161
Borejsza-Wysocka, E., S2.31
Boro, M. C., S2.153
Borowicz, P., S2.37, S3.3
Borrego, E. J., S2.19
Boscalid, field selection of DMI insensitive *Sclerotinia homoeocarpa* isolates, S2.5
Boscalid resistance
in *Alternaria* spp. in the Colombia Basin, S3.17
in *Botrytis cinerea* from eastern U.S. vineyards, S4.1
detection in *Blumeriella jaapii*, S2.191
Bose, T., S2.19
Bosland, P. W., 472
Bossa-Castro, A. M., S2.19
Bostock, R. M., S2.84, S2.122, S2.124, S2.163
Boston Harbor Islands, S2.54
Botha, A. M., S2.87
Botryosphaeriaceae
among temperate nut crops in California, S3.14
associated with almond trunk cankers, S3.12
tropical fruit diseases in Puerto Rico, S3.16
Botryosphaeria dieback
control with *Glomus intraradices* and *Trichoderma* spp., S2.103
defining the stages of infection in grapevines, S2.13
See also Neofusicoccum parvum
Botrytis, evaluation of fungicide applications in strawberry fields, S2.112
Botrytis cinerea
biocontrol
with compost tea in blueberry, S2.20
effect of biological control agents on strawberry leaf microbiota, 1001
with phillospheric yeasts on cut roses, S2.85
effect of host nitrogen nutrition on secondary inoculum, 261
effect of quinolone alkaloids on, S2.68
fungicide resistance
monitoring for in strawberry, S2.43
prevalence and characterization in isolates from small fruits, S2.51
QoI and boscalid resistance in eastern U.S. vineyards, S4.1
survey of vineyards in Virginia, S2.12
role of nursery plants as a potential source of inoculum, S2.107
in vitro evaluation of endophytic fungi antagonists, S2.122
See also Gray mold
Bottle gourd (*Lagenaria siceraria*), S2.75
Bottner-Parker, K. D., S2.26
Boucher, C., S2.64
Bourdot, G., S2.15
Boureau, T., S2.170
Bousquet, A., S2.63
Bouteloua gracilis. *See* Blue grama grass
Bowen, K. L., S2.19, S2.23, S2.54, S2.79
Bowman, H. M., S2.20
Bowman, L., S2.187
Boxwood blight
molecular diagnostics for early detection, S2.90
population genomic RAD-Seq characterization of, S2.58
sanitizing agents in management, S2.36
significance of soil inoculum in the epidemiology of, S2.33
susceptibility of commercial boxwood cultivars to, S2.47
Boyer, R. R., S2.120
Boyetchko, S. M., 245
Boyzo-Marin, J., S2.119, S2.134
Brachypodium distachyon, S2.88
Bracket fungi, improved taxonomic resolution, S2.96
Bradeen, J., S2.20
Bradley, C. A., S2.3, S2.88, S2.94, S2.123, S2.127, S2.131, S2.166, S2.175, S3.6
Bradshaw, J. D., 1235, S2.162
Bradshaw, R. E., 725
Bradyrhizobium japonicum, S3.8
Bragança, C. A. D., S2.104
Branco, S. D., S2.82
Brandl, M. T., 304, 316, 362
Brandt, M. E., 400
Brannen, P. M., S2.20, S2.104
Brannon, J. M., S2.107
Brar, S., S2.143
Brassicaceae
influence of phenological status on the antifungal constituents of, S2.151
seed meal amendments, S2.92
Brassica germplasm, field screening for resistance against white leaf spot disease, S2.53
Brassica juncea, 841, S1.5
Brassica napus. *See* Canola
Brassinosteroids, 1260
Brazee, N. J., S2.20
Breiland, M., S3.2
Brem, R., S2.186
Brenneman, T. B., S1.2, S1.5, S1.10, S2.17, S2.135, S2.149, S3.12
Breth, D., S2.31
Brevipalpus phoenicis (false spider mite), 488
Brewer, M. T., 717, S2.14, S2.178

Briceño, E. X., S2.20
Bridges, W. C., S2.131
Briere, S., S2.76
Bright, D. B., S2.69
Brin, C., S2.170
Brlansky, R. H., 488, S2.62, S2.124, S2.165
Broad-spectrum rust resistance, simple sequence repeat DNA markers linked with in common bean, S2.132
Broccoli, effect of HYT A and HYT B on fungal pathogen growth, S3.12
Brockhurst, M., S2.67
Broders, K., S2.82, S2.111
Bromus laevipes, S2.55
Bronze leaf disease of *Populus*, S2.108
Brown, D. W., 400
Browne, G. T., S2.128
Brown, J. K., S2.7, S2.44, S2.120, S2.179
Brown, P., S2.24
Brown patch
development of SCAR markers and UP-PCR cross-hybridization method for detection, S2.76
effect of mowing height on severity in tall fescue, S3.9
Brown, R. L., S1.2, S1.4, S2.45
Brown root rot, dissemination pattern in Taiwan, S2.28
Brown rot
multi-drug resistance to site-specific fungicides, S2.55
spatial assessment of oxidative and enzymatic reactions in brown rotted wood, S2.95
Brown rust
of sugarcane, history in Florida, S2.29
See also Puccinia melanocephala
Brown, S., S2.182
Brown, S. P., S2.20, S2.86, S2.107
Brueggeman, R., 1153, S2 21, S2.37, S2.74, S3.3, S3.9
Brunings, A. M., S2.134
Bruns, T., S2.21
Bruns, T. D., S2.82, S2.182
Bryan, N., S1.2
Bryone, F., 261
Bryson, P. K., S2.43
Buchanan, A., S2.28
Buchanan, R. L., S2.89
Buchloë dactyloides (buffalograss), S3.1
Buchman, J. L., S2.130
Buck, J. W., S2.151
Buckley, B., S2.120
Budakov, D., S2.21, S2.102
Buehring, N., S1.1
Buell, R., S2.117
Buffalograss (*Buchloë dactyloides*), S3.1
Buffalograss false smut, S3.1
Buitrago, C., S2.106
Bui, V., S2.79
Buk, J., S2.155
Bull, C. T., S2.21
Bullock, R. W., S2.70
Bulyonkova, T., S2.70
Bunyaviridae, S2.110
Burbank, L., S2.21
Burchhardt, K. M., S2.21
Burdman, S., 362
Burgess, L. W., 400
Burgess, T., 1204
Burgos, M. R. G., S2.152
Burke, S., S1.2
Burkholderia contaminans strain MS14, S2.35
Burkholderia gladioli pv. *allicola*, S2.173
Burkholderia glumae
DSF-mediated signaling system in, S1.2
LAMP detection of, S2.23
negative regulatory function of *ntpR* for virulence, S1.7
negative regulatory gene for toxoflavin production, S2.192
regulatory and signaling network for the virulence of, S1.5
role of *tepR* in toxoflavin production and virulence, S1.8
virulence deficiencies associated with mutation of *aroA* and *aroB* genes, S1.6
See also Bacterial panicle blight of rice
Burnett, F. J., 1108
Burns, D., S1.5
Burrack, H., S1.6
Burris, E., S1.5
Burrows, M., S2.22, S2.97
Burr, T., 427, 633, S2.69
Butler, D., S2.61
Butternut (*Juglans cinerea*), S2.66
Butternut canker, S2.66
Byamukama, E., S2.143
Bymovirus, 949

Cabbage, evaluation of control of black rot, S2.76
Cabrera, A., S2.7, S2.33
Cacao, frosty pod rot, S2.35
Cacciola, S. O., 610
Cadang-Cadang disease, S2.177
Cadieux, M., S2.147
Cadle-Davidson, L., 717, S2.14, S2.22, S2.93
Caffi, T., 64
Caiazzo, R., S2.22
Cai, G., S2.100, S2.173
Calcium signal modifier (CSM-1) gene, S2.86, S2.152
Caldera Dominguez, M. A., S2.23
Calder, B. L., S2.8
Calderón-Zavala, G., S2.39
Cale, J. A., S2.23
Callaham, M., S2.107
Callicott, K., S2.5, S2.105, S2.108
Calonectria pseudonaviculata
molecular diagnostics for early detection, S2.90
population genomic RAD-Seq characterization of, S2.58
sanitizing agents in management, S2.36
significance of soil inoculum in the epidemiology of, S2.33
Calystegia sepium, S4.1
Cambra, M., 972
Camellia flower blight, 725
Camellia lutchuensis, 725
Camellia spp., induced host resistance by *Cibornia camelliae*, 725
Caminero, C., 673
Campbell, A., S2.114
Campbell, A. J., S2.23
Campbell, E., 333
Campbell, H. L., S2.23
Campbell, K. G., S2.3
Campbell-Nelson, K., S2.5
Campbell, P. R., S2.71
Campe, R., S2.77
Campillo, T., S2.87
Canada thistle (*Cirsium arvense*), S2.15
CANARY technology, S2.20
'*Candidatus* Liberibacter asiaticus'
characterization of Sec-translocon-dependent extracytoplasmic proteins, S2.157
development and application of scFV for, S2.165
development of a home detection kit for, S2.72
estimation of populations in Texas citrus trees, S2.75
Flg22-triggered defense responses in mandarin and grapefruit, S2.132
heat treatment, 15
induction of lytic cycle genes, S2.44
live bacterial population dynamics, S2.62
research review, 652
transcriptome analysis of 'Valencia' sweet orange response to, S2.86
visualization of cells in citrus seed coat vascular bundles, 545
See also Citrus huanglongbing; Huanglongbing
'*Candidatus* Liberibacter' interactors, website for the identification of, S2.44
'*Candidatus* Liberibacter psyllaurous', S2.72
'*Candidatus* Liberibacter solanacearum'
advances in the detection of, S2.79
assessment of management and environmental factors affecting regional occurrence, S2.162
development of a haplotyping assay, S2.159
effect on tuber physiology, 419
functional characterization of virulence genes, S2.125
hypervariable phage-like regions, S2.69
influence of environmental factors and management practices on occurrence, 1235
overview, characterization, and discussion of management, 524
potato volunteers as a source of, S2.38
relationship of potato biochemical responses to disease progression, S2.154
titer over time in *Bactericera cockerelli*, S2.130
transcriptomic, proteomic, and nutritional analyses of potato tissues infected with, S2.104
See also Potato zebra chip disease
'*Candidatus* Phytoplasma asteris', S2.27
'*Candidatus* Phytoplasma pruni', S4.1
Candresse, T., 293, 972
Cannon, P. F., S2.33
Cannon, P. G., S2.123
Canola (*Brassica napus*)
detection of '*Candidatus* Phytoplasma asteris', S2.27
genetic and phenotypic diversity in *Sclerotinia sclerotiorum* populations infecting, 750
suppression of clubroot by Serenade, 245
Canopy reflectance, anthracnose severity on annual bluegrass and, S2.65
Cantaloupe, regulatory effect of soli matric water potentials on a tripartite host-specific rhizosphere interaction, S2.138
Cantharellaceae, S2.58
Cantharocybe brunneovelutina, S2.28
Cantilina, K., 1180
Cantu, A., S2.23
Cantu, M., S2.91
Cao, J., S2.85
Cape gooseberry (*Physalis peruviana*), S2.14
Capelari, M., S2.71
Capello-García, S., S2.152
Capik, J. M., S2.100
Caplan, J., S4.3
Capnondiales, S2.19
Cappello, S., S2.28
Capsicum annuum
metabolomic analysis of non-host pathogen induced resistance in, S2.138
novel gene inhibiting host-specific resistance to *Phytophthora capsici*, 472
QTL mapping of Phytophthora fruit rot resistance, S2.101
See also Chile pepper; Pepper
Capsicum spp., Phytophthora fruit rot resistance, S2.101
Carballo, V., S2.155
Carbohydrate utilization (CUT) systems, S2.170
Carbonaro, D., S2.120
Carbone, I., S1.8, S2.14, S2.79, S2.106, S2.116, S2.145, S2.150, S2.161, S4.1
Carboxylic acid amide, pre- and postharvest management of citrus brown rot, S2.3
Cárdenas, M., S2.23

Cardendeazim resistance, mechanisms and management in *Gibberella zeae*, S2.184
Carica papaya. *See* Papaya
Carlaviruses, S2.72
Carlsward, B. S., S2.128
Carnago, G., S2.52
Carpane, P., 129
Carrère, S., S2.170
Carrillo, D., S2.71, S2.114
Carrillo-Fasio, J. A., S3.11
Carrión, V. J., 1115
Carrise, O., 811, 1087
Carris, L. M., S2.93
Carroll, A., S2.51
Carrot foliar disease control, S3.5
Carter, M., S2.179
Carter, P. A., 750
Cartwright, R. D., S2.24
Caruso, F. L., S2.109, S2.136
Carvajal Yepes, M., S3.8
Carya cordiformis (bitternut hickory), 565
Carya ovata (shagbark hickory), 565
Cary, J., S2.127
Caseinolytic protease genes, 427
Castagnaro, A. P., 555
Castañeda-Ruiz, R. F., S2.52
Castello, J. D., S2.23
Castlebury, L. A., S2.89, S2.91, S2.93, S2.134, S2.150
Castroagudin, V. L., S2.24
Castro-Beltran, G., S2.112
Castro, P. R. D. C., S2.174
Casuarina equisetifolia decline, S2.10, S2.128
Catalano, V., 802
Catal, M., 190
Catani, D. H. P., S2.50
Catharanthus roseus (annual vinca), S2.155
Cattan, N. C., S2.100
Cauliflower mosaic virus (CaMV)
  P6 inclusion bodies, S2.122
  P6 protein and the delivery of virions to plasmodesmata, S2.188
  role of CHUP1 and class XI myosins during infections, S2.7
Caulimo-like virus, S2.1
Cavender-Bares, J., 565, S2.41
Cavin, C. A., S2.15, S4.1
Cazorla, F. M., 1115
Cech, N., S2.105
Celio, G. J., S2.93
Cellier, G., S2.3
Cellular telemetry, S2.8
Center rot of onion, S2.173
Ceratobasidium root rot of watermelon, S2.103
Ceratocystis fimbriata
  genetic variability in isolates from mango, S2.107
  hypervariable ITS sequences among isolates, S2.56
  impact of salinity on wilt in mango, S2.100
  impact on mango seedling growth, S2.137
  wilt disease on kiwifruit in Brazil, S2.43
Ceratocystis smalleyi, reduction of sap flow in bitternut hickory, 565
Ceratocystis wilt of kiwifruit, S2.43
Cercospora arachidicola, S1.8
Cercospora beticola, sensitivity to benzimidazole and sterol demethylation inhibiting fungicides, S2.21
Cercospora janseana
  effect of amended media, temperature, and light on growth and development, S2.71
  efficacy of *Bacillus* in biocontrol with organic rice, S2.168
  role of amino acids, vitamins, and inorganic salts in the development of, S1.6
Cercospora kikuchii
  effects of minor elements on, S1.11, S2.158
  field screening soybeans for, S2.120
  fungicide resistance, S2.116
  fungicide sensitivity, S1.9
Cercospora leaf blight of soybean
  effects of minor elements on, S1.11, S2.158
  field screening for resistance, S2.120
  See also Cercospora kikuchii
Cercospora-resistant sugar beet, S2.128
Cercospora seminalis, S3.1
Cercospora sojina
  characterization and molecular diagnosis of QoI resistance, S2.166
  epidemiology and population diversity, S2.165
  mating-type distributions and genetic diversity on soybean, 1045
Cercospora spp., hypothetical proteins in resistance to cercosporin, S2.15
Cercospora zeae-maydis, circadian regulation of pathogenicity in, S2.60
Cercosporidium personatum, S1.8
Cercosporin, S2.15
Cereal grain domestication, root-associated fungal communities and, S2.18
Ceresini, P. C., 862, S3.5
Cevallos-Cevallos, J. M., 381
Chabot, D., S2.103
Chai, Y., S3.2
Chakraborty, S., S2.24
Chaky, J. L., S3.3
Chalupowicz, L., S2.24
Chambergo, F. S., S2.34
Chamorro, M., S2.95, S2.130
Chang, J. H., S2.28
Chang, S., S2.24
Chang, T., S2.63, S2.126
Chan, K., S2.180
Chansler, M. T., 1280
Chao, C. T., S2.67
Chao, S., S3.2
Chapara, V., S2.166
Chapman, S., 333
Chappelka, A. H., S2.26
Charbit, E., S2.170
Charcoal rot. *See Macrophomina phaseolina*
Charcoal rot resistance, evaluation of soybean varieties for, S2.130
Charkowski, A. O., S2.25, S2.46
Charlton, N. D., S2.55, S2.133, S2.165
Chase, T., S2.123
Chase, T. E., S2.25
Chastagner, G. A., S2.37, S3.12
Chatnaparat, T., S2.25
Chatterjee, M., 841
Chaudhury, A., S2.25
Chavan, S., S2.25
Chaverri, P., S2.59, S2.90, S2.125, S2.134
Che, G.-N., 135
Chellemi, D. O., 792
Chen, C., S2.184
Chen, C. Y., S2.82
Chen, F., S2.128
Cheng, M., S2.26
Cheng, Q., S4.2
Cheng, T.-F., 888
Cheng, Z., 594, S2.184
Chen, J., S2.154, S2.157
Chen, J.-P., 949
Chen, K. C., S2.35
Chen, K. H., S2.26
Chen, L., S2.165
Chenopodium quinoa. *See* Quinoa
Chen, P., S2.80
Chen, R., S1.2, S2.84
Chen, S., S3.14
Chen, W., 43, 750, 927, S2.178
Chen, X., S2.42, S2.155, S2.156, S2.164, S2.184
Chen, X. M., 927
Chen, Y.-C., 888
Chen, Z., S1.2, S1.4
Chen, Z. Y., S2.45, S2.120
Cheong, K., 1204
Cherry, viruses associated with rusty mottle and twisted leaf diseases, 1287
Cherry green ring mottle virus (CGRMV), 1287
Cherry leaf spot (CLS), S2.191
Cherry necrotic rusty mottle virus (CNRMV), 1287
Cherry rusty mottle disease, 1287
Cherry twisted leaf disease, 1287
Chestnut blight, 1280
Cheung, H. Y., S2.26
'Chevron' spring barley, 1252
Chewachong, G. M., S2.26
Chiampiriyakul, P., S2.26
Chieppa, J., S2.26
Chiesa, M. A., 555
Chile pepper
  biocontrol agents for Phytophthora and Verticillium wilts, S2.56
  effect of *Chlorella* on Phytophthora blight, S3.16
  metabolomic analysis of non-host pathogen induced resistance in, S2.138
  novel gene inhibiting host-specific resistance to *Phytophthora capsici*, 472
  Verticillium dahliae peduncular infection and seed transmission, S3.14
  See also Capsicum annuum
Chilumpha, E., S2.104
Chilvers, M. I., S2.123, S2.150, S2.157
'Chinese Spring' wheat cultivar, 575
Chitin synthase gene, S2.108
Chitrampalam, P., S2.27, S2.103, S2.107
Chittem, K., S2.27
Chlorella, S3.16
Chloroplasts, in the local and systemic movement of *Alphaflexiviridae*, S2.188
Choi, H. W., S2.19
Choi, J., 1204
Choi, K., S2.27
Chondrostereum purpureum, S2.45
Choudhary, N., 488, S2.124
Choudhury, R. A., S2.27
Christner, B., S1.2
Chrysanthemum white rot, S2.18
Chrysanthemum white rust, 1169
Chrysolepis chrysophylla, S2.85
Chukeatirote, E., S2.89, S2.150
Chulze, S., 400
Chuma, I., 575
Chung, C. L., S2.28, S2.82
CHUP1 myosins, S2.7
Chu, R., 1162
Chu, Y., S1.9
Chytridiales, S2.130
Chytridiomycosis, S2.15, S2.67
Chytridiomycota, S2.68
Chytrids, S2.34, S2.115
Ciborinia camelliae, 725
Cichorium intybus, S2.112
Cifuentes, J., S2.28, S2.63
Cilevirus, 488
Cilia, M., S2.65, S2.87, S2.103
Ciomperlik, M., S3.15
Ciotola, M., S2.147
Circulifer tenellus, S2.31
Cirsium arvense. *See* Canada thistle
Citron melon, survival and seed transmission of *Acidovorax citrulli*, S2.37
Citrullus lanatus. *See* Watermelon
Citrullus lanatus var. *citroides*, S2.37
Citrus
  '*Candidatus* Liberibacter asiaticus'
    heat treatment, 15
    visualization of cells in seed coat vascular bundles, 545
  characterization of a *Xanthomonas citri* subsp. *citri* variant triggering a host-specific disease response, 555

evaluation of HLB tolerance, S2.118
mechanism of *Xanthomonas citri* avirulence factor AvrGf1 in inducing hypersensitive response in, S2.168
Phytophthora nicotianae re-emerging in Florida citrus groves, S2.36
prevalence of diseases in Puerto Rico, S2.191
root-shoot dichotomy in citrus–*Citrus tristeza virus*, S2.56
seasonal dynamics and correlation studies of viroids, S2.82
temperature/wetness modeling of *Guignardia* pseudothecium maturation and ascospore release, 281
use of very young plants for biological indexing of graft transmissible pathogens, S3.14
Citrus-associated *Xanthomonas*, acquisition of copper resistance genes from different sources, 409
Citrus aurantifolia, 555
Citrus black rot/spot
characterization and potential spread in the U.S., S2.40
See also Guignardia citricarpa
Citrus brown rot, pre- and postharvest management, S2.3
Citrus brown spot, 741
Citrus canker
comparison of culture and bioassay for detection of, S2.17
control with trunk and soil applications of neo-nicotinoid insecticides, S2.52
convergence of TAL effectors on a single host susceptibility gene, S2.62
evaluation of *Citrus sinensis* for resistance to, S2.50
See also Xanthomonas citri pv. *citri*
Citrus clementina, 555
Citrus exocortis viroid (CEVd), S2.82
Citrus greening (CG), prevalence in Puerto Rico, S2.191
Citrus huanglongbing (HLB)
assessment in Dominica, S2.141
research review, 652
transcriptome analysis of 'Valencia' sweet orange response to, S2.86
See also '*Candidatus* Liberibacter asiaticus': Huanglongbing
Citrus leprosis, 488
Citrus leprosis cytoplasmic type 2 (CiLV-C2), 488
Citrus leprosis virus (CiLV-C), 488, S2.124
Citrus limon, 555
Citrus paradisi, 555
Citrus root rot, 610
Citrus sinensis, evaluation for resistance to citrus canker, S2.50
Citrus tristeza virus (CTV)
molecular diversity in California, S2.156
prevalence in Puerto Rico, S2.191
root-shoot dichotomy in citrus–CTV interactions, S2.56
seedling yellow symptom induction changes microRNA expressions, S2.56
stability in populations in field and glasshouse sweet orange, S2.31
Citrus variegated chlorosis (CVC), S2.191
Citrus vein enation, 1077
Citrus vein enation virus (CVEV), 1077
Civitas, S1.8
Clark, C. A., S2.142
Clarke, B., S2.14
Clarke, B. B., S4.1
Clarke, E., S2.124
Clarke, H. D., S2.150
Clark, J. S., S2.14
Class XI myosins, S2.7
Clavibacter michiganensis subsp. *michiganensis*
loop-mediated amplification of the *micA* gene, 1220
tomato fruit colonization, S2.143
Clavibacter michiganensis subsp. *nebraskensis*
differences in corn hybrid structural responses to, S2.93
effect of residue management practices, S2.94
within field spatial and temporal analysis, S2.35
greenhouse corn hybrid responses to, S3.6
See also Goss's wilt and leaf blight of corn
Clavibacter michiganensis subsp. *sepedonicus*, S2.87
Claviceps purpurea, spatial patterns in Kentucky bluegrass and perennial ryegrass grown for seed, S2.37
Claytonia virginica (spring beauty), S2.128
Clean plant centers, S2.179
Clement, D. L., S2.28
Clerc, P., S2.149
Clifford, J., S2.28, S2.119
Climate change
responses of plant-symbiotic fungi to, S2.182
uncertainty and agricultural decision making under, S2.59
Clonostachys rosea ACM941, S2.87
clpA gene, 427
clpP1 gene, 427
Clubroot
suppression by Serenade, 245
See also Plasmodiophora brassicae
Cluskey, S. A., S3.15
Cluster bean, detection of *Macrophominia phaseolina* with SCAR assay, S2.25
Clustered Regularly Interspaced Short Palindromic Repeats (CRISPR) systems, S2.67
Cluzer, S., 1028
Coastal dune grasses, effects of environment and host on endophyte communities, S2.34
Coast live oak (*Quercus agrifolia*), S2.29
Coat proteins, S2.143
Coats, K., S2.82, S3.12
Cobian, G., S2.70
Cobine, P. A., S2.107
Coccoloba lianas, S2.150
Cochliobolus sativus, S2.78
Cochran, A. M., S2.94
Cochran, K., S1.2
Cochran, K. A., S2.28
Coemansia reversa, S2.93
Coenosia tigrina, S2.53
Coffee rust, plant nutrition and, S2.151
Coffey, M. D., 43, 610, 1204, S2.91
Coffua, L. S., S2.28
Cold storage, identification of *Salmonella enterica* genes with a role in persistence on lettuce leaves during, 362
Coleman, J. J., 400
Colletotrichum acutatum
distribution and host range on Salicaceae, S2.142
effect of inoculum concentration on development of, S2.45
effects of environmental factors on infection of blueberry, S2.127
LAMP assay for detection on strawberry, S2.166
Colletotrichum cereale
assessment of severity on annual bluegrass, S2.65
identification and mapping of a wheat resistance gene to an unadapted isolate of, 575
Colletotrichum coccodes, S2.161
Colletotrichum dematium, S1.3
Colletotrichum gloeosporioides
enhancement of resistance in strawberry by overexpressing the *Arabidopsis NPR1* gene, S2.134
genetic structure in papaya isolates, 182
species complex causing ramulosis of cotton, S2.113
Colletotrichum hanaui, 575
Colletotrichum lindemuthianum
detection of seed to seedling transmission in pinto beans, S3.4
factors affecting seed infection in dry bean, S2.111
transmissibility by seed, S2.133
Colletotrichum spp.
anthracnose in papaya fruits, S3.11
real-time PCR detection and differentiation of species causing soybean anthracnose, S2.164
Collimonas sp. ZLZ261, S2.84
Collins, J. F., S2.36
Collins, P., S2.20
Collins, S. L., S2.115
Colquhoun, J., S2.190
Common bean (*Phaseolus vulgaris*)
association of endornaviruses with, S2.73
Bacillus subtilis seed treatment, S2.91
Bean common mosaic virus-induced necrosis in an *I* gene bearing line, S3.13
detection of seed to seedling transmission of *Colletotrichum lindemuthianum*, S3.4
endornaviruses, S1.6
field evaluation for tolerance to soilborne pathogens, S2.1
genetic and aggressiveness variation of *Sclerotinia sclerotinia* in Brazil, S3.9
identification of resistance gene homologues in, 156
pathogen factors affecting selection for white mold resistance, S3.17
rhizobacteria attenuates *Curtobacterium flaccumfaciens* pv. *flaccumfaciens*, S2.91
simple sequence repeat DNA markers linked with broad-spectrum rust resistance, S2.132
Communication modules, in *Neurospora crassa*, S2.186
Comparative genomics, critical look at, S2.101
Comparative transcriptome analysis, S2.44
Compost
effect of composted manure on potato early dying, S2.98
reuse of spent mushroom compost for *Agaricus bisporus* production, S2.158
Compost tea, control of gray mold of blueberry, S2.20
Compost water extracts (CWEs), 255, S3.16
Comstock, J., S2.53
Comstock, J. C., S2.29
Condon, B. J., 641
Conrad, A. O., S2.29
Conrath, U., S2.77
Constantelos, C., S2.109, S2.112
Constantino, N., S2.29
Contreras, K., S2.29
Convolvulus arvensis, S4.1
Cook, D., S2.12
Cook, D. R., 156
Cooke, D. E., S2.33, S2.39
Cooley, D. R., S2.29, S2.88
Coons, K., S3.12
Cooper, K. D., S2.189
Copes, W. E., S2.30, S2.164
copLAB gene cluster, 409
Coplin, D., S2.171
Copper, sensitivity of *Erwinia amylovora* to, S2.70
Copper hydroxide, efficacy in inhibiting growth of *Phytophthora infestans*, S3.6
Copper resistance genes, acquisition from different sources in citrus-associated *Xanthomonas*, 409
Cordova-Kreylos, A. L., S2.146
Corky bark disease of langsat, S3.14
Corky root of lettuce, S2.46

Corn (*Zea mays*)
aflatoxin
accumulation in IITA-ARS lines, S1.2
management with Afla-Guard, S2.158
transgenic approaches to management, S2.127
Aspergillus flavus infection
histology and transcriptional changes in infected seed, S2.133
lipoxygenase LOX2 regulates pathogenicity of, S2.62
roles of WRKY transcription factors in defense against, S1.4, S2.45
Clavibacter michiganensis subsp. *nebraskensis* infection
within field spatial and temporal analysis, S2.35
hybrid structural responses to, S2.93
corn stunt disease resistance, 129
correlative imaging of fungal pathogenesis in, S4.3
defense response and growth regulation in response to *Phialocephala fortinii*, S2.149
dent corn resistance to Goss's wilt and Stewart's wilt, S2.17
disease risk perceptions from the 2009 Midwestern crop management survey, S2.131
diversity of thermophilic fungi in, S2.126
effect of residue management practices on Goss's wilt, S2.94
expression profiling and evolution of pathogenesis related genes in response to *Ustilago maydis*, S2.25
foliar fungicides and integrated pest management, S2.88
fumonisin production by black *Aspergillus* species, S2.175
fungicide sensitivity of *Pythium* species in Iowa, S3.6
histology and transcriptional changes in seed infected by *A. flavus* and *F. verticillioides*, S2.133
identification of fungi associated with in northern Tamaulipas, S2.91
impact of tassel fungicides on the *Aspergillus* and *Fusarium* spp. mycoflora of harvested corn, S1.1
oxidized lipids control *Aspergillus* spp. disease development, S2.19
pathogenicity of *Pythium* spp. at different temperatures, S2.92
real-time PCR assay for interactions of seedlings with *Sphacelotheca reiliana*, S2.7
role of deoxynivalenol in seedling infections by *Fusarium graminearum*, S2.21
role of siRNAs in viral infections, S2.187
soil bacteria for broad-spectrum mycotoxigenic fungi control, S2.166
susceptibility to corn stalk rot, S2.117
Corn seedling blight, efficacy of metalaxyl and ethaboxam on reducing, S3.5
Corn smut
aflatoxin and fumonisin in, S2.176
evolution and response of pathogen related genes in corn, S2.25
See also Ustilago maydis
Corn stalk rot, S2.117
Corn stunt disease, 129
Cornus florida, powdery mildew resistance, S2.98
Cornus spp., foliar fungal endophytes associated with, S2.96
Corrales Osorio, A., S2.30
Corral, R., S2.30, S2.92, S2.148
Correa, V., S2.171
Correa-Victoria, F. J., S2.24
Correlative imaging, of fungal pathogenesis in maize, S4.3
Correll, J., S2.124
Correll, J. C., 400, S2.24, S2.42
Corylus avellana, S3.15
Corynesporium cassiicola, S2.54
Costa de Novaes, M. I., S2.111
Costanzo, S., S2.30
Costa, S. S., S2.113, S2.122
Cota-Sieckmeyer, R. G., 1045
Cotton (*Gossypium hirsutum*)
Bacillus subtilis induced tolerance to damping-off, S2.94
effect of soil nitrate levels and *Verticillium dahliae* populations on production, S1.1
effect of Verticillium wilt on fiber quality, S2.161
evaluation of flutriafol for diseases, S1.11
influence on of crop rotation on diseases, nematode activity, and yield, S2.23
investigating the genetic structure of cotton root rot, S2.27
ramulosis, S2.113
target spot in Alabama, S2.54
use of soil management zones for Telone application, S1.5
Cotton leaf curl Gezira virus (CLCuGV), S3.13
Cotton root rot, S2.27
Cottrell, T. E., S2.17
Cottrill, D. J., S2.30
Cottyn, B., S2.152
Cotty, P. J., S2.5, S2.47, S2.66, S2.70, S2.94, S2.105, S2.108, S2.175, S3.13
Coutinho, T. A., 1268
Cover crops
effect on root arbusuclar mycorrhizal colonization in watermelon, S4.2
general suppression of Fusarium wilt of watermelon, S2.60
Covert, S., S2.117
Covert, S. F., 400
Cowan, J. S., S3.15
Cowell, S. J., S2.31, S2.57
Cowger, C., 460, S2.95
Cox, C. E., 316, 352
Cox, F., S2.181
Cox, K., S2.31, S2.153
Coy-Barrera, E., S2.14, S2.68, S2.122, S2.151
Cranberry (*Vaccinium macrocarpon*)
fluorescent *Pseudomonas* species associated with, S2.136
fruit rot resistance and inheritance, S2.114
funky flower, S2.114
Crane, J. M., 146
Cranston, K., S2.48
Craterellus excelsus, S2.58
Craterellus guyanensis, S2.58
Craven, K. D., S2.55, S2.92, S2.165
Creamer, R., S2.12, S2.31
Creeping bentgrass, impact of antimicrobials on etiolation, S2.122
Cregan, P. B., S2.132
Crespo, A., S2.149
Crespo Ramirez, R., S2.55
Cripps, M., S2.15
CRISPR systems, S2.67
Cromwell, W. A., S1.2
Cronartium ribicola, S2.143
Cronin, H., S2.69
Crop rotation, influence on diseases, nematode activity, and yield of peanut and cotton, S2.23
Crosslin, J. M., 1235, S2.162, S3.12
Crotalaria spp., 436
Crouch, J. A., S2.14, S2.58, S2.90, S2.179, S4.1
Crous, P. W., 400, S2.16, S2.33, S2.153, S2.162, S2.172
Crown gall of grapevines
biological control, S2.71
magnetic capture hybridization real-time PCR assay for detecting, 633
Crown rot of wheat
effect of climate on the distribution of species causing, 1130
evaluation of *Fusarium graminearum* root isolates to cause, S2.48
Crown rust, yield losses in oats, S2.19
Crown wilt in hickory, 565
CRT1, S2.19, S2.70
Crutcher, F. K., S2.31, S2.99
Cruz, D., S2.31
Cruz, I., S2.91
Cruz Jimenez, D. R., S2.39
Cruz, L. F., S2.32
Cryphonectria parasitica, 1280
Cryptococcus flavescens, S2.123
Cryptococcus flavescens OH 182.9 3C, S2.127
CSM-1 gene, S2.152
CsrA, S2.6
Cubeta, M. A., 862, S2.21, S2.54, S2.144
Cucumber
management of *Meloidogyne incognita* with fluensulfone, S1.8
soil suppressiveness to Fusarium disease, 23
Cucumber downy mildew, influence of environmental factors on disease severity, S2.52
Cucumber mosaic virus (CMV)
development assays for the identification of, S2.9
internode stunting in bell pepper, S2.100
Cucumis melo. *See* Melon
Cucumis metulifer (African horned cucumber), S2.144
Cucumis spp., regulatory effect of soli matric water potentials on a tripartite host-specific rhizosphere interaction, S2.138
Cucurbit aphid-borne yellows virus (CABYV), 1188
Cucurbit bacterial fruit blotch, S2.37
Cucurbit bacterial wilt
genetic and virulence variability in strains, 900
identification and temporal distribution of potential insect vectors, S2.147
impact of plant age on development in muskmelon, S2.83
insect transmission, S2.171
See also Erwinia tracheiphila
Cucurbit chlorotic yellows virus (CCYV), induction of antiviral responses against in melon, 960
Cucurbit downy mildew
pathogenicity in Costa Rica, S2.16
spatial frailty modeling in survival analysis of epidemics, 216
Cucurbit powdery mildew, efficacy of fungicides with resistance risk for, S2.93
Cucurbits
evolutionary history and genetic diversity of *Didymella bryoniae*, S2.178
genetic and virulence variability among *Erwinia tracheiphila* strains, 900
latent class analysis estimation of diagnostic tests for *Squash vein yellowing virus*, 1243
pathogenicity of downy mildew in Costa Rica, S2.16
Potyviridae in Puerto Rico, S3.16
Cucurbit yellow vine disease (CYVD), S2.15
Cui, M., S2.11
Culbreath, A. K., S1.8, S1.9, S2.115
Cullen, D., S2.180
Cummings, T. F., S2.149, S3.17
Cunnac, S., S2.13, S2.170
Cuomo, C. A., 400
Curlango-Rivera, G., 255, S3.16
Curly top. *See* Sugar beet curly top
Curry, K. J., S2.97
Curtobacterium flaccumfaciens pv. *flaccumfaciens*, S2.91
Curtoviruses, S2.31, S2.120
Cushion gall, S2.122
Cut flower crops, identification of viruses in small-farms, S3.12

Cyanodiscus, S2.112
Cyclic lipopeptides, of *Bacillus mojavensis* RRC101, S2.16
Cylindrocladium buxicola, susceptibility of commercial boxwood cultivars to, S2.47
Cynodon dactylon. *See* Bermudagrass
Cynodon dactylon × *C. transvaalensis*. *See* Ultradwarf bermudagrass
CYP51A1 gene, S2.153
Cyperus rotundus (purple nutsedge), 792
Cyst nematodes
in golf course greens, S2.103
See also Soybean cyst nematodes

Daayf, F., S2.98
da Cruz Machado, J., S2.153
Daglish, G., S2.59, S3.4
da Graça, J. V., S2.75, S2.86
Dahlia, identification of viruses in small-farm cut flower crops, S3.12
Dai, R., S2.32
Dalby, M., S2.186
Dale, A. L., S2.32
Daley, J. D., S2.32
Dalling, J., S2.30, S2.48
Dally, E. L., S4.1
Dalsing, B. L., S2.32
Damacena, M. B., S2.107
Damann, K., S2.32
Damarwinasis, R., S2.29
Damicone, J., S1.3
Damm, U., S2.33
DAMP induced innate immune response, S2.118
Damping-off
in cotton, *Bacillus subtilis* induced tolerance, S2.94
evaluation of fungicides and biorational products for greenhouse management, S2.13
in soybean, oomycetes from isolates in South Dakota, S2.25
Danelli, A. D., S3.5
D'Angelo, D., S2.33
Dang, H., 741
Daniells, E., S2.148
Daniels, J., S2.33, S2.176
Danies, G., S2.33
Dann, E. K., S2.71
Danojevic, D., S2.21
Darós, J.-A., 870
Darrasse, A., S2.171
Dart, N. L., S2.33
da Silva Leite, D., S2.15, S2.67
Das, M., S2.16, S2.34
Date palm (*Phoenix dactylifera*)
evaluation of germplasm to resistance/susceptibility against Bayoud disease, S2.125
molecular and cellular responses of roots to salinity stress, S3.8
morphological and molecular characterization of *Fusarium* species, S2.39
Daub, M., S2.189
Daub, M. E., S2.15
Daughtrey, M. L., S2.136
Dave, A., 1069, S2.4, S2.140
Davelos Baines, A. L., 1280
David, A. S., S2.34
David, G., S2.9
David, M., S2.24, S2.182
David, P., S2.170
Davidson, J., S2.74
Davis, A., S2.48
Davis, D. D., S2.71
Davis, E. L., 175, S2.129
Davis, J., S1.3
Davis, N., S2.181
Davison, D., S2.141
Davis, R. E., S2.26, S4.1
Davis, R. M., S2.173
Davis, W. J., S2.34
Dawson, N., S2.28
Dawson, W. O., S2.31, S2.55, S2.57
Day, A., S2.74
Dean, R., S2.188
De Backer, M., 1169
DeBauw, A., S3.12
De Bello, P., S4.2
Deblais, L., S2.148
Debolt, S., S2.163
DeBuse, C., S2.163
Decline of ironwood, S2.10, S2.128
Dee, M., S2.109
Deep sequencing of small RNAs, 1077
Dehesh, K., S2.122
Dehne, H., S2.99
Deiulio, G., S2.34
Déjean, G., S2.170
De Jong, D. M., S2.101
De Kesel, A., S2.54
Dela Cueva, F. M., S2.179
De La Fuente, L., S2.32, S2.102, S2.107
de la Garza, C., S2.75
de la Paz Gimenez Pecci, M., 129
Delbridge, R. W., S2.8
Delfosse, P., S2.38
Delgado-Alvarez, D., S2.34
Delgado, N. P., 555
Delia radicum, S2.53
del Rio, H., S2.152
del Rio, L. E., S2.27
del Río-Mendoza, L., 750
Demangeat, G., S2.51, S2.188
Demers, J. E., S2.68
Demethylation inhibitor (DMI)
field selection of *Sclerotinia homoeocarpa* isolates for insensitivity, S2.5
resistance mechanisms in *Erysiphe necator*, S4.3
sensitivity of *Cercospora kikuchii* to, S1.9
Deng, P., S2.35
Deng, X., S2.67
Denitrification pathway, in nitric oxide detoxification of *Fusarium vertcillioides*, S2.11
Dent corn, resistance to Goss's wilt and Stewart's wilt, S2.17
Denton, G., 43
Denton-Giles, M., 725
Deom, C. M., S2.20
Deoxynivalenol (DON)
concentrations during development of wheat spikes, 460
effect of QoIs on in soft red winter wheat, S2.33
effect of rain and simulated rain on levels in winter wheat, S2.97
regulation of systemic translocation in wheat, 460
role in seedling infections of soybean, wheat, and maize, S2.21
de Resende, V. L., S2.91
DeRobertis, C., S2.32
Deschutes National Forest, S2.48
de Silva, A. S., S2.6
DeSilva, U., 373
De Souza, J. I., S2.34, S2.68, S2.153
Devan, M. M., S2.62
Dever, J. K., S2.161
de Vicente, A., 1115
De Vos, P., S2.46
Dewdney, M. M., S2.152, S2.156
De Wever, G., S2.72
De Wolf, E. D., 906, S3.4
Deyiteux, V., 1012
Dharmasiri, C., S2.70
Dhillon, B., S2.35
Dhiman, C., S2.103
Dhulipala, M. R., S2.27
2,4-Diacetylphlolorglucinol (2,4-DAPG), S2.100
Diagnostic outreach trainings, S2.153
Dianese, J. C., S2.3, S2.112, S2.127, S2.137
Diao, Y., 920
Diaphorina citri, testing project in Florida, S2.55
Diaporthe spp.
delimitation of tropical endophyte species, S2.134
molecular phylogenetic studies, S2.150
pathogenicity on soybeans from Minnesota, S2.89
Diaz-Arias, M. M., 822, S2.35
Diaz, C. I., S2.35
Diaz Lara, A., S2.35
Diaz Valderrama, J. R., S2.35
Di Bello, P. L., S1.3
Dickens, A. A., S2.177
Dickeya, S2.82
Dickie, I., S2.182
Dickman, M., S2.79
Dicymbe alstonii, S2.150
Dicymbe corymbosa, S2.135
Didymella bryoniae
evolutionary history and genetic diversity, S2.178
sensitivity of conidial germination and mycelial growth to azoxystrobin, S1.4
stability of azoxystrobin resistance in, S2.43
Didymium iridis, S2.90
Dietzgen, R. G., S2.148
Difenoconazole resistance, in *Venturia inaequalis* isolates, S2.153
Digalactosyldiacylglycerol (DGDG), 74
'Digu' rice variety, 594
Dijkwel, P. P., 725
Dima, B., S2.142
Ding, F., 15, S2.165
Ding, X. S., S2.7
Dinkeloo, K., S4.2
Dinkins, R. D., S2.101
Diphymyces, S2.54
Di Pietro, A., 400
Diplodia pinea, assessing reactive oxygen species scavenging by, S2.132
Diplotaxis tenuifolia (wild rocket), 23
Di, R., S2.167
Disease control and pest management
effect of Fusarium head blight-Stagnospora leaf blotch management on soft red winter wheat, S2.173
effect of host nitrogen nutrition on *Botrytis cinerea* secondary inoculum, 261
effect of transitional organic production practices on tomato soilborne pests, 792
factors limiting trichothecene contamination of wheat grains after *Fusarium culmorum* infection, 682
field treatment of grapevine bois noir with resistance inducers, 785
fungicide strategies in resistance management for *Mycosphaerella graminicola* on winter wheat, 690
influence of environmental factors and management practices on potato zebra chip occurrence, 1235
integrated approach to tomato sour rot management, S2.173
integrated control of Allium white rot, S2.173
management of bacterial rots of onion, S2.173
membrane-based oligonucleotide array for the detection *Phytophthora* spp., 43
roguing with replacement in perennial crops, 117
seed treatment innovations, S2.174
Xanthomonas arboricola pv. *pruni* and leaf abscission on peach and nectarine, S2.173
Disease resistance evaluation, spurious symptoms caused by inoculum carriers, S3.5
Disease resistance inhibitor genes, 472
Disease risk curves, 1108

Disease severity, calculating fungicide dose decisions and, 666
Disinfestants, efficacy in killing urediniospores of wheat stem rust and soybean rust, S3.2
Distance courses and programs, S2.189
Diuraphis noxia (Russian wheat aphid), S2.87
Divakar, P. K., S2.149
Dixon, P. M., 900
Dixon, W., 15
Djama, Z. R., 43
Djikeng, A., S2.76
DMI resistance, mechanisms in *Erysiphe necator*, S4.3
DNA amplifiability, S2.6
DNA barcoding
  for detecting quarantine fungi, 1103
  of rust fungi from the Brazilian Cerrado, S2.137
DNA extraction, evaluation of a seed wash method, S2.140
DNA hybridization, membrane-based oligonucleotide array for the detection *Phytophthora* spp., 43
DNA methylation, in *Fusarium* species, S2.34
DNA microarrays, modification of oligo design for detection of fungal onion bulb rot pathogens, S2.8
DNases, fungal mitochondrial DNases and the activation of nonhost resistance, 81
DNA viruses, association with grapevine red blotch disease, 1069, S2.4
Dobhal, S., S2.8
Doktycz, M., S2.18
Dolezal, W., 129, S3.3
Dollar spot
  identifying the pathogen of, S2.14
  See also Sclerotinia homoeocarpa
Doll, D. A., S3.12
Döll, K., 682
Domfeh, O., S3.3
Domier, L. L., 941, S2.3, S2.24, S2.164
Donahoo, R. S., 237, S2.36
Donaldson, J., S1.5
Donaldson, M., S2.26
Dong, J., S2.26
DON-3-glucoside (D3G), 682
Dong, Y., S2.97
Donofrio, N., S2.36, S2.143, S4.3
Doohan, F. M., 1260
Dornelas, G., S2.151
Dorner, J. W., S1.8
Doster, M. A., S2.175
Dothideomycetes
  genomic analysis, S2.106
  merging the genera of, S2.172
Dothideomycetes Consortium, S2.106
Doud, M. S., 15
Douglas-fir (*Pseudotsuga menziesii*), gene expression profiling of a compatible interaction with *Phellinus sulphurascens*, 583
Douglas, S. M., S2.36
Douhan, G. W., 91, S2.91, S2.107
Doungsa-ard, C., S2.94
Doussoulin, H. A., S2.100
Dowie, N. J., S2.36
Downey, S., S2.36
Downy mildew
  of basil
    control with acibenzolar-*S*-methyl, S2.95
    effect of plant age on, S2.111
    incubation and latent periods, S3.6
    management by seed treatment with oxathiapiprolin, S2.111
  of cucumber, influence of environmental factors on disease severity, S2.52
  cucurbit downy mildew
    pathogenicity in Costa Rica, S2.16
    spatial frailty modeling in survival analysis of epidemics, 216
  graminicolous
    biology of, S2.178
    environmental metagenomics, S2.178
    identification and diagnosis of *Peronosclerospora* and *Sclerophthora*, S2.179
    in North America, S2.178
    taxonomy and phylogeny, S2.178
  of Impatiens, management, S2.109
  of quinoa, detection in quinoa seeds, S2.191
  of sorghum, S1.7
  of spinach, examination of molecular diversity with SSRs, S2.42
Downy mildew resistance, abiotic stresses affect *Trichoderma harzianum* T39-induced resistance in grapevine, 1227
Doyle, C., S2.26
Draper, M. A., S2.190
Drechsler, D. T., S2.36
Dried fruits, fungal contaminants, S2.147
Driver, J., S2.134
Drought resistance, fungal endophytes and, S2.183
DSF-mediated signaling system, in *Burkholderia glumae*, S1.2
D'Souza, D. H., S2.109
Duan, J., 1243
Duan, Y., 15
Duan, Y. P., S2.69, S2.72, S2.118
Dubien, J., S2.153
Dubois, T., S2.70
Du, C., S2.171
Duceppe, M. O., S2.147
Dufault, N. S., S1.1, S2.81
Dugan, F., S2.8
Dugan, F. M., S2.37, S2.160
Dugyala, S., S2.37, S3.3, S3.9
Du, L., S2.184
Duncan, R., S2.114
Duncan, S. M., S2.95
Dune ecosystems
  arbuscular mycorrhizal fungi communities, S2.69
  fungal endophytes and ecosystem engineering in, S2.183
Dungan, B., S2.138, S3.14
Dung, J. K. S., 55, 445, S2.37
Dunham, J. P., S2.134
Dunlap, C. A., S2.127
Dunn, A., S2.141
Dunn, A. R., S2.37
Duplessis, S., S2.42
du Toit, L., S2.8, S2.131
Dutta, B., S1.3, S2.37
Dvornik, J., S2.182

Early blight management, in tomato, S2.101, S2.118
Eastern filbert blight, S3.15
Eastwell, K. C., 1287
Eberhart, J., S2.77
Echauri-Espinosa, R., S2.118
Echidnodella, S2.137
Echinacea purpurea, S2.105
Eck, E., S2.38
Eckhardt, L. G., S2.26
Ecology and epidemiology
  aggressiveness and yield impact of *Fusarium* species in soybean, 822
  Ceratocystis smalleyi infections reduce sap flow in bitternut hickory, 565
  effect of climate on the distribution of *Fusarium* spp. causing crown rot in wheat, 1130
  effects of frequency of "extreme" temperature highs on soybean rust development, 708
  factors affecting foliar strawberry powdery mildew severity, 811, 1087
  Fusarium graminearum infection and deoxynivalenol concentrations in wheat spikes, 460
  genetic structure of *Verticillium dahliae* populations from mint and potato, 445
  incidence and impact of *Verticillium dahliae* in soil associated with certified potato seed, 55
  latent class analysis estimation of diagnostic tests for *Squash vein yellowing virus*, 1243
  percolation-based risk index for pathogen invasion, 1012
  polymorphic microsatellite markers for *Phytophthora* spp., 1020
  population dynamics of *Phytophthora ramorum*, 1141
  production and release of asexual sporangia in *Plasmopara viticola*, 64
  real-time PCR assay for *Fusarium oxysporum*, 802
  temperature regulation of chasmothecia initiation in powdery mildew of strawberry, 717
  temperature/wetness modeling of *Guignardia* pseudothecium maturation and ascospore release, 281
  Verticillium wilt on spinach, seed localization and efficacy of seed treatments, 268
  weather-driven logistic regression models predicting Fusarium head blight epidemics, 906
  weeds as potential inoculum sources for a tomato-infecting begomovirus, 436
Ecosystem engineering, fungal endophytes in dune ecosystems, S2.183
Ectomycorrhizal fungi
  associated with *Alnus* and *Salix*, S2.182
  associated with *Dicymbe alstonii* and *Coccoloba lianas*, S2.150
  associated with *Pinus contorta* and *P. ponderosa*, S2.48
  communities on pine and oak seedlings, S2.160
  community structure along a complex hydrologic gradient, S2.41
  ecophysiological responses to climate change, S2.183
  effects of nitrogen availability at the regional scale, S2.181
  factors affecting *Alnus*-associated community diversity and specificity, S2.124
  investigations of *Chrysolepis chrysophylla* and *Pinus ponderosa*, S2.85
  response to recurring prescribed fires in yellow pine forests, S2.107
  spatial structure in *Dicymbe corymbosa* trees and stands, S2.135
  variation in composition along a montane soil nutrient gradient, S2.30
Ectotrophic fungi, association with ultradwarf bermudgrass, S1.10, S2.153
Edlebeck, K., S2.106
Edythea quitensis, S2.12
EF1α gene, 479
Eggers, J. E., 55, S2.38, S2.131
Egusa, M., 733
Ehteshamul-Haque, S., S2.18, S2.38
Eicosapolyenoic fatty acids, S2.122
Eid, S. G., S2.38, S3.15
eIF4E-mediated resistance, S2.8
Ekramoddoullah, A. K. M., 583
Elaphocordyceps, S2.109
Elderberry, carlaviruses detected in, S2.72
Elena, S. F., 870, 1188, S2.179
El-Ganainy, S. M., S2.39
El Hadrami, A., S2.98
Elias, E., S3.2
Elías-Román, R. D., S2.39
Elite spring barley, quantitative resistance to Fusarium head blight, 1252
El Jarroudi, M., S2.38
El-Komy, M. H., S2.39, S2.125
Elling, A. A., 1092

Elliot, M., S2.82
Ellis, M., S2.39
Ellis, M. A., S2.26
Ellis, M. L., S2.31, S2.39, S2.40
Elmer, W., S2.40
Elmer, W. H., 400
Elsinoë australis
  novel PCR-RFLP assay for genetic diversity studies, S2.30
  SNPs present in the ITS2 region of, S2.141
Emerging pathogens, Saharan dust storms and, S2.83
Emery, S., S2.183
Enamovirus, associated with Citrus vein enation, 1077
Endohyphal bacteria, S2.8
Endolichenic fungal communities, S2.150
Endophytes
  boreal endophytic fungal communities, S2.150
  cell-cell signaling and endophytic behavior in *Xylella fastidiosa*, S2.186
  characterization of culturable bacterial endophytes of switchgrass, S2.163
  effect on tall fescue under drought stress, S2.101
  effects of environment and host on communities in coastal dune grasses, S2.34
  effects of rainfall on communities associated with five grass species, S2.161
  endophytic relationships and soilborne fungal pathogens, 538
  exploring endophyte diversity across the Pooideae, S2.165
  genomic comparison of closely related boreal endophytes, S2.161
  infections in *Poa alsodes*, S2.133
  seed endophytes of the alpine tundra in Colorado, S2.146
  tall fescue endophyte utilization, quality assurance, and characterization, S2.142
  in vitro evaluation of antagonists of *Fusarium oxysporum* and *Botrytis cinerea*, S2.122
  See also Foliar fungal endophytes; Fungal endophytes
Endoraecium, S2.94
Endornaviruses
  association with common bean, S1.6, S2.73
  infection of lima bean, S2.2
Endospore-forming bacteria, biocontrol of *Rhizoctonia solani*, S2.17
Endosymbiotic bacteria, co-evolution with *Mortierella elongata*, S2.18
End-point multiplex PCR, development for identification of plant viruses, S2.9
End-point RT-PCR, evaluation for the detection of *High plains virus*, S2.9
English, J., S2.120
English walnut (*Juglans regia*), S2.163
Enomoto, T., 575
Enteric disease, 316
Enteric pathogens
  biocontrol on leafy greens, S2.90
  food safety and, S2.185
  transmission to leafy greens by flies, S2.185
Enterobacteriaceae, 1268, S2.87
Enterobryus, association with *Anadenobolus monilicornis*, S2.29
Entolomataceae, S2.71
Entomophthora muscae, S2.53
Epichloë festucae, molecular and genetic basis of mutualism with perennial ryegrass, S2.13
Epidemics
  field evaluation of southern corn rust epidemics, S1.1
  predicting Fusarium head blight epidemics with weather-driven logistic regression models, 906
  predicting stripe rust epidemics using general estimation equations, S3.4
  relating the progeny production curve to the speed of an epidemic, 204
  spatial frailty modeling in survival analysis of cucurbit downy mildew epidemics, 216
  of stripe rust in barley, S2.155
Epiphytic bacteria, effect on survival of immigrant cells of *Salmonella enterica*, 341
Epstein, L., 400
Eranthodi, A., S2.125
Erasmus, A., S2.72
Ergot
  alteration of alkaloid profile through chromosome end knockoff, S2.44
  ergot alkaloid pathway, S4.3
  spatial patterns in Kentucky bluegrass and perennial ryegrass grown for seed, S2.37
Er, H. L., S2.40
Erlandson, S., S2.41
Erwinia amylovora
  control with trunk injection of SAR inducers and antibiotics in apple, S2.2
  CsrA positive regulation of virulence factors in, S2.6
  genomics of pathogen–host interactions, S2.172
  iron competition as mechanism for biocontrol by *Aureobasidium pullulans*, S2.150
  presence in asymptomatic apple bud wood, S2.31
  sensitivity to streptomycin, kasugamycin, and copper, S2.70
Erwinia herbicola, 341
Erwinia tracheiphila
  genetic and virulence variability among strains, 900
  impact of plant age on development in muskmelon, S2.83
  insect transmission, S2.171
  insect vectors, S2.147
Erysiphe necator
  mechanisms of DMI resistance in, S4.3
  ontogenesis of conidiation, S2.93
  real-time detection of airborne inoculum, S2.144
Esca disease
  explaining grapevine defense response to, 1028
  See also Phaemoniella chlamydospora
Escamilla Sanchez, D. M., S1.6, S2.76
Escherichia coli O157:H7
  colonization and internalization, 333
  plant immunity against, 326, S2.185
  transfer to spinach by house flies, 373
  transmission by flies, S2.185
Esenbeckia alata, S2.68
Eskalen, A., S2.71
Esker, P. D., S1.1, S2.88, S2.123, S2.131
Esmenjaud, D., 833
Espindola, A., S2.33, S2.176
Espitia-Vazquez, I. M., S2.41
Essential oils, impact on *Beauveria bassiana*, S2.84
Estep, L., S2.41
Estevez de Jensen, C., S2.191, S3.13, S3.16, S3.17
Ethaboxam, efficacy in reducing corn seedling blight, S3.5
Eujayl, I. A., S2.139
Euphorbia heterophylla, 436
Euphorbia yellow mosaic virus, 436
Eurasian poplar leaf rust, S2.42
Eurotiomycetes, S2.26
Euwallacea, S2.71, S2.114
Evans, B., S2.67, S2.70
Evans, T. A., S2.36
Everhart, S. E., S2.32, S2.41
Eversole, K., 306
Everts, K., S2.60, S2.141, S4.2
Everts, K. L., S2.36, S2.89
Ewer, J., S2.108
Expressed sequence tag (EST) markers, fine mapping of leaf rust resistance gene *LrZH84*, 169
Extension and education
  effective metrics for documenting impact, S2.190
  mobile technologies to increase effectiveness, S3.6
Eyre, C. A., 1141

Faculty, creating financial and academic incentives in on online programs, S2.189
Faedda, R., 610
Faeth, S. H., S2.105, S2.133, S2.165, S2.185
Fagus grandifolia, *Neonectria* infection, S2.23
Fajardo-Somera, R., S2.186
Fakhoury, A. M., 1045, S2.101, S2.158
Falcone, J., S2.51
False smut, S1.10
False spider mite (*Brevipalpus phoenicis*), 488
Fan, Y., S2.184
Farber, D., S2.41
Faria, M. d. R., S2.143
Farman, M. L., S2.44
Farrar, J. J., S3.13
Farrell, A., S3.11
Farrer, E., S2.60
Farria-Medina, O., S3.17
Faske, T. R., S2.42
Faure, C., 293
Favaro, M. A., 555
Fayad, A., S2.42
Fayette, J., S1.3
Feau, N., S2.32, S2.35, S2.42
Febres, V., S2.132
Fei, Z., S2.70
Felix-Gastelum, R., S2.94
Feliziani, E., 785
Feng, C., S2.42, S2.124
Feng, J., 1052, S2.42
Feng, J. X., S2.170
Feng, X., S2.42, S3.13
Fenstermacher, K. A., S2.71
Fereidouni, M., S2.43
Fereres, A., 1188, S2.179
Fernandes, J. M. C., S3.3
Fernandes, R. B., S2.100, S2.137
Fernandez, J., S2.43
Fernández-Ortuño, D., S2.43, S2.51
Fernandez-Pavia, S. P., S2.15, S2.136
Ferrandino, F. J., 204
Ferreira, M. A., S2.43
Ferro, H. M., S2.94
Ferrucho, R. L., 862
Ferry, A. E., S2.173
Fertilization, response of soil microbial communities to, S3.4
Feussner, I., S2.29
Feussner, K., S2.29
Ficcadenti, N., 802
Fichtner, E. J., S2.163
Ficke, A., S2.43
Fiedler, K., S2.120, S2.173
Fieland, V., S2.139
Fierro, J., S2.151
Filamentous fungi, septum formation and cytokinesis, S2.187
Filion, M., 995
Filippone, M. P., 555
Filley, T. R., S2.95
Filson, P. B., S2.109
Filth flies, as vectors, 373
Finger, M. J., S1.4, S2.43
Fiorani, F., S2.128
Fire
  effect on foliar endophytes of *Quercus hypoleucoides* and *Juniperus deppeana*, S2.62
  responses of mycorrhizal fungi to, S2.183

Fire blight. *See Erwinia amylovora*
Fischer, I. H., S2.104
Fischer, M., S2.49
Fiser, S., S2.24
Fisher, K. E., S2.44
Fisher, T., S2.44
Fjellstrom, R. G., S2.24
Flaherty, J., S2.120
Flavescene dorée disease, 776
Flavohemoglobins, S2.11
Fleites, L. A., 15, S2.44, S2.66
Fletcher, J., 129, 306, 373, S2.7, S2.9, S2.33, S2.99, S2.176
Flg22, S2.132
Flies, transmission of human enteric bacteria, S2.185
Flora, E., S3.12
Florea, S., S2.44
Flores, D., S2.44
Flores, F., S2.44
Flores, F. J., S2.52
Flores-Gonzalez, E., S2.134
Floudas, D., S2.101, S2.180, S2.181
Flowering dogwoods, powdery mildew resistance, S2.98
Fludioxonil resistance, in isolates of *Botrytis cinerea* from small fruits, S2.51
Fluensulfone, control of *Meloidogyne incognita* in cucumber, S1.8
Fluorescence in situ hybridization (FISH), visualization of '*Candidatus* Liberibacter asiaticus' cells in citrus seed coat vascular bundles, 545
Fluorescent *Pseudomonas*
  association with mycorrhizosphere of mungbean, S2.18
  biocontrol of isolates from *Salvadora* species, S2.38
  species associated with cranberry, S2.136
Fluorimetric probes, in the quantification of reactive oxygen species in plants, S2.24
Flutriafol, evaluation for cotton and peanut diseases, S1.11
Flyspeck fungi, S2.12
Fofanov, V. Y., S2.114
Foley, M., S3.13
Foliar fungal endophytes
  associated with *Cornus* spp., S2.96
  effects of wildfire on in *Quercus hypoleucoides* and *Juniperus deppeana*, S2.62
  phenotypic effects of endohyphal bacteria on, S2.8
Foliar fungicides, in IPM with hybrid corn, S2.88
Foliar pathogens
  modeling study on the use biocontrol agents in, 108
  synergy from the combined of two biocontrol agents, 768
Folimonova, S. Y., 545, S2.156
Folta, K. M., S2.134
Foltz, M. J., S2.45
Fontem, D. A., S2.103
Food safety
  contributions of plant pathologists to, S2.184
  emerging issues of mycotoxins in, S2.175
  enteric viruses and, S2.185
  focus issue on, 304
Forbes, G., S2.145, S3.8
Forcelini, B. B., S2.45
Forcelini, C. A., S3.5
Foreman, A., S2.187
Forensic epidemiology, S2.176
Forest pathogens, development of detection tools, S2.76
Forest seedlings, host generalism in fungal pathogens and endophytes, S2.14
Forest soils, metagenomic approaches to microbial communities, S2.123
Formella, A., S3.12
Forster, H., S2.3, S2.138
Founder effects, in *Wheat yellow mosaic virus*, 949
Fountain, F. C., S1.4
Fountain, J. C., S2.45
Fourie, P., 281
Fourie, P. H., S2.72
Fragaria × *ananassa*. *See* Strawberry
Frailty modeling, in survival analysis of cucurbit downy mildew epidemics, 216
France, R. A., S2.45
Francis, F., S1.2
Francis, I., S2.45
Francis, I. M., S2.46, S2.77
Francis, M., S2.90
Franco, C., S2.130
Francois, M., S3.5
Franco-Lara, L., S2.46
Franco, O., S2.62
Frandsen, R. J. N., 400
Frank, J. L., S2.58
Frankliniella occidentalis, S3.2
Franks, R. G., S2.133
Frantz, G., S2.158, S3.13
Fraser, E., S2.92
Fraxinus uhdei, S2.46
Frazier, T., S2.46
Frederick, L., S2.74
Freeman, J. H., S2.120
Freeman, S., 400, S2.71
French-Monar, R. D., S2.130, S3.13, S3.16
French, R., S2.143
Frettinger, P., 1035
Frey, P., 190, S2.42
Frisesen, T. L., S3.7
Fritz, C., S2.135
Frogeye leaf spot, 1045
  See also Cercospora sojina
Frommer, W., S2.167
Frost, K., S3.5
Frosty pod rot of cacao, S2.35
Fruit rot
  anthracnose fruit rot of strawberry, S2.45
  management in a high brix Niagara grape production, S2.58
  Phytophthora fruit rot of watermelon, management, S1.6
  postharvest fruit rot in apple, S2.160
  of rambutan, identification in Puerto Rico, S2.130
  resistance and inheritance in cranberry, S2.114
Fry, J., S3.9
Fry, W., S2.134
Fry, W. E., S2.33
Fuchs, M., 1180, S2.46, S2.51, S2.145
Fuentes, S., S2.1
Fukami, T., S2.181
Fulbright, D. W., 1280
Fulladolsa Palma, A. C., S2.46
Fulmer, A. M., S1.4
Fumiglobus pierisicolus, S2.19
Fumonisin
  in corn smut galls, S2.176
  production by *Aspergillus niger* in grapes, S2.175
  production by black *Aspergillus* in maize, S2.175
Funahashi, F., S2.46
Funderburk, J., S2.158
Fungal diversity
  extrapolating local to global biodiversity, S2.182
  in North American pine forests, S2.182
  of the southern states of the U.S., S2.151
Fungal ecology, S2.181
Fungal endophytes
  climatic drivers and their impacts on plant drought resistance, S2.183
  dual mutualist-antagonist dynamics in grasses, S2.185
  ecosystem engineering in dune ecosystems, S2.183
  production of acid protease by root endophytes, S2.92
  seed endophytes of the alpine tundra in Colorado, S2.146
  See also Endophytes; Foliar fungal endophytes
Fungal nomenclature, S2.172
Fungi
  AtBAG6 regulation of autophagy in fungal pathogen resistance, S2.79
  cell biology of, S2.186
  characterization of LSU and ITS rDNA for automated classification, S2.115
  colonization of roots of native and exotic hosts in urban environments, S2.86
  correlative imaging of fungal pathogenesis in maize, S4.3
  digitization projects, S2.97
  hidden host plant associations of soilborne pathogens, 538
  host specificity of phyllosphere communities in tropical trees, S2.13
  mitochondrial DNases and the activation of nonhost resistance, 81
  modeling decomposition pathways across scales, S2.181
  obligately lichen-associated, S2.186
  Open Tree of Life Project, S2.48
  responses of plant-symbiotic fungi to climate change, S2.182
  role of sRNAs in host–fungal interactions, S2.187
  succession across a deglaciated forefront, S2.20
  See also individual fungi and fungal diseases
Fungicide resistance
  in *Alternaria* spp. from California pistachio orchards, S3.11
  in *Cercospora kikuchii*, S2.116
  fungicide application timings for disease control are an effective anti-resistance strategy, 1209
  in isolates of *Botrytis cinerea* from small fruits, S2.51
  management strategies for *Mycosphaerella graminicola* on winter wheat, 690
  review of current knowledge of SDHI resistance, 880
  survey of in *Botrytis cinerea* in Virginia vineyards, S2.12
  See also specific fungicides
Fungicides
  application timings for disease control are an effective anti-resistance strategy, 1209
  calculating dose decisions that account for economic risk caused by variation in disease severity, 666
  effects on the latent stage of pecan anthracnose, S1.5
  importance for feeding the world, S2.49
  strategies in resistance management for *Mycosphaerella graminicola* on winter wheat, 690
  See also specific fungicides
Funky flower in cranberry, S2.114
Funnell-Harris, D. L., S3.3
Furr, S. H., S2.62
Furuya, N., 960
Fusaric acid secretion, S2.31
Fusariosis of black pepper, S2.113
Fusarium andiyazi, S2.134
Fusarium circinatum
  evidence for multiple introductions and clonality in Spanish populations, 851
  symptomless infection of *Pinus radiata* seedlings, S2.191

Fusarium crown rot of wheat
effect of climate on the distribution of species causing, 1130
evaluation of *Fusarium graminearum* root isolates for their ability to cause, S2.48
Fusarium culmorum
brassinosteroid enhancement of resistance in barley, 1260
effect of climate on the distribution of, 1130
factors limiting trichothecene contamination in wheat grains after infection, 682
Fusarium decemcellulare, S2.122
Fusarium dieback, S2.114
Fusarium fujikuroi, hybrids with *F. proliferatum*, S2.98
Fusarium graminearum
aggressiveness and yield impact in soybean, 822
comparative analysis using next generation sequencing, S2.134
effect of QoIs on in soft red winter wheat, S2.33
evaluation of ability to cause crown rot in wheat, S2.48
gene regulatory network reconstruction in, S2.53
genetic and epigenetic profiling, S2.55
identification of genes involved in asexual reproduction, S2.120
role of deoxynivalenol production in seedling infections by, S2.21
susceptibility of corn to, S2.117
wheat spike infection and deoxynivalenol concentrations, 460
See also Fusarium head blight
Fusarium head blight (FHB)
biological control study, 146
characterization and field detection of *Cryptococcus flavescens* biocontrol agents, S2.123
effect of intermittent pre- and post-anthesis moisture patterns on, S2.7
effect of management on soft red winter wheat, S2.173
effect of QoIs on in soft red winter wheat, S2.33
effect of rain and simulated rain on deoxynivalenol levels in winter wheat, S2.97
factors limiting trichothecene contamination in wheat grains after infection, 682
IPM with *Cryptococcus flavescens* OH 182.9 3C, S2.127
predicting epidemics with weather-driven logistic regression models, 906
quantitative resistance in elite spring barley, 1252
wheat spike infection and deoxynivalenol concentrations, 460
See also Fusarium graminearum
Fusarium kyuyense, S2.134
Fusarium lactis, S2.136
Fusarium mexicanum
association with galls of *Swietenia*, S2.136
causing malformation in mango, S2.15, S2.136
Fusarium nelsonii, S2.134
Fusarium oxysporum
biocontrollers, S2.14
Fusarium stalk blight and rot in sugar beet, S2.56
infection of above-ground plant tissue by nonpathogenic conidia, S2.68
interaction with soybean cultivars in seedling disease, S2.31
real-time PCR assay detection in grated melon genotypes, 802
in vitro evaluation of endophytic fungi antagonists, S2.122
Fusarium oxysporum f. sp. *albedinis*, S2.125
Fusarium oxysporum f. sp. *lactucum*, S3.17
Fusarium oxysporum f. sp. *lycopersici*, S2.9
Fusarium oxysporum f. sp. *melonis*
genetic structure among vegetative compatibility groups, S2.97
real-time PCR assay for detection and quantification of, 802
Fusarium oxysporum f. sp. *niveum*, S2.60
Fusarium oxysporum f. sp. *phaseoli*, S2.153
Fusarium oxysporum f. sp. *radiciscucumerinum*, 23
Fusarium oxysporum f. sp. *vasinfectum*, S2.31
Fusarium oxysporum species complex (FOSC)
genotypic and phenotypic characterization of isolates from soybean roots, S2.39
PCR-RFLP fingerprinting of isolates from soybean, S2.40
Fusarium proliferatum
aggressiveness and yield impact in soybean, 822
hybrids with *F. fujikuroi*, S2.98
specific discrimination using ISSRs and SSRs, S2.99
Fusarium pseudograminearum, 1130
Fusarium root rot resistance, evaluation of greenhouse inoculation methods to screen germplasm for, S3.7
Fusarium seedling blight (FSB), brassinosteroid enhancement of resistance in barley, 1260
Fusarium solani, 255
Fusarium solani f. sp. *phaseoli*, 81
Fusarium solani f. sp. *piperis*, S2.113
Fusarium solani f. sp. *pisi*, S3.7
Fusarium solani species complex, S2.113
Fusarium spp.
aggressiveness and yield impact in soybean, 822
brassinosteroid enhancement of resistance to Fusarium diseases in barley, 1260
characterization and quantification on wheat roots, S2.83
defining, 400, S2.172
DNA methylation patterns, S2.34
effect of climate on the distribution of species causing crown rot in wheat, 1130
effect of tassel fungicide applications on harvested field corn, S1.1
morphological and molecular characterization of date palm isolates, S2.39
phylogenetic diversity of fusaria cultivated by ambrosia beetles, S2.71
species composition comparison between New England and Chinese salt marshes, S2.40
Fusarium stalk blight and rot, in sugar beet, S2.56
Fusarium tucumaniae, comparison with *F. virguliforme*, S2.163
Fusarium verticillioides
analysis of nitric oxide detoxification, S2.11
antifungal activity of *Bacillus mojavensis* RRC101, S2.16
effect of *FST1* mutations in, S2.104
FvStr2 protein, S2.167
genetic structure and effective population size from maize hybrids in the U.S., S3.4
Fusarium virguliforme
aggressiveness and yield impact in soybean, 822
comparison with *F. tucumaniae*, S2.163
effect on location of soybean cyst nematode syncytia in soybean roots, S2.143
genome expression of soybean roots and leaves infected by, S2.117
temporal dynamics of soybean root colonization, S2.157
Fusarium wilt
of lettuce, evaluation and relative susceptibility of varieties, S3.17
of watermelon, general suppression with cover crops, S2.60
Fusicladium effusum
fungicide spray coverage from ground-based sprayers, S2.17
trunk application of phosphite for control of, S2.17
Fusicoccum aesculi, S2.104
Fu, Y., S2.98
FvStr2 protein, S2.167

Gabriel, D., 15
Gabriel, D. W., S2.44, S2.66
Gac-Rsm pathway, S2.155
Gadagkar, S. R., S2.136
Gadoury, D., S2.14, S2.22, S2.161
Gadoury, D. C., S2.93
Gadoury, D. M., 717, S2.10, S2.93
Gagkaeva, T., 400
Gagnevin, L., S2.67, S2.170
Gajdeczka, M., S2.149
Galarneau, E., S2.13
Gallagher, L., S2.47
Gallery, R. E., S2.48, S2.130
Galls, of *Swietenia*, S2.136
Galvão, L. M., S2.91
Gambino, G., 776
Gamble, B. E., S2.23
Gambone, K., S2.132
Gamliel, A., 23, S2.99
Ganci, M. L., S2.47
Gangadharan, A., S2.47
Gang, D. R., S2.44
Ganiger, M., S1.4
Ganoderma spp., S2.11
Gao, F., S2.32
Gao, L., S2.53
Gao, R., 1103
Gao, X., S2.29
Garavaglia, T., S2.2
Garbelotto, M., 1141
Garber, N. P., S2.47
García-Domínguez, C., 862
García-Espinosa, R., S2.39
Garcia-Estrada, R. S., S3.11, S3.14
Garcia, J., S2.91
Garcia, K., S2.48
Garcia, M. O., S2.48
Garcia, R., S2.8
Garland-Campbell, K., 1130
Garrett, K., S2.50, S2.59, S2.145, S3.4, S3.8
Garrido, P., S2.159
Garzon, C., S2.33, S2.35, S2.99, S2.159, S2.176
Garzon, C. D., S2.52, S2.108
Garzón, L. N., 156
Gaskins, V. L., S2.70
Gassmann, W., S2.32
GATA factor, S2.90
Gautam, P., S2.48
Gautam, S., S2.24
Gauthier, A., 1035
Gaya, E., S2.26
Gazis, R., S2.48, S2.90
Geastrumia polystigmatis, S2.88
Gebauer, G., S2.64
Gee, J. C., 427
Geering, A., S2.94
Geering, A. D. W., S2.71
Geiser, D. M., 400, 1204, S2.71, S2.172
Geisler, M. M., S2.101
Geminiviridae, 1069, S2.114
Geminiviruses, characterization of replication fidelity, S2.2
GenBank, improving the veracity of sequence data in, S2.128
Gene expression profiling, of a compatible interaction between Douglas-fir and *Phellinus sulphurascens*, 583
Gene knockouts, in *Setosphaeria turcica* using *Agrobacterium tumefaciens*-mediated transformation, 641

Genetics and resistance
association mapping of Septoria speckled leaf blotch resistance in barley breeding germplasm, 600
brassinosteroid enhancement of resistance to Fusarium diseases in barley, 1260
colonization patterns of *Pectobacterium carotovorum* subsp. *brasiliense* in potato, 1268
evaluation of *Meloidogyne incognita* resistance genes in *Prunus*, 833
explaining grapevine defense response to Esca, 1028
fine mapping of leaf rust resistance gene *LrZH84* in wheat, 169
functional analysis of *Pid3-A4* by allele mining in common wild rice, 594
functional analysis of the glycosyl hydrolase gene promoter induced in resistant *Sinapis alba*, 841
fungal mitochondrial DNases and the activation of nonhost resistance, 81
gene expression profiling of a compatible interaction between Douglas-fir and *Phellinus sulphurascens*, 583
identification and mapping of a wheat resistance gene to and unadapted isolate of *Colletotrichum cereale*, 575
identification of blast resistance gene *Pi-hkl* in *Japonica* rice landrace, 1162
identification of *Plasmopara viticola* genes involved in pathogenesis on grapevine, 1035
identification of resistance gene homologues in common bean, 156
identification of *Rpg5* gene in *rpg4*-mediated wheat stem rust resistance, 1153
induced plant resistance by *Ciborinia camelliae* in *Camellia*, 725
lipid profiles in wheat cultivars resistant and susceptible to tan spot, 74
nonhost resistance of *Arabidopsis thaliana* against *Alternaria alternata*, 733
novel *Capsicum* gene inhibiting host-specific resistance to *Phytophthora capsici*, 472
population structure of *Phytophthora capsici* in pepper from China, 920
quantitative resistance to Fusarium head blight in elite spring barley, 1252
Genetic transformation
Agrobacterium tumefaciens-mediated transformation to create gene knockouts in *Setosphaeria turcica*, 641
of *Plasmodiophora brassicae*, 1052
polyethylene glycol-mediated transformation of *Septoria musiva*, S3.7
of tomato with a calcium signal modifier gene, S2.86
Genger, R. K., S2.25
Genome sequencing, *Little cherry virus 1*, 293
Gent, D., S2.38, S2.161
Gentit, P., 293
Geoglossomycetes, S2.64
Geomyces, S2.87, S2.119
Geosmithia morbida, S2.120, S2.163
Gerberich, K., S2.79
German, T. L., S3.7
Germin-like protein, S2.121
Germling communication, in *Neurospora crassa*, S2.187
Gessler, C., 1227
Gevens, A. J., S2.49, S2.129, S2.190, S3.5, S3.6
GFP-immunoelectron microscopy, S2.34
Ghimire, P., S2.87
Ghimire, S. R., S2.55
Ghosh, S., S2.129
Giacomelli, G., S3.16
Gia, J., S2.35
Gianessi, L., S2.49
Giant miscanthus (*Miscanthus* × *giganteus*)
foliar disease incidence associated with Mississippi, S2.49
pathogenicity of fungi isolated from, S1.4
Giauque, H. E., S2.183
Gibberella zeae, cardendeazim resistance, S2.184
Gibson, D. M., 146
Giesbrecht, M., S2.49
Giesler, L., S2.83, S2.123, S3.7
Giesler, L. J., S3.3
Gilardi, G., 64
Gilbert, E., S2.97
Gilbertson, R. L., S2.12, S2.23, S2.106
Gillett, J. M., S2.127
Gilley, M. D., S1.4, S2.49
Gilligan, C. A., 1012
Gillis, M., S2.46
Giraldo, M. C., S2.186
Gitaitis, R., S1.3, S2.37
Giumbaud, J. F., S2.171
Gladieux, P., S2.49
Gladiolus rust resistance, S2.151
Glasa, M., 972
Glass, N. L., S2.186
Glassy-winged sharpshooters, transmission of phage by, S2.16
Glazebrook, J., S2.87
Gleason, F. H., S2.68, S2.153
Gleason, M., S2.12
Gleason, M. L., 900, S2.65, S2.66, S2.83, S2.166, S2.171
Gleeson, G., S2.82
Glen, M., S2.123
Glenn, A. E., 400, S2.11
Global Plant Health (GPH) program, S2.189
Globodera rostochiensis, S2.124
Glomus intraradices, S2.103
Glover, K., S2.4, S3.1
Glyceollin, 984
Glycoprotein G_N, S3.7
Glycosyl hydrolase gene, 841
Glynn, N., S2.53
Gochez, A. M., S2.50
Goellner, K., S2.77
Goenaga, R., S2.130, S3.16
Goldberger, B., S2.51
Goldberger, E., S2.58
Goldberg, N., S2.107, S2.138
Gold, S., S2.16
Gold Veined Oxalis (*Oxalis corymbosa*), S2.59
Golf course greens, cyst nematodes in, S2.103
Golino, D., S2.3, S2.9, S2.179
Goltz, J., S2.107
Gómez-Dorantes, N., S2.136
Gomez, L., S3.4
Gomez-Montano, L., S2.50, S3.8
Gómez, P., 1188
Gompertz models, 281
Goncalves, D. R., S4.2
Goncalves, F. P., S2.45
Goncalves-Zuliani, A. M. O., S2.50
Gong, Y., S2.180
Gonzalez, A., S2.140
Gonzalez, C., S2.16, S2.34
Gonzalez, D., S2.50
Gonzalez, J. P., S1.1
Gonzalez, M. C., S2.5, S2.59, S2.152
Gooch, M., 15
Goodin, M., S2.148
Goodwill, T. R., S2.56
Goodwin, S., S2.106
Goolsby, J. A., 1235, S2.162
Gooseberry vein banding associated virus (GVBaV), S2.156
Gordon, T. R., 400, S2.191
Gossage, Z., S2.149
Goss, E. M., S2.50, S2.177
Gossen, B. D., 245
Goss's wilt and leaf blight of corn
effect of residue management practices, S2.94
within field spatial and temporal analysis of, S2.35
greenhouse hybrid corn responses to, S3.6
resistance in dent corn inbreds, S2.17
screening the University of Illinois maize inbred collection for resistance, S3.6
Goswami, R. S., S2.51
Gottula, J., 1180, S2.51
Gottwald, T., S2.6, S2.17
Götz, M., 1252
Gougherty, A., S2.51
Gould, A., S2.51
Govindarajulu, A., 488
Gowda, C. L., S2.141
Goyer, C., 995
Grabau, Z., 34
Grabke, A., S2.43, S2.51
Grabosky, J., S2.51
Grabow, B. S., S3.4
Grabowski, M., S2.52
Graça, R. N., S2.123
Graf-Grachet, N., S2.52
Graft transmissible pathogens, biological indexing in citrus, S3.14
Graham, J. H., 409, S2.17, S2.52, S2.69
Grain mold, response of sorghum lines differing at the *P* locus to, S3.3
Gramaje, D., 1058
Graminicolous anthracnose fungi, 575
Graminicolous downy mildews
biology of, S2.178
environmental metagenomics, S2.178
identification and diagnosis of *Peronosclerospora* and *Sclerophthora*, S2.179
in North America, S2.178
taxonomy and phylogeny, S2.178
Granados, M. d., S2.52
Granger, D., S1.2
Granke, L., S2.52
Grant, J. A., S2.159
Grape berry moth, S2.58
Grape crown gall
distribution and detection in vines, S2.69
host-specific biological control by *Agrobacterium vitis* strain F2/5, 427
magnetic capture hybridization real-time PCR assay for detecting, 633
Grapefruit
development of transgenic cultivars with a calcium signal modifier gene, S2.152
effect of postharvest treatments on survival of *Xanthomonas citri* pv. *citri*, S2.6
XopAG effector-elicited hypersensitive reaction, S2.50
Grapemealy bug, S2.46
Grapevine (*Vitis vinifera*)
abiotic stresses affect *Trichoderma harzianum* T39-induced resistance to downy mildew, 1227
association of a DNA virus with red blotch disease, 1069
biological control of crown gall, S2.71
control of Botryosphaeria dieback with *Glomus intraradices* and *Trichoderma* spp., S2.103
defining the stages of infection of Botryosphaeria dieback, S2.13
effect of rootstock on *Xylella fastidiosa* infection and sap phenolics, S2.154
effect of sap phenolics on in vitro growth of *Xylella fastidiosa*, S2.154
explaining the defense response to Esca, 1028
field treatment of bois noir with resistance inducers, 785
field trials for control of *Phymatotricopsis omnivora*, S1.7
fumonisin production by *Aspergillus niger*, S2.175

functional analysis of stilbene synthase genes, S2.32
hydrogen peroxide accumulation and transcriptional changes in vines recovered from Flavescene dorée disease, 776
identification of *Plasmopara viticola* genes involved in pathogenesis, 1035
isolation of monoclonal scFv phage that binds to polygalacturonases of bacterial pathogens, S2.158
magnetic capture hybridization real-time PCR assay for detecting *Agrobacterium vitis*, 633
Pierce's disease in grafted cultivars, S2.126
quantitative phenotyping of powdery mildew resistance, S2.22
redleaf symptoms associated with a leafhopper-transmissible DNA virus, S2.114
survey of fungicide resistance in *Botrytis cinerea*, S2.12
Grapevine bois noir, field treatment with resistance inducers, 785
Grapevine deformation virus (GDefV), 1180
Grapevine fanleaf virus (GFLV)
abolishing the nematode transmissibility of, S2.51
genetic variability, evolution, and biological effects of satellite RNAs, 1180
virus-vector-host interactions, S2.188
Grapevine leafroll associated virus 1 (GLRaV-1), S2.46
Grapevine leafroll associated virus 3 (GLRaV-3), S2.9, S2.46
Grapevine powdery mildew
mechanisms of DMI resistance in, S4.3
ontogenesis of conidiation in, S2.93
real-time detection of airborne inoculum, S2.144
Grapevine red blotch-associated virus, 1069
Grapevine red blotch-associated virus (GRBaV)
in California and U.S. vineyards, S2.140
in the Foundation Plant Services vineyards at UC Davis, S2.3
Grapevine red blotch disease, S2.4
Grapevine redleaf disease, S2.114
Grapevine vein clearing virus (GVCV), S2.61
Grapevine viruses
characterization by next generation sequencing, S2.124
prevalence in Georgia, S2.20
Grapevine yellows diseases, S4.1
Grass endophytes, dual mutualist-antagonist dynamics, S2.185
Gray leaf spot
induction of plant defenses by salicylic acid in perennial ryegrass, S2.117
of maize (*see Cercospora zeae-maydis*)
potential to infect wheat in the U.S., S3.8
See also Magnaporthe oryzae
Gray, M. E., S2.3
Gray mold
of blueberry, control with compost tea, S2.20
of strawberry, monitoring for fungicide resistance in, S2.43
See also Botrytis cinerea
Gray's lily (*Lilium grayi*), S1.5
Gray, S. M., S2.65, S2.103
Great Smoky Mountain National Park, cryptic viruses in the flora of, S2.125
Green manure crops
effect on *Verticillium dahliae*, S2.98
Verticillium dahliae infection, S2.159
Green, T., S2.29
Gregory, N. F., 400, S2.36
Grey, T., S1.10
Gribaudo, I., 776
Gries, C., S2.97
Grigoriev, I., S2.18, S2.52, S2.75, S2.101, S2.106, S2.121, S2.137, S2.146, S2.181
Grilley, M., S2.72
Grisham, M. P., S2.53, S2.84, S2.158
GroEL-like protein, S2.31
Groenewald, J. Z., S2.16, S2.153, S2.162
Gross, D. C., S2.79, S2.119, S2.125
Grossman, R. B., S2.109
Gross, T., 1153
Groth, D. E., S1.9
Groth-Helms, D., S2.120
Groundnut (*Arachis hypogaea*)
aflatoxin B_1 contamination, S2.104
characterization of plant growth-promoting and disease suppressing abilities of actinomycete isolates, S2.66
See also Peanut
Grove, G., S2.93, S2.144
Grover, K., S3.16
Groves, C. L., S2.135
Groves, R., S2.171
Groves, R. L., S2.166
Growth pouch assays, 255
Grubisha, L. C., S2.36, S2.108
Grünwald, N. J., 851, 1204, S2.32, S2.41, S2.70, S2.91, S2.139, S2.159
Grupe, A., S2.53
Gryganskyi, A., S2.18, S2.53
Gryta, H., S2.124
Guanica Dry Forest, S2.29
Guava stylar end-rot, S2.104
Gubler, W. D., S2.148
Gudmestad, N. C., 524, S2.69, S2.159, S3.3
Guenther, R. H., S2.85
Guerri, J., 1077
Guevara, G. G., S2.58
Gu, G., 381, S2.120
Gugino, B. K., 538, S2.68, S2.173
Gu, H., S2.34
Guiana Shield, S2.58
Guiderdoni, E., S2.13
Guignardia citricarpa
characterization and potential spread in the U.S., S2.40
characterization of the mating-type locus, S2.156
temperature/wetness modeling of pseudothecium maturation and ascospore release, 281
Guillermo, L. M., 488
Guimarães, E. A., S2.122
Guimarães, L. M., S2.107
Guimbaud, J. F., S2.171
Guitérrez-Barranquero, J. A., 1115
Gulya, T., S2.63, S2.91
Gummosis, 610
Gummy stem blight, S1.4
Gunasinghe, N., S2.53
Gundersen, B., S3.15
Guo, B., S2.183
Guo, J., 920, S2.84
Guo, L., S2.34, S2.53
Guo, Q., S2.61
Gurung, S., S2.54, S2.133
Gustafson, G., S2.10
Gut fungi, S2.55
Gutierrez Viveros, A. F., S2.54
Gutierrez, W., S2.180
Gut-inhabiting yeasts, S2.150
Guyanagaster necrorhiza, S2.74
Guzik, G., S1.2
Guzmán, G., S2.28
Guzmán-Plazola, R. A., S2.39
Gwinn, K. D., S2.84, S2.109

Hadwinger, L. A., 81
Hadziabdic, D., S2.54
Haegi, A., 802
Haelewaters, D., S2.54
Hagan, A., S2.79
Hagan, A. K., S2.19, S2.23, S2.54
Hagen, K., S2.158
Hagstrum, D., S3.4
Hajimorad, M., S2.73
Hajri, A., S2.170
Halbert, S. E., S2.55, S2.118, S2.177
Halbrendt, N. O., S2.55
Halkett, F., 190
Hall, B. A., S2.55, S2.165
Hall, C., S2.186
Hall, D., 15
Hall, D. G., S2.72
Hallen-Adams, H. E., S2.55
Halling, R., S2.104
Halling, R. E., S2.144
Halliwell-Asada pathway, S2.23
Halloran, J. M., S2.77
Hallwass, M., 436
Halterman, D., S2.49
Halvorson, J., S2.111
Halvorson, J. M., S3.4
Hamamouch, N., 175
Hamano, K., 960
Hambleton, S., S2.73, S2.108
Hameed, K., S2.18
Hamelin, R., S2.82
Hamelin, R. C., S2.32, S2.35, S2.42, S2.76, S2.143
Hamel, R., S2.44
Hamilton, G., S2.51
Ham, J., S1.2, S1.5, S1.7, S1.8, S1.9, S2.23
Ham, J. H., S1.6, S2.47, S2.192
Hammel, K. E., S2.95
Hammett, C., S2.82, S2.131
Hammond, J., S2.56, S2.188
Hammond-Kosack, K. E., 400
Hammond, R. W., S2.56
Hamm, P. B., 55, S2.37, S2.38, S2.96, S2.131
Han, B., S2.71
Handiseni, M., S1.5
Han, G., S2.56
Hanlin, R. T., S2.56, S2.59, S2.152
Hanna, J. W., S2.39, S2.123
Hanna, R., S2.65, S2.103
Hann-Soden, C., S2.49
Han, S., 135
Hansen, E. M., 190
Hans, G. R., S2.9
Hanson, L. E., 400, S2.56
Hanson, S., S2.2, S2.57, S2.136
Hao, L., S2.56
Hao, W., S2.56
Haplotyping assay, development for '*Candidatus* Liberibacter solanacearum', S2.159
Harakava, R., S2.34
Hard winter wheat, resistance to *Puccinia striiformis* f. sp. *tritici*, S2.97
Harman, G. E., S2.174
Harper, C. J., S2.180
Harper, S., S2.57
Harper, S. J., S2.31, S2.57
Harpophora maydis, detection assays, S2.30
Harrington, T. C., S2.43, S2.57, S2.65, S2.66, S2.107, S2.166
Harris, A. M., S2.76
Harris, J. L., S4.2
Harrison, H. F., S1.6
Hartman, G. L., 984, S2.24, S2.53, S2.163, S2.164, S3.7
Hartung, J. S., 488, S2.124, S2.165
Harveson, R., S2.83, S2.162
Harveson, R. M., 1235
Hasey, J., S2.159, S2.163
Hassan, M., S1.6
Hassell, R. L., S2.32
Haudenshield, J. S., S2.53, S2.164
Hauff, R. D., S2.123
Hausbeck, M. K., S2.52, S2.101
Havis, N. D., 1108
Havstad, P., S2.57
Hawaiian forests, variation in fungal soil community structure, S2.151
Hawaiian kipuka system, S2.47

Hawes, M. C., 255, S2.147, S3.16
Hawkes, C. V., S2.161, S2.182, S2.183
Hayes, R. J., S2.21
Haygood, R., S1.5
Head smut, response of sorghum lines differing at the *P* locus to, S3.3
Healy, R., S2.135
Healy, R. A., S2.58, S2.93
Hebert, J. B., S2.58, S2.90
Heckert, S., S3.15
Hed, B., S2.58
Heikezijing, 1162
Hein, G., S2.143
Heiniger, R., S2.79, S2.106
Heinz, K. M., S2.16
Held, B. W., S2.11
Helianthus annuus. *See* Sunflower
Helicase dependent amplification, identification of plant viruses, S2.9
Helmers, M., S2.56
Helms, T., S2.107
Hemibiotrophy, S2.186
Hemileia vastatrix, S2.151
Hemipteran-borne plant viruses, factors influencing the spread of, S2.179
Hemmer, C., S2.188
Hemstad, P., S2.22
Hendricks, K., S2.40
Henkel, T., S2.53, S2.58
Henkel, T. W., S2.135, S2.150
Henn, A., S1.1
Henne, D., S2.86
Henne, D. C., 1235, S2.130, S2.162
Henrissat, B., S2.146
Heppenheimer, E., S2.58
He, R., S2.44
Hernandez-Alvarez, Y., S2.59
Hernandez, J. L., S2.91
Hernandez-Martinez, R., S2.99, S2.103, S2.110, S2.152
Hernandez Nopsa, J., S2.59, S3.4, S3.8
Hernandez, S., S2.91
Herrera, C. S., S2.59
Herrera, F., S1.5, S2.59
Herrera, J., S2.18, S2.64, S2.115
Herrera-Rodriguez, G., S2.94
Hersh, M. H., S2.14
Hervey, K. L., S3.1
Hesler, Lexemeul Ray, S2.62
Hess, M., 1252
Heterobasidion spp., S2.131
Heterodera glycines
  analysis of populations before and after corn rotation, S3.7
  in North Dakota, S2.107
  See also Soybean cyst nematodes
Heterodera spp., in golf course greens, S2.103
Heterothallism, 717
Hettich, R., S2.182
Heungens, K., 1169
Hevea, S2.62
Hevea brasiliensis. *See* Rubber tree
Hevea guianensis, delimitation of tropical endophyte *Diaporthe* species from, S2.134
He, W., 1162
Hewavitharana, S. S., S2.60
He, Z., 169
Hibbett, D., S2.48, S2.70, S2.90, S2.96, S2.101, S2.104, S2.108, S2.121, S2.180, S2.181
Hickory bark beetle, 565
Hickory decline, 565
Hicks, S., S2.60, S2.146
Hicks, S. L., S2.115
Higgins, R., S2.138, S3.9
High brix grape juice, S2.58
Highbush blueberry, *Ralstonia solanacearum* infection, S2.112
High Plains virus (HPV)
  evaluation of methods of detection, S2.9
  incidence in wheat curl mites in maturing wheat heads, S2.143
Hildebrand, P. D., S2.8
Hilf, M. E., 545
Hill, A. L., S2.24
Hill, C. B., 984, S3.7
Hillman, B., S2.58, S2.90, S2.100
Hill, T., S2.101
Hilton, A., S2.60, S2.186
Himmel, P., S2.79
Himmelstein, J., S2.60, S4.2
Hinkel, L., S2.108
Hinton, D. M., S2.11
Hiraguri, A., 513
Hirneisen, K. A., 389
Hirooka, Y., S2.125
Hirsch, R. L., S2.60, S2.120
Hladky, L. L., 501, S2.160
HLB. *See* Huanglongbing
Hliebieh, K., S2.188
Hoang, Q., S4.2
Hobbelen, P. H. F., 690
Hobbs, H. A., 941, S2.164
Hochmuth, G. J., S2.12
Ho, C. Y., S2.180
Hodge, K. T., S2.60
Hoenisch, R., S2.163
Hoffman, M. T., 15
Hogenhout, S., S2.171
Hog slurry solids, effect on potato early dying, S2.98
Hohenlohe, P. A., S2.74
Holbrook, C. C., S1.9
Holden, N. J., 333
Holden, S. R., S2.183
Holguin, O., S2.138
Holland, B., S1.2
Holland, R., S1.9, S2.80
Hollier, C., S1.6, S2.71
Hollingsworth, C. R., S2.124
Hollingsworth, T., S2.182
Holmberg, A. M., S2.136
Holton, T., S2.76
Homalodisca vitripennis, S2.16
Honesty, S., S2.61
Hong, C., S2.33, S2.56
Hong, J., S2.61
Hong, J. C., 409
Honig, J. A., S2.100
Hooftman, R., S2.94
'Hope' wheat cultivar, 575
Hopkins, A. A., S2.142
Hopkins, K. L., S2.8
Hops, powdery mildew on cultivars with R6-based resistance, S2.38
Hop stunt viroid (HSVd), S2.82
Hora Junior, B. T., S2.61, S2.62
Hordeum vulgare. *See* Barley
Hordeum vulgare subsp. *spontaneum*, identification of Rhizoctonia root rot resistance in, S2.3
Horn, B. W., S1.8, S2.106
Horse chestnut bleeding canker, S2.67
Horvath, B., S2.76
Horvath, D., S2.131
Hosta virus X (HVX), S2.9
Host–parasite interactions, genomic and molecular mechanisms for crop protection, S2.183
Host-specific biological control, of grape crown gall by *Agrobacterium vitis* strain F2/5, 427
Host-specific disease resistance, novel *Capsicum* gene inhibiting resistance to *Phytophthora capsici*, 472
Host-specific disease response, characterization of a *Xanthomonas citri* subsp. *citri* variant that triggers, 555
Hotchkiss, M. W., S2.17
Hou, L., S2.42
House fly (*Musca domestica*), 373, S2.185
Housladen, H., 1252
Hou, Y., S2.184
Hoy, J. W., S2.10, S2.53, S2.54
HrpL regulon, in *Pantoea agglomerans* pv. *gypsophilae*, S2.24
Huang, G., 175, S2.129
Huang, J., 1162
Huang, L. L., 927
Huanglongbing (HLB)
  assessment in Dominica, S2.141
  evaluation of HLB tolerance in *Citrus*, S2.118
  heat treatment, 15
  root loss from, S2.69
  See also '*Candidatus* Liberibacter asiaticus'; Citrus huanglongbing
Huang, P. C., S2.62
Huang, Q., S2.140
Huang, Y. C., S2.28
Huang, Y. L., S2.62, S2.150
Hückelhoven, R., 1252
Huffman, V., S2.129
Huggins, D., 1130
Hughes, K. W., S2.62, S2.63, S2.113
Hughes, M., S2.40
Hughes, T., S2.130
Hugh, G., 1108
Huguet-Tapia, J. C., S2.18
Hu, H., S2.62
Hu, J., 920
Hu, L., 1252
Hulbert, S., S2.36, S2.164
Hulcr, J., S2.71
Hulvey, J., S2.63, S2.73, S2.126
Human-associated microbiome, S2.55
Humann, J., S2.93
Human noroviruses, survival on spinach during preharvest growth, 389
Humann, R., S2.63
Human pathogens on plants
  consequences of disrupting *Salmonella* AI-2 signaling on interactions with soft rots, 352
  designing a multidisciplinary research strategy, 306
  E. coli O157:H7
    colonization and internalization, 333
    plant immunity induced by O157:H7 and *Salmonella enterica* Typhimurium SL1344, 326
    transfer to spinach by house flies, 373
  focus issue on food safety, 304
  interactions with plants, S2.125, S2.184
  norovirus surrogate survival on spinach during preharvest growth, 389
  novel strategies to reduce outbreaks, S3.9
  Salmonella enterica
    effect of resident leaf bacteria on survival, 341
    identification of genes with a role in persistence on lettuce leaves, 362
  Salmonella enterica Typhimurium
    effect of soil management on movement in tomato plants, 381
    plant immunity induced by strain SL1344 and *E. coli* O157:H7, 326
  Salmonella interactions with plants and associated microbiota, 316
Humber, R. A., S2.53
Hummel, Z. J., S2.136
Hum-Musser, S., S2.115, S2.149
Humphris, S., 333
Hung, R., S2.63, S2.78
Hung, T. H., S2.82
Hurburgh, C., S2.175
Hurd, K. M., S2.42
Hussey, R. S., 175, S2.129
Husson, C., 190
Hustad, V. P., S2.64
Hutchinson, M. I., S2.64, S2.115

Hutin, M., S2.170
Hu, Y., S2.62, S2.131
Hwang, H.-H., 888
Hwang, S. F., 245, 1052
Hwu, F. Y., S2.64
Hyde, K. D., S2.89, S2.150, S2.172
Hydrogen peroxide
  accumulation in grapevines recovered from Flavescene dorée disease, 776
  in rice infected with *Rice black streaked dwarf virus*, S2.163
Hydroxycinnamic acids, S2.86
Hynes, R. K., 245
Hynson, N., S2.64
Hyodo, A., 960
Hyperparasites, influence on the population structure of *Cryphonectria parasitica*, 1280
Hypersensitive response
  elicited by the TNV coat protein in *Nicotiana* spp., S2.43
  XopAG effector-elicited in grapefruit, S2.50
Hypervariable ITS sequences, among isolates of *Ceratocystis fimbriata*, S2.56
HYT A, S3.12
HYT B, S3.12

Ibarra Caballero, J. R., S2.64, S2.65
Ibarra, M. A., S2.117
ICRISAT, S2.141
Idowu, J., S3.14, S3.16
Idris, A., S2.5, S3.13
IFS2 gene, 984
I gene, S3.13
Igwe, D., S2.65
IITA-ARS maize lines, accumulation of aflatoxin in, S1.2
Ikerd, J. L., S1.6, S2.75
Iliuk, A., S2.81
Imazalil resistance, genotyping in *Penicillium digitatum* isolates, S2.72
Imidacloprid, in control of citrus canker, S2.52
Immunomagnetic separation (IMS), 633
Impatiens downy mildew management, S2.109
Impatiens necrosis spot virus (INSV), S2.9
Inch, S., S2.114
Indiana, A., S2.171
Induced host resistance
  by *Ciborinia camelliae* in *Camellia*, 725
  in the suppression of clubroot on canola by Serenade, 245
Induced systemic resistance (ISR), S2.29
  abiotic stresses affect *Trichoderma harzianum* T39-induced resistance in grapevine, 1227
Infrared spectroscopy, early monitoring of stripe rust and leaf rust on wheat, S2.80
Inglis, D. A., S3.15
Ingram, D., S1.1
Ingram, R. J., S1.5
Ingram, T., S1.2
Ingram, T. W., S1.5
Inguagiato, J., S2.65
Inoue-Nagata, A. K., 436
Inoue, Y., 575, S2.174
Insect-transmitted bacterial diseases, S2.171
Integrated pest management (IPM)
  documenting the impact of, S2.190
  foliar fungicides with hybrid corn, S2.88
  in the western U.S., S3.13
Integrated Pest Management Innovation Lab, S2.42
Internal transcribed spacer (ITS)/cytochrome *c* oxidase subunit I (COI), 1103
International Code of Nomenclature (ICN), S2.172
International Peanut Genome Initiative (IPGI), S2.183
Internet-served forecast systems, for mummy berry disease, S2.8
Inter-simple-sequence repeats (ISSRs)
  genetic structure of *Colletotrichum gloeosporioides* inferred by, 182
  specific discrimination of *Fusarium proliferatum*, S2.99
Invasive pathogens, Caribbean pathways, S3.15
Investigative plant pathology, S2.33
Ionescu, M., S2.148
Ipcr gene, 472
Iprodione, genetic mechanisms of decreased sensitivity in *Sclerotinia homoeocarpa*, S2.126
Iprodione resistance, in isolates of *Botrytis cinerea* from small fruits, S2.51
Iriarte, F. B., S3.4
Iris yellow spot virus (IYSV), S2.142
Ironwood tree decline, S2.10, S2.128
Irrigation water
  plant health risks from *Phytophthora*-infested water, S1.7
  three novel species of *Phytophthora* from Mississippi, S2.164
  ultraviolet treatment, S2.69
Isakeit, T., S1.7, S2.65
Ishimaru, C. A., S2.87
Islam, M. A., 583
Islas, C., S2.3
Ismail, S. I., S2.65, S2.66
Issac, Y., S2.99
ITS/COI, 1103
ITS rDNA analysis
  of fungal succession, S2.20
  of *Usnea*, S2.149
ITS-RFLP analysis, 479
Iturins, 146
Ivors, K., S1.7, S2.47, S2.85

Jackson, A. K., S2.24
Jackson, R., S2.67
Jacob, S., S2.66
Jacobs, J., S2.66
Jacobs, J. J., S2.108
Jacobs, J. L., S2.123, S2.157
Jacobs, J. M., S2.32, S2.66
Jacques, M. A., S2.170, S2.171
Jahn, M. M., S2.8
Jaime, R., S2.66, S2.175, S3.13
Jain, M., S2.66
Jalan, N., S2.67, S2.119
Jamann, T., S4.3
James, S. L., S2.67
James, T. Y., S2.15, S2.34, S2.45, S2.67, S2.68, S2.146, S2.153
Janisiewicz, W. J., S2.67, S2.70
Jansen, M., S2.128
Jansky, S., S2.49
Jansson, J., S2.182
Japonica rice landrace, blast resistance gene *Pi-hkl*, 1162
Jardine, D., S2.123, S2.175
Jargeat, P., S2.124
Jarosz, A. M., 1280, S2.127
Jayaraman, J., S3.11
Jayasundera, K. B., S2.81
Jaynes, J., S2.127
JAZ, S2.105
Jeannotte, R., 74
Jecmen, A. C., S1.10
'Jefferson' hazelnut, S3.15
Jeffers, S. N., S2.36, S2.128, S2.151
Jeger, M. J., 108, 768
Jenkins, D., S2.72
Jenkins, D. M., 1220
Jenkinson, T. S., S2.15, S2.67
Jeong, K., S2.67
Jerez, D., S3.12
Jerônimo, G. H., S2.68, S2.153
Jesse, L., S3.3
Jesus, A. L., S2.68, S2.153
Jett, L., S2.118
Jeyaprakash, A., S2.141
Jhala, R., S2.138, S3.9
Jia, H., S2.62, S2.167
Jia, M., S2.24
Jia, M. H., S2.78, S2.88
Jiang, D., 750
Jiang, G., 594
Jia, Y., S2.78, S2.88, S2.124, S2.168, S2.184
Jiménez, A., S2.68
Jiménez-Díaz, R. M., 1058
Jimenez-Gasco, M. D., S2.11, S2.55, S2.68, S2.173
Jiménez-Gasco, M. M., 400, 479, 538
Jiménez, P., S2.14, S2.23, S2.68, S2.122, S2.151
Jin, H., S2.187
Jin, X., S2.68
Ji, P., S1.4, S2.43, S2.162
Joardar, V., S2.144
Johansen, R. B., S2.69
Johnson, C., S2.69, S2.159, S2.187
Johnson-Cicalese, J., S2.114
Johnson, D. A., 55, 445, S2.149, S2.159, S3.17
Johnson, E. G., S2.69
Johnson, G. C., S2.36
Johnson, K. B., S2.150
Johnson, K. L., 427, 633, S2.69
Johnson, L., S2.67, S2.87
Johnston, M. T., S2.23
Johny, A., S2.147
Jones, D., S2.141
Jones, I., S2.67
Jones, J., S1.3, S2.54, S2.67, S2.72, S2.167
Jones, J. B., 228, 237, 409, S2.50, S2.62, S2.131, S2.146, S2.168
Jones, L., 15, S2.69
Jones, S., S2.141
Jonkers, W., S2.53, S2.186
Jordahl, J., S2.63, S2.91
Jordan, R., S2.165
Jordan, S. A., S3.5
Jordhal, J., S2.107
Joseph, L., S2.134
Jo, Y., S1.2, S1.5, S1.8
Juarez, M., 1188
Juglans cinerea (butternut), S2.66
Juglans nigra (black walnut), S2.120
Juglans regia (English walnut), S2.163
Jumpponen, A., S2.20, S2.50, S2.86, S2.107, S2.182, S3.4, S3.8
Jung, E., 1020
Jung, G., S2.5, S2.63, S2.73, S2.126
Juniperus deppeana, S2.62
Jurgens, A. G., S2.70
Jurgens, J. A., S2.95
Jurick, W., S2.67
Jurick, W. M., S2.70
Justo, A., S2.70, S2.90, S2.108
Juzwik, J., 565, S2.120

Kabbage, M., S2.79
Kachapulula, P. W., S2.70
Kadooka, C. Y., S2.123
Kaewnum, S., 427, 633
Kaiser, M., S2.51
Kamas, J., S1.7, S2.126
Kamath, N., S2.145
Kaminaka, H., 733
Kaminski, J. E., S2.81
Kamvar, Z. N., S2.70
Kanenga, K., S2.104
Kang, E. L., 216
Kang, H., S2.71
Kang, H. G., S2.19, S2.70
Kang, S., 400, 1204, S2.74
Kang, Z. S., 927
Kapanigowda, M. H., S2.11
Karasev, A., S2.38, S2.42
Karasev, A. V., S3.13, S3.15
Karki, H. S., S1.6
Karlovsky, P., 682
Karstedt, F., S2.71
Kashefi, J. N., S2.15
Kassatenko, I., S2.131

Kassem, M. A., 1188
Kasson, M. T., S2.71
Kasugamycin, sensitivity of *Erwinia amylovora* to, S2.70
Katan, J., 23
Katsoudas, E. J., S2.147
Kaufman, J., S3.2
Kaur, H., S2.105
Kaur, K., S1.6, S2.71
Kawaguchi, A., S2.71
Kawasaki, Y., S2.72
Keeling, J. W., S2.161
Keesling, J. E., S2.55
Keith, L. M., S3.14
Keller, K. E., S2.72
Kellerman, M., S2.72
Keller, N. P., S2.19, S2.62
Kelly, C. M., S2.161
Kelly, J. D., S2.1
Kelly, M., S2.136
Kemerait, R., S1.1, S1.4, S2.79
Kenerley, C., S2.29, S2.31, S2.99
Kennedy, P., S2.182
Kennelly, M., S2.50, S3.4, S3.8, S3.9
Kentucky bluegrass (*Poa pratensis*), spatial patterns of ergot in seed fields, S2.37
Keremane, M. L., S2.55, S2.72, S2.118, S3.14
Kermack-McKendrick equation, 204
Kernaghan, G., S2.92
Kerns, J., S2.121
Kertho, A. O., S3.5
Kesanakurti, P., S2.73
Kessler, D., S2.73
Keune, J. A., S2.144
Khadgi, A., S1.6
Khalaf, A., S2.132
Khallouk, S., 833
Khan, A., S2.4, S2.73
Khang, C. H., S2.186
Khankhum, S., S1.6, S2.2, S2.73
Khan, M., 1260
Khan, M. F. R., S2.73
Khatabi, B., S2.73
Khiook, I. L. K., 1028
Kholina, N. A., 984
Kidarsa, T., S2.28
Kiguchi, S., 575
Kim, D., 74
Kim, H., 1045
Kim, H.-S., 1204
Kim, J., S1.2, S2.55
Kim, K. H., S2.74
Kim, M. J., S2.45
Kim, M. S., S2.39, S2.74, S2.123
Kim, S. H., 1204, S2.74
Kim, T., S2.71
Kim, Y., S2.71
Kim, Y. S., S2.71
Kinard, G., S2.116
King, K., S2.136
Kinkel, L. L., 34
Kinoshita, A., S2.58
Kinzer, K. M., S2.74
Kipuka system, S2.47
Kirkpatrick, B., S2.158, S2.191
Kirkpatrick, T., S1.5
Kiss, L., 623
Kistler, C. H., S2.53
Kistler, H. C., 400
Kivlin, S. N., S2.182
Kiwi (*Actinidia deliciosa*), Ceratocystis wilt in Brazil, S2.43
Klaassen, V., S2.3
Klein, E., 23
Kleinhesselink, K., S2.140
Kleinhofs, A., S2.164
Klein, R., S2.83
Klessig, D. F., S2.19, S2.70
Kline, W. L., S2.89
Klironomos, J., S2.181
Kloepper, J. W., S2.168
Klooster, M. R., S2.36
Klopfenstein, N. B., S2.39, S2.74, S2.123
Klosterman, S. J., 268
Kluepfel, D., S2.140
Knerr, J., S2.8
Kniel, K., 389, S2.90, S2.185
Knight, C. A., S2.74
Knudsen, G. K., S2.43
Knut, S. A., S2.9
Kobayashi, D., S2.14, S2.112, S2.121
Koch, A. R., S2.35
Koch, K., S2.155
Koch, R. A., S2.74
Koch's postulates, S2.87
Kocsubé, S., S2.142
Kodama, M., 733
Koebnik, R., S2.13, S2.67, S2.170
Koenen, B., S2.94
Kogel, K. H., S2.70
Kohler, A., S2.75
Kohn, J. S., S2.147
Koike, S. T., S2.142
Kokalis-Burelle, N., 792, S2.61
Kolmer, J., S2.84
Kolomiets, M. V., S2.19, S2.29, S2.62
Kolomiets, T., S2.15
Komar, H., S2.74
Konkol, J., S2.40, S2.71, S2.114
Kon, T., S2.23
Koopmann, B., 682
Koopman, T. A., S2.75
Korean oak wilt, S2.74
Korejo, F., S2.38
Korth, K. L., S1.6, S1.9, S2.76, S2.121
Kosta, K., S2.129
Kouadio, L., S2.38
Kousik, C. S., 1243, S1.6, S2.75
Kowbel, D., S2.186
Kowbel, R., S2.131
Kozanitas, M., 1141
Krakowsky, M., S1.2
Krauter, P. C., S2.16
Kreiser, B. R., S2.97
Kressin, J., S2.134
Kretzschmar, T. G., S2.99
Kreuze, J. F., S2.1
Krieger, I., S2.99
Kringler, J., S2.107
Krings, M., S2.180
Kroese, D., S2.139
Kromann, P., S2.145, S3.8
Kropf, U., 682
Kroupitski, Y., 362
Krska, R., S2.175
Krüger, E., 1001
Kruger, G., S2.84
Kruijt, M., S2.140
Kryvoruchko, I., S2.92
Kubheka, G. C., 1268
Kubota, R., 1220, S2.72, S2.128
Kuldau, G., 400, 538, S2.189
Kumar, L., S2.65, S2.103
Kumar, T. K., S2.93
Kund, G., S2.72
Kundu, S., S3.14
Kunta, M., S2.75, S2.86
Kuo, A., S2.75
Kurle, J., S3.2, S3.5
Kuske, C., S2.115

Labbe, J., S2.18
Labbe, N., S2.109
Labeda, D., S2.113
Laboulbeniales, S2.54
LaButti, K., S2.18
Labyrinthula terrestris, S2.107
Labyrinthulids, S2.107
Laccaria bicolor, S2.52
Lactuca sativa. *See* Lettuce
Lacy, G. H., 237
Lagenaria siceraria. *See* Bottle gourd
Lagopodi, A. L., S2.15
LaGreca, S. A., S2.60
Laguna, G., 129
Lahaye, T., S2.131
Lahlali, R., 245
Lai, E.-M., 888
Lakshman, D., S2.76, S2.98, S2.121
Laliberté, J. F., S2.188
Lamarche, J., S2.76, S2.143
Lambert, C., 1028
Lambertella sp., S2.160
Lambertini, C., S2.67
Laminated root rot (LRR), 583
Lamka, G., S2.174
Lamour, K., 920, S2.42, S2.165
LAMP. *See* Loop-mediated isothermal amplification
Lamppa, R., S2.111, S3.4
Lamptey, J. N., S2.12
Landa, B. B., 479, 1058
Laney, A. G., S1.6, S2.76
Lange, H. W., S2.76
Langenbach, C., S2.77
Lang, J. M., S2.10, S2.76, S2.89, S2.152
Langlois, P., S2.76
Langsat (*Lansium domesticum*), corky bark disease in Hawaii, S3.14
Langston, D., S1.3, S2.37
Lan, P., S2.76
Lansium domesticum (langsat), S3.14
Lan, Y., S2.184
Lapaire Harmon, C., S2.77, S2.153
Lapato, D., 1180
Lapitan, N., S2.87
LaPlant, K. E., S2.46
Large patch, management in zoysiagrass, S1.8
Larkin, R. P., S2.77
Larsen, M. M., S2.41
Larson, E., S1.1, S2.77
Lashomb, J., S2.51
Lasiodiplodia theobromae, S2.110, S2.152
Laskaris, P., S2.77
Laski, P. J., S2.26
Late blight. *See* Alternaria late blight of pistachio; Potato late blight; Tomato late blight
Late wilt of corn, conventional PCR and qPCR assays to detect, S2.30
Lauber, E., S2.170
Laughlin, D., S1.7
Laurel wilt
  on avocado, S2.114, S3.15
  epidemiological study, S2.40
Lawrence, A., S2.87
Lawrence, C. B., 741
Lawrey, J., S2.186
Lazarus, K. L., S2.146
Leach, J., S2.87
Leach, J. E., 306, S2.10, S2.19, S2.30, S2.76, S2.89, S2.92, S2.148, S2.152
Leach-Kieffaber, A. N., S3.7
Leaf rust of wheat. *See* Wheat leaf rust
Leaf scald resistance, evaluating sugarcane for, S2.54
Leaf-shredding, as a component of integrated management for apple scab, S2.154
Leaf spot
  bacterial leaf spot of lettuce, S2.21 (*See also Xanthomonas perforans*)
  characterization of difference between early and late epidemics in response to prescription fungicide programs, S1.4
  cherry leaf spot, S2.191
  frogeye leaf spot, 1045 (*See also Cercospora sojina*)
  of lowbush blueberry, effect of management systems on, S2.7

narrow brown leaf spot, S1.6, S2.168 (*see also Cercospora janseana*)
of peanut, monitoring with visual assessments and canopy reflectance, S1.8
Septoria leaf spot, S2.101
sugar beet leaf spot, S2.21
white leaf spot, S2.53
See also Gray leaf spot
Leafy greens
biocontrol of enteric pathogens, S2.90
occurrence and distribution of pathogenic and indicator bacteria, S2.89
Leandro, L., S2.56, S2.117
Leandro, L. F., 822, S2.2, S2.39, S2.40, S2.143
Leandro, L. L., S2.31
Leaño, E. M., S2.153
Lear, M., S4.2
Leaves, effect of resident bacteria on *Salmonella enterica* survival, 341
LeBoldus, J. M., S2.116, S3.7
Lecompte, F., 261
Leeder, A., S2.186
Lee, I. M., S2.26
Lee, J. A., S2.55
Lee, M. H., S2.84
Lee, M. W., S2.78
Lee, R., S2.156
Lee, R. A., S2.78
Lee, R. F., S2.55, S2.72, S2.118, S2.177, S3.14
Lee, S., S2.63, S2.78
Lee, S. H., S2.155
Lee, S. L., S2.54
Lee, Y.-H., 1204
Lee, Y.-L., 888
Lefevre, E., S2.150
Legge, R., S2.55
Legg, J., S2.145
Legg, J. P., S3.8
Legumes, unraveling anthracnose pathogens in, S2.33
Lei, C., S2.89
Leifsonia xyli subsp. *xyli*, S2.84
Leinauer, B., S2.107
Leisner, S., S2.122, S2.188
Lemaire, O., S2.188
Leng, Y., S2.78
Lennox, C. L., S2.75, S2.154
Lentinula edodes (shiitake), S2.105
Leonberger, A., S2.79
Leon-Felix, J., S3.11
Leon-Galvan, F., S2.112
Leptosphaeria coniothyrium, S4.3
Lesion nematode (*Pratylenchus vulnus*), management on walnut, S2.159
Leslie, J., S3.4
Leslie, J. F., 400, S2.98, S3.4
Lesniak, K. E., S2.79
Letcher, P. M., S2.34, S2.115, S2.130
Lethal Yellow (LY), S2.177
Lettuce (*Lactuca sativa*)
effect of HYT A and HYT B on fungal pathogen growth, S3.12
evaluation and relative susceptibility to *Tomato spotted wilt virus* and Fusarium wilt, S3.17
identification of *Salmonella enterica* genes with a role in persistence on leaves during cold storage, 362
immunity induced by *E. coli* O157:H7 and *Salmonella enterica* Typhimurium SL1344, 326
internal colonization of leaves by *Xanthomonas campestris* pv. *vitians*, S2.21
presence and relative incidence of viruses infecting, S2.112
root colonization and internalization by *E. coli* O157:H7, 333
Lettuce necrotic stunt virus (LNSV), reclassification, 501, S2.160
Leung, H., S2.19, S2.89
Leveau, J., S2.84
Leveillula taurica, detection and quantification of growth in pepper leaves, 623
Levesque, A., S2.73, S2.178, S2.179
Lévesque, C. A., 43
Levi, A., S2.144
Levy, F., S1.5
Levy, J. G., S2.79, S2.164, S2.165
Levy, L., 488, S2.20, S2.124, S2.167
Lewis, C., S2.178
Lewis, C. T., S2.73
Lewis, J., S1.7
Lewis, M. H., S2.79, S2.106
Lewis, R., S2.129
Lewis, S. E., S2.79
Liang, J., S2.81
Liang, M., 135
Liang, X., S2.81
Liao, B., S2.183
Liao, H. L., S2.53, S2.82
Liao, J. Y., S2.82
Liberibacter crescens, S2.66
Li, C., 175
Lichenicolous fungi, S2.186
Lichens
ITS rDNA and protein-coding genes in *Usnea*, S2.149
lichen symbioses compared to pathogenic symbioses, S2.185
obligately lichen-associated fungi, S2.186
Lichter, F., S2.82
Lickey, E. B., S2.63
Liesner, L., S3.13
Li, F., S2.76
Ligarreto, G. A., 156
Lignicolous freshwater ascomycetes, S2.59
Lignicolous marine ascomycetes, S2.5
Lignocellulose-degrading enzymes, S2.181
Li, J., S2.80, S2.84
Lilium grayi. *See* Gray's lily
Lilleskov, E., S2.181
Lily (*Lilium*)
identification of viruses in small-farm cut flower crops, S3.12
peptide with antimicrobial potential, S2.82
Lima bean (*Phaseolus lunatus*)
endornavirus infection, S2.2
improving management resources to benefit the Mid-Atlantic region, S2.36
Lima, C. S., S2.136
Lim, H. S., S2.188
Linares, S., S2.83
Lin, B., S2.82
Lin, C. H., S2.82
Lin, C. Y., S2.82
Lindley, L., S2.49
Lindner, D. L., S2.108, S2.119
Lindow, S., 341
Lindow, S. E., S2.25, S2.148, S2.186
Ling, K. S., S2.80
Lin, H., 524, S2.104, S2.125, S2.132
Linkmeyer, A., 1252
LINK technology, S2.20
Linn, B. F., S2.39
Lin, N. C., S2.82
Liou, R. F., S2.28, S2.64
Lipid profiles, in wheat cultivars resistant and susceptible to tan spot, 74
Lipoxygenase, S2.62
9-Lipoxygenase mutants, S2.29
Li, R., S2.1, S2.76, S2.80, S2.116, S2.156
Li, S., 594, S2.80, S2.83
Li, S.-J., 135
Li, T., 594
Little cherry virus 1 (LChV1), genome characterization and association with Shirofugen stunt disease, 293
Little, C. R., S2.11, S3.2
Little, E., S2.15, S2.189
Liu, B., S2.83, S2.84
Liu, C., S2.123
Liu, D., 169
Liu, F., S2.33, S2.168
Liu, G., S2.168
Liu, H., S2.30
Liu, J., S2.13, S2.31, S2.83, S2.84
Liu, K. L., S2.115
Liu, M., S2.84
Liu, Q., S2.83
Liu, T., S2.116
Liu, T. H., S2.84
Liu, W., S2.84, S2.87, S2.116
Liu, X., 920, S2.183
Liu, Y., 594, 920, S4.2
Liu, Z., S2.20, S2.127
Livingston, D., S2.133
Li, W., S2.80
Li, X., 169, 594, S2.51, S2.131
Li, X. L., S2.80
Li, Y., S2.79, S2.81
Li, Z., 169
Lloyd, M., S2.85
Loblolly pine (*Pinus taeda*)
ectomycorrhizal community, S2.160
effect of altered climate scenarios on Loblolly pine decline, s2.26
Locoweeds, S2.12
Lodge, D. J., S2.53, S2.63, S2.85, S2.123
Lodge, J., S2.28
Loeb, G., S2.46
Logistic regression models, predicting Fusarium head blight epidemics, 906
Logrieco, A., 400, S2.175
LOH2 gene, 733
Loline alkaloids, evolution, S2.109
Lolium arundinaceum. *See* Tall fescue
Lolium latent virus (LoLV), S2.188
Lolium multiflorum, epiphytic survival of *Pseudomonas* sp. *on*, S1.3
Lolium perenne. *See* Perennial ryegrass
Lommel, S. A., S2.85
Longcore, J. E., S2.15, S2.67, S2.130
Longway, L. J., S2.85
Lookabaugh, E., S1.7, S2.85
Loop-mediated isothermal amplification (LAMP)
detection of *Burkholderia glumae*, S2.23
detection of *Colletotrichum acutatum* on strawberry, S2.166
detection of *Gooseberry vein banding associated virus*, S2.156
detection of *Leifsonia xyli* subsp. *xyli*, S2.84
detection of *Pseudomonas fuscovaginae*, S2.10
detection of *Xanthomonas oryzae*, S2.76
of the *micA* gene in *Clavibacter michiganensis* subsp. *michiganensis*, 1220
real-time detection of airborne *Erysiphe necator* inoculum, S2.144
Loper, J., S2.28, S2.121
Lopes, C. A., S2.126
Lopez, M., S2.85
Lopez, P. N., S2.109
López-Ramirez, M. A., S2.123
Lopez, S., S2.102
Loria, R., S2.45, S2.77
Loropetalum chinense, S2.141
Loropetalum stem canker, S2.141
Loschinkohl, C., S2.1
Lothamer, K., S2.86, S2.182
Lott, C., S2.86
Louws, F. J., S2.134, S2.147
Louzada, E., S2.75, S2.86, S2.152
Lowbush blueberry
effect of management systems on stem and leaf spot diseases, S2.7
Internet-served forecast system for mummy berry disease, S2.8

Lowe, T. M., S2.86
Lowry, D., S2.34, S2.44
LOX2, S2.62
Loyd, A. L., S1.7
Lozovaya, V. V., 984, S3.7
Lr44 gene, 169
LrG98 gene, 169
LrXi gene, 169
LrZH84 gene, 169
LSU analysis, of fungal succession, S2.20
Lubberstedt, T., S2.7
Luby, J., S2.22
Lu, C., S2.84, S2.87
Lucas, G. C., S2.6
Lucas, S., 1028
Lücking, R., S2.186
Lueschow, S. R., S2.87
Lu, G., 400
Luis, P., 1035
Lujan, P., S3.14, S3.16
Luna, E., S2.87
Luna, M., S3.11
Luo, H., S2.184
Luo, J., S2.96, S2.173
Luo, M., S1.4, S2.45
Luoma, D. L., S2.48, S2.85
Luongo, L., 802
Luo, Y., S2.81
Lupien, S., S2.8, S2.37
Lu, Q., S2.87
Lu, S., S2.35, S2.87, S2.168, S2.184
Luster, D. G., S2.18, S2.179
Lutz, L., S2.122
Lutzoni, F., S2.26, S2.113, S2.149, S2.150, S2.161, S2.185
LuxS-dependent auto-inducer (AI)-2 signal, 352
Lu, Y., S2.87
Lv, H., 920
Lv, Q., 594
Lygin, A. V., 984, S3.7
Lyons, C. W. P., S2.88
Lysobacter enzymogenes strain C3, S2.168
Lysoe, E., 400
Lytle, M., S3.16

Mabura Ecological Reserve, S2.150
MacCoss, M. J., S2.65
Machado, J., S3.9
Machado, J. C., S2.113, S2.133
Machado, J. D. C., S2.166
MacHardy, W. E., S2.154
Maciel, J. L. N., S3.5
Mackey, D., S2.47
Macrofungi Collection Consortium, S2.45, S2.144
Macrophomina phaseolina
  detection with SCAR assay in cluster bean, S2.25
  efficacy of methyl bromide alternatives against, S2.130
  glyceollin in soybean plant defense against, 984
  identification of genes involved in phaseolinone biosynthesis, S2.101
Macrophomina phaseolina resistance, evaluation of soybean varieties for, S2.130
Madden, L., S2.33
Madden, L. V., 906, S2.7, S2.173
Madeiras, A. M., S2.88
Maes, M., 1169
Maffia, L. A., S2.61, S2.62, S2.100, S2.137
Magain, N., S2.149
Magdama, F., S2.55, S2.68
Ma gene, 833
Magill, C. W., S2.178
Magnaporthe oryzae, 594
  characterization and targeted deletion of Bin1, S2.143
  GATA factor control of nitrogen scavenging by, S2.90
  genetic and virulence variation from wheat and weed Poaceae, S3.5
  global efforts in managing, S2.184
  hemibiotrophy, S2.186
  induction of plant defenses by salicylic acid in perennial ryegrass, S2.117
  interactome of pathogenicity factors, S2.81
  mating type genes expression during sexual reproduction, S4.3
  mechanisms of adaptation to host rice cells, S2.43
  potential to infect wheat in the U.S., S3.8
  seasonal and daily patterns of conidia availability, S2.81
  spiked-based simulation model for wheat blast incidence, S3.3
  TmpL homolog, S4.1
  Wscs and Mid2 as putative upstream sensors of cell wall integrity signaling in, S2.167
  See also Gray leaf spot; Rice blast
Magnaporthe spp., *Pyricularia/Magnaporthe* nomenclature, S2.173
Magnetic capture hybridization real-time PCR, assay for detecting *Agrobacterium vitis*, 633
Maguire, I. J., S2.109
Mahaffee, W., S2.93, S2.144
Mahmood, T., S2.88
Main, D., S2.93
Maize. *See* Corn
Maize ear rot, S2.133
Maize mosaic rhabdovirus (MMV), S2.11
Maize rayado fino virus (MRFV), S2.56
Maize streak disease, modeling control strategies for, S2.27
Ma, J., S2.88, S2.116
Majerczak, D. R., S2.171
Malcolm, G. M., 538, S2.68, S2.183
Malinoski, M. K., S2.28
Ma, L. J., S2.34, S2.53
Ma, L.-J., 400
Mallowa, S. O., S2.88
Maltz, M., S2.54
Malus sieversii, blue mold resistant, S2.67
Malvick, D., S2.52, S2.89, S2.123
Malysheva, E., S2.70
Mammella, M. A., 610
Manamgoda, D. S., S2.89
Mandadi, K. K., S2.88
Mandipropamid, S2.95
Manduca, W. L., S2.91
Mang, H. G., S2.19, S2.70
Mango
  genetic variability of *Ceratocystis fimbriata* isolates, S2.107
  impact of *Ceratocystis fimbriata* on seedling growth, S2.137
  impact of salinity on *Ceratocystis fimbriata* wilt, S2.100
  malformation caused by *Fusarium mexicanum*, S2.15, S2.136
  Pseudomonas syringae pv. *syringae* differentiated phylotype associated with, 1115
Mangroves
  marine lignicolous ascomycetes from, S2.5
  saprotrophic oomycete species from a mangrove swamp, S2.153
Manosalva, P., S2.19
Manosalva, P. M., S2.70, S2.89
Mansfield, M. A., 1204, S2.173
Manulis-Sasson, S., S2.24
Manzi, S., S2.124
Maple syrup, fungal production of mycotoxins, S2.8
Marafivirus, S2.87
Marais, A., 293
Maramba, A., S2.108
Marano, A. V., S2.34, S2.68
Marano, M. P., 555
Marçais, B., 190
Mardones, M., S2.52
Marek, L., S2.63
Marek, S., S2.44, S2.99
Marek, S. M., S2.27, S2.108
Marella, H., S2.155
Margaria, P., 776
Marine fungi
  ascomycetes, S2.152
  lignicolous ascomycetes, S2.5
  phylogenetic affiliations, S2.113
Marine, S. C., S2.89
Markell, S., S2.63, S2.91, S2.107, S2.123
Markland, S. M., S2.90
Marois, J. J., S2.40
Marquez, F., S2.90
Marquez-Zequera, I., S3.11, S3.14
Marram grass, S2.69
Marra, R. E., S2.58, S2.90
Marrone, P. G., S2.79, S2.146
Marroquin-Guzman, M. R., S2.90, S2.191
Martínez, F., 870
Martinez, H. Y., S2.91
Martinez, I., S2.55
Martinez-Soto, G., S2.41
Martin, F., 1204, S2.18, S2.33, S2.75
Martin, F. N., 43, 610, S2.91
Martin, G. B., S2.95
Martin, K., S2.61
Martin, M., S3.2
Martin, R., S2.90
Martin, R. R., S2.35, S2.72, S2.90, S2.117
Martín-Sanz, A., 673
Martin, S. B., S2.131
Martins, S. A., S2.91
Martins, S. J., S2.91
Maruthachalam, K., 268, S2.133
Maruwo, J., S2.104
Massimo, N., S2.150
Master, E., S2.180
Masuya, H., S2.96
MAT alleles, in *Sclerotinia sclerotiorum*, S2.27
Mathew, F., S2.91
Mathioni, S. M., S2.92, S2.143
Matsuda, Y., 623
Matsukura, K., 509
Matsumoto, T. K., S3.14
Matsumura, M., 509
Matthiesen, R., S3.5, S.36
Matthiesen, R. L., S2.92
Mattoo, A., S2.121
Mattox, J. D., S2.86
Mauleon, R., S2.92
Maul, J., S2.60
Mauritia flexuosa, S2.137
Mauzey, S. J., S2.92
Ma, W., S2.188
May, C., S2.119
Mayek, N., S2.91
Mayerhofer, M., S2.92
May, G., S2.34, S2.150, S2.161
Ma, Z., S2.81
Ma, Z. H., S2.80
Mazumder, M., 841
Mazzola, M., S2.60, S2.92, S2.133
Mbofung, G. Y., S2.93, S3.6
McAvoy, E., S2.158
McBeath, J. H., S2.26
McBride, S., S1.7
McCafferty, N., S2.51
McCann, T., S2.93
McClelland, M., 352
McClung, A. M., S2.168
McClure, M., S2.103
McConnell, M. E., S2.191
McCornack, B., S3.6
McCort, C. D., S2.146
McCotter, S. W., S2.93
McCreight, J. D., S3.17
McCullough, B., S1.5

McDonald, B. A., 862
McDonald, M. R., 245
McElrone, A., S2.13
McFarland, J., S2.182
McGeachy, K., 333
McGhee, G. C., S2.2, S2.79
McGrath, M., S2.56
McGrath, M. T., S2.93
McGregor, L., 245
McGuire, K., S2.30
McIntyre, L., S2.155
McKee, B., 91
McKenna, L. F., S2.121
McLane, H., S2.145
McLaughlin, D. J., S2.93
McManus, P. S., S2.109
McMechan, J., S2.143
McPherson, B., S2.29
McQuate, G. T., S3.14
McRae, A. G., S2.94
McRoberts, N., S2.9, S2.27
McSpadden-Gardener, B., S2.123, S2.141
McTaggart, A., S2.94, S2.150
McTavish, C., S2.155
Medeiros, F. C. L., S2.94
Medeiros, F. H. V., S2.91, S2.94, S2.166
Medeiros, R. B., S2.127
Medel-Ortiz, R., S2.123
Medford, J., S2.148
Medicago truncatula
  differing levels of triterpene saponins in response to *Phoma medicaginis* infection, S2.121
  disease progression of *Phoma medicaginis* on, S1.9
  improved biomass and altered transcriptome with colonization by *Sebacina vermifera*, S2.92
Medina, E. M., S2.185
Meekes, E. T. M., S2.94
Mefenoxam, sensitivity screening service, S2.85
Mehl, H. L., S2.94
Mehl, K., S2.94, S3.6
Mehra, L., S2.95
Meitz-Hopkins, J. C., S2.75, S2.154
Melampsora larici-populina, S2.42
Melampsora larici-puccinia, S2.52
Melampsora rusts, S2.146
Melanson, R. A., S1.7, S2.192
Melcher, U., 129, S2.139, S2.176
Melendez, M. V., S2.89
Melgarejo, T., S2.23
Mellinger, H., S3.13
Mellinger, H. C., S2.158
Meloidogyne chitwoodi, 1092
Meloidogyne enterolobii, 1092
Meloidogyne exigua, 1092
Meloidogyne fallax, 1092
Meloidogyne hapla, 935
Meloidogyne incognita
  control with *Aspergillus niger*-Y61, S2.116
  effect of transitional organic production practices on root galling, 792
  evaluation of resistance genes in *Prunus* crops, 833
  identifying resistance in soybean cultivars, S2.157
  impact of soil composition on, S2.157
  management in cucumber with fluensulfone, S1.8
  management with tall fescue rotations prior to peach orchard establishment, S2.104
  response of African horned cucumber to, S2.144
  See also Root-knot nematodes
Meloidogyne mayaguensis, 1092
Meloidogyne minor, 1092
Meloidogyne paranaensis, 1092
Meloidogyne spp., emerging problems with minor species, 1092
Melo, I. S. D., S2.166
Melon (*Cucumis melo*)
  effect of non-Mexican *Bacillus subtilis* strains on, S2.41
  impact of plant age on development of bacterial wilt, S2.83
  induction of antiviral responses against *Cucurbit chlorotic yellows virus*, 960
  mapping *Alternaria cucumerina* resistance in, S2.32
  pathogenicity of downy mildew in Costa Rica, S2.16
  real-time PCR assay for *Fusarium oxysporum* in grated genotypes, 802
Melotto, M., 326, S2.105, S2.110, S2.125, S2.185
Melzer, M., S2.111
Membrane-based oligonucleotide array, for the detection *Phytophthora* spp., 43
Mena-Ali, J., S2.58
Menalled, F., S2.22, S2.97
Menasha, S. R., S2.93
Mendel, Z., S2.71
Mendoza-Celedón, B., S2.41, S2.112
Mendoza, M. R., S2.105
Mendoza Yerbafria, A., S2.9
Meng, F., S2.95
Mengual, C. M., 1188
Menke, J. R., S2.95
Menkir, A., S1.2
Mentha spp. *See* Mint
Mentreddy, S. R., S2.105
Mercado, W., S3.13
Merighi, M., S2.171
Mérillon, J.-M., 1028
Mersha, Z., S2.95, S2.111, S3.6
Mertely, J. A., S2.95
Mertely, J. C., S2.95, S2.130
Mesocriconema xenoplax, management on walnut, S2.159
Mesquite pod flour, aflatoxin and, S2.47
Metalaxyl, efficacy in reducing corn seedling blight, S3.5
Methven, A. S., S2.128
Methyl benzamidazole carbamate, sensitivity of *Cercospora kikuchii* to, S1.9
Mexican papita viroid (MPVd), S2.80
Meyer, F., S1.10, S2.153
Meyer, S., S2.63, S2.107
Meyers, B. C., S2.36
Meyer, S. L. F., S2.104
Meynard, D., S2.13
Miadlikowska, J., S2.26, S2.149, S2.150, S2.161
micA gene, 1220
Micallef, S. A., S2.89
Micandra spp., S2.134
Michailides, T. J., S2.175, S3.11, S3.12, S3.14, S3.15
Michelin, R., S2.74
Microbial forensics, S2.176
Microbial seed treatments, S2.174
Microbotryum spp., inoculation-based assessment of infection susceptibility among the Montiaceae, S2.58
Microcyclus ulei
  influence of hosts with partial resistance on the genetic structure of, S2.62
  population biology, S2.61
Microorganisms, analysis of aerosols collected between 1.5 and 38km, S1.2
MicroRNAs. *See* Artificial microRNA-mediated resistance
Mid2, S2.167
miD05 gene, 175
Miettinen, O., S2.96, S2.108
Mihail, J., S2.96
Miles, C. A., S3.15
Miles, L. A., S2.96
Miles, T. D., S2.96, S2.127, S2.161
Miller, A. N., S2.64, S2.97, S2.119, S2.172
Miller-Butler, M. A., S2.97
Miller, G. L., S2.30
Miller, R. N. G., S2.137
Miller, S., S2.12
Miller, S. A., S2.13, S2.26, S2.184
Miller, S. J., S2.96
Miller, S. L., S2.36
Miller, Z., S2.22, S2.97
Milling, A., S2.32, S2.66, S2.86
Milner, H., S2.162
Milus, E. A., S2.97
Mimee, B., S2.124, S2.147
Miñarro, M., S2.12
Minato, N., S2.123
Minenkova, O., S2.165
Ming, R., S2.166
Minnis, A. M., S2.70
Minsavage, J., S2.131
Mint (*Mentha* spp.), genetic structure of *Verticillium dahliae* populations, 445
Minz, D., 23
Miorini, T. J., S2.138
Mirtalebi, M., S2.97
Miscanthus × *giganteus*. *See* Giant miscanthus
Mishra, D., S2.152
misL gene, 362
MisL protein, 362
Misner, I., S2.98, S2.121
Mitchell, A. J., S3.6
Mitchell, T. R., S2.16
Mitchum, M. G., S2.129
Mitochondrial DNA sequences, genetic variation in isolates of *Phytophthora nicotianae*, 610
Mitochondrial DNases, fungal mitochondrial DNases and the activation of nonhost resistance, 81
Mitochondrial genes, RNA editing in *Didymium iridis*, S2.90
Mitra, R. M., S2.66, S2.86
Mittal, S., S2.142
Miwa, T., 733
Mixia osmundae, S2.146
Mizubuti, E., S2.126
Mizubuti, E. S. G., S2.61, S2.62
Mlotshwa, S., S2.187
Mmbaga, M., S2.98
Mochiah, M. B., S2.12
Mohamed Nor, N. M. I., S2.98
Mohammadi, M., S2.21, S2.138
Mohotti, K., S2.71
Molan, Y. Y., S2.39, S2.125
Molds
  isolated from New Jersey residential buildings following Superstorm Sandy, S2.99
  sooty mold, S2.19
  See also Blue mold; Grain mold; Gray mold
Moleleki, L. N., 1268
Moleleki, N., 1268
Molina, O. I., S2.98
Molineros, J. E., 906
Molliculites. *See Spiroplasma kunkelii*
Molnár, K., S2.26
Molnar, T. J., S2.100
Monacell, J., S2.150
Monacell, J. T., S1.8, S2.161
Moncada-Monsivais, D., S2.60, S2.186
Monchiero, M., 64
Moncrief, I., S2.99
Monfort, W. S., S1.10, S2.137
Monilinia fructicola
  Collimonas sp. ZLZ261 and, S2.84
  fungicide-induced mutagenesis, S2.128
  multi-drug resistance to site-specific fungicides, S2.55
Monilinia vaccinii-corymbosi, S2.21
Moniliophthora roreri, S2.35
Monique, G., S2.124
Monogalactosyldiacylglycerol (MGDG), 74

Monopartite begomoviruses
association with okra leaf curl disease, S2.5
infection of *Sida* spp., S2.23
Monosporascus cannonballus, S2.138
Monroy-Barbosa, A., 472
Montero-Astúa, M., S3.7
Montes-Borrego, M., 1058
Montiaceae, inoculation-based assessment of infection susceptibility to anther smut disease, S2.58
Monyo, E., S2.104
Moon, D. E., S2.97
Moore, G., S2.132
Moore, M. J., S2.108
Mora-Aguilera, J. A., S2.39
Morales-Santos, F. J., S2.99
Moran-Diez, M. E., S2.99
Morán, M., S2.123
Morath, S. U., S2.99
Morchella spp., S2.96
Moreau, P. A., S2.124
Moreira, S. I., S2.143, S4.3
Morels, S2.96
Moreno, A., 1188
Moreno, P., 1077
Moretti, A., S2.175
Morey, K., S2.148
Morgan, D. P., S2.175, S3.11, S3.14, S3.15
Mori, R., 575
Morisette-Thomas, V., 811, 1087
Moroccan pepper virus (MPV), 501, S2.160
Morrice, J., S2.52
Morris, K. A., S1.8
Morse, A., S2.155
Mortierella elongata, co-evolution with endosymbiotic bacteria, S2.18
Mosier, N., S2.35
Mosquera, G., S2.19, S2.186
Mosquitoes, trichomycete fungi and, S2.13
Mou, B., 268
Mouriño-Pérez, R., S2.34, S2.118, S2.187
Moustaid-Moussa, N., S2.109
Mou, Z., S2.134
Movement proteins, 513
Mowery, P., S2.69
Mo, W. L., S2.170
Mo, X., S2.98
Moya-Elizondo, E. A., S2.100
Mucci, C. W., S2.163
Mucor, new species from Brazil, S2.34
Muehlbauer, M. F., S2.100
Mueller, D., S2.56
Mueller, G., S2.58
Mueller, O., S2.185
Mukanga, M., S2.70
Mukhina, Z., S2.15
Mulè, G., S2.175
Mullens, B., S2.53
Mullis, M., S2.63
Multilocus ISSR markers, 182
Multilocus sequence typing (MLSST), 673
Multiplex one-step RT-PCR
detection of nepoviruses infecting imported germplasm, S2.113
detection sweet potato potyviruses, S2.109
Multiplex PCR
detection and identification of *Ralstonia solanacearum*, S2.140
end-point multiplex PCR identification of plant viruses, S2.9
identification of high consequence *Bemisia tabaci* biotypes and *Trialeurodes vaporariorum*, S2.7
Mummy berry disease, Internet-served forecast systems, S2.8
Mundt, C., S2.41
Mungbean, fluorescent *Pseudomonas* associated with the mycorrhizosphere of, S2.18
Munkvold, G., S2.21, S2.175
Munkvold, G. P., 822, S2.7, S2.31, S2.39, S2.40, S2.134, S2.153
Munoz Bodnar, A., S2.67
Munyaneza, J., S2.104, S2.130
Murillo, J., 673, 1115
Murine norovirus (MNV), 389
Murolo, S., 785
Murphy, A. F., S2.38
Murphy, C. A., S2.18
Murphy, J. F., S2.100
Murphy, K. M., S2.3
Murray, T. D., 98, S2.92
Murta, H. M., S2.100, S2.137
Musa, susceptibility to banana bunchy top disease, S2.103
Muscadine grape, effects of fungicide applications on, S2.135
Musca domestica (house fly), 373, S2.185
Muscodor albus SA-13, S2.79
Mushinski, R., S2.19
Muskmelon, impact of plant age on development of bacterial wilt, S2.83
Musser, R., S2.115, S2.149
Mustful, M., S2.86
Musungu, B., S2.101
Mutschler, M. A., S2.101
Muyldermans, S., S2.188
Mycelial compatibility groups (MCGs)
genetic diversity in *Sclerotinia sclerotiorum*, 750
identifying in *Sclerotium rolfsii*, 479
Myclobutanil resistance, in *Venturia inaequalis* isolates, S2.153
Mycodiplosis, S2.102
Mycoheterotrophy, S2.64
Mycological Society of America, Student Section, S2.54
Mycology
evolutionary informatics, S2.177
identification of *Berberis* spp. as alternate hosts of *Puccinia striiformis* f. sp. *tritici*, 927
identifying mycelial compatibility groupings in *Sclerotium rolfsii*, 479
Mycorrhizal fungi
large-scale genomic and transcriptomic analysis, S2.75
response to fire, S2.183
See also Arbuscular mycorrhizal fungi; Ectomycorrhizal fungi
Mycosphaerella graminicola
calculating fungicide dose decisions on winter wheat, 666
cell-based high-throughput assay for responses to fungicides, S2.51
fungicide application timings for disease control are an effective anti-resistance strategy, 1209
fungicide strategies in resistance management on winter wheat, 690
Mycotoxins
emerging issues in food safety, S2.175
produced by fungi in maple syrup, S2.8
produced by rice false smut pathogen, S2.184
Myers, K., S2.33
Myers, M. E., S2.52
Myrold, D., S2.182
Myrtaceae, new *Ophiodothella* species on, S2.127
Mysore-Venkatarau, S., S2.47
Myxomycetes, on *Orbygnia* sp., S2.3

Naegele, R. P., S2.101
Nagabhyru, P., S2.101
Nagl, N., S2.21
Nagy, L. G., S2.101, S2.142, S2.181
Nagyová, A., 972
Nagy, Z. Á., 190
Naidu, R. A., S2.114
Nakajima, M., 513
Nakasone, K. K., S2.85
Nakazono-Nagaoka, E., 513
Nakhla, M. K., 488, S2.20, S2.30, S2.109, S2.113, S2.124, S2.179
Namba, S., S2.123
Nanoscale titanium dioxide formulations, 228
Napieralski, S., S2.123
Nara, K., S2.58
Narrow brown leaf spot
efficacy of *Bacillus* in biocontrol with organic rice, S2.168
See also Cercospora janseana
Nash, T., S2.97
Natarajan, B., S2.59
National Biosurveillance Integration Center (NBIC), S2.176
National Clean Plant Network, S2.179
National Plant Diagnostic Network (NPDN), S2.177
Naturalis, 1001
Natvig, D. O., S2.64, S2.115
Navarrete, F., S2.102
Navarro, L., 1077
Navarro-Leon, M. J., S2.112
Navas-Cortés, J. A., 479, 1058
Naveed, K., S2.110
Navia Gine, P. A., S1.8
NB-LRR genes, S2.46
Nectarine, leaf abscission and infection by *Xanthomonas arboricola* pv. *pruni*, S2.173
Nectar microfungi, S2.181
Neher, O. T., S2.21, S2.102
Neibling, H., S2.102
Nelsen, D. J., S2.102
Nelson, B., S2.27
Nelson, B. D., S2.21, S2.117, S2.123, S2.164
Nelson, L., S2.121
Nelson, L. D., S1.9
Nelson, R., S2.7, S2.122
Nelson, R. J., S4.3
Nelson, R. S., S2.188, S2.189
Nelson, W., S2.44
Nematicides
plant viral nanoparticles to increase mobility and stability, S2.85
silver nanoparticles in turfgrass, S1.2
Nematode-protectant seed treatments, S2.174
Nematology
MiD05 parasitism gene of root-knot nematodes, 175
segregation and mapping of quantitatively inherited traits affecting parasitism in *Meloidogyne hapla*, 935
Neofusicoccum parvum
black spots on avocado in Mexico, S3.12
See also Botryosphaeria dieback
Neonectria coccinea, S2.126
Neonectria ditissima, S2.23
Neonectria faginata, S2.23, S2.126
Neonectria microconidia, S2.126
Neonectria punicea, S2.126
Neo-nicotinoid insecticides, in control of citrus canker, S2.52
Neotyphodium coenophialum
alteration of ergot alkaloid profile through chromosome end knockoff, S2.44
effect on tall fescue under drought stress, S2.101
Neotyphodium spp., S2.133, S2.185
Nepal, A., S3.7
Nephelium lappaceum, S2.130
Nepoviruses
detection with a multiplex one-step RT-PCR, S2.113
molecular characterization of a novel soybean-infecting nepovirus, S2.164
Neri, F. M., 1012
Nester, S. E., 708, S2.18
Nettleton, D. S., S2.171

Neurospora crassa
cell wall changes in an endocytosis mutant, S2.118
communication modules, S2.186
GFP-immunoelectron microscopy of endocytic vesicles, S2.34
growth and secretory vesicles, S2.186
septum formation and cytokinesis, S2.187
Newell, A. D., 1045
'New Mexico Capsicum Accession 10399', 472
Newsom, L. J., S1.1
Next generation sequencing
application to biosecurity, S2.33
characterization of tree fruit and grapevine viruses, S2.124
comparative analysis of *Fusarium graminearum*, S2.134
development of diagnostic tools for seed borne pathogens, S2.140
diagnostics of shotgun poplar disease, S2.35
Ngatat, S., S2.65, S2.103
Ngugi, H., S2.55, S2.173
Nguyen, H., S2.76
Nguyen, H. D. T., S2.103
Nguyen, M. H. R., S2.152
Nguyen, N., S2.70
Nguyen, T. L., S2.163
Niazi, N. S., S2.147
Nicandra physaloides, 436
Nickerson, N. L., S2.103
'Nicky Crisp' *Camellia*, 725
Nicolau, M., S3.3
Nicotiana benthamiana
association of *Cauliflower mosaic virus* P6 inclusion bodies with plasmodesmata, S2.122
targeting of AGO2 compromises antiviral silencing of a tombusvirus, S2.105
vaccination with a lab-attenuated strain of *Pepino mosaic virus*, S2.26
Nicotiana spp., coat protein of *Tobacco necrosis virus* elicits hypersensitive response, S2.43
Nicot, P. C., 261
Nieblas-Núñez, N., S2.103
Niemelä, T., S2.96
Nierman, W. C., S2.144
Nikolaeva, E., 1204, S2.74
Nils, B., S2.9
Niño-Mendoza, G. H., S2.112
'Nipponbare' rice variety, 594
Nischwitz, C., S2.72, S2.103, S2.107
Nissen, L. D., S1.8
Nitric oxide detoxification, of *Fusarium verticillioides*, S2.11
Nitric oxide reductase, S2.32
Nitrogen fertilization
effect of host nitrogen nutrition on *Botrytis cinerea* secondary inoculum, 261
effect on Wheat streak mosaic disease, S2.97
Nitrogen pollution, plant-microbe relationships, S2.60
Niu, C., S2.104
Njoroge, S., S2.104
Nocchi, P. T. R., S2.50
Noël, L. D., S2.170
Nogueira Júnior, A. F., S2.104
Noh, J., S2.71
Noling, J., S2.130
Nonhost resistance
of *Arabidopsis thaliana* against *Alternaria alternata*, 733
fungal mitochondrial DNases and the activation of, 81
Non-native phytoalexins, potential use in controlling soybean pathogens, S3.7
Nonomura, T., 623
Nontyphoidal *Salmonella*, 316
Nopsa, J. H., S2.145
'Norin4' wheat cultivar, 575
Norli, H. R., S2.43
Norman, D., S2.4
Norman, D. J., 237, S2.17, S2.18, S2.73
Noroviruses, survival on spinach during preharvest growth, 389
Norovirus surrogates, survival on spinach during preharvest growth, 389
North American Plant Protection Organization (NAPPO), S2.78
Northern Leaf Blight of maize, 641
Noussourou, M., S2.23
Nowogrodzki, A., S2.22
NPR1 gene, S2.134
ntpR gene, S1.7, S2.192
Nuclear DNA sequences, genetic variation in isolates of *Phytophthora nicotianae*, 610
Nucleocapsid proteins, 513
Nucleotide-binding site (NBS) domains, resistance gene homologues in common bean, 156
Nucleotide-binding-site leucine-rich repeat (NBS-LRR) proteins, 594
Nuhn, M., S2.104
Nunes, W. M. C., S2.50
Nunez-Palenius, H. G., S2.41, S2.112
Nusayr, T., S2.31
Nut crops
Botryosphaeriaceae among temperate nut crops in California, S3.14
See also specific nut crops
Nutter, F., S2.176
Nutter, F. W., S2.35, S2.51
Nwosu, V., S2.183
Nwugo, C., S2.104
Nyczepir, A. P., S2.104
Nyochembeng, L. M., S2.105

Oats, yield losses due to crown rust, S2.19
Oberhofer, M., S2.105, S2.165
Obligately lichen-associated fungi, S2.186
Obulareddy, N., S2.105
Ocamb, C., S2.38
Ochoa-Corona, F. M., S2.7, S2.8, S2.9, S2.33, S2.176
Ochoa, J. B., S2.191
Odokonyero, D., S2.105
Odom, J. L., S3.7
O'Donnell, K., S2.71, S2.114, S2.172
Ofek, M., 23
Ogamino, T., 513
Ogunbayo, T., S2.105
Ohm, R., S2.18, S2.106
Ojiambo, P., 216, S2.79, S2.95, S2.106, S2.145
O'Keeffe, T. L., S2.175
Okra leaf curl disease, S2.5
Okuda, M., 509, 960
Okuda, S., 960
Olalde-Portugal, V., S2.41
Olarte, R. A., S1.8, S2.106
Olaya, G., S2.106
O'Leary, M. L., S2.106
Oligonucleotide arrays, detection *Phytophthora* spp., 43
Oliva, R., S2.35
Olivares-Mercado, P. X., S2.134
Olive (*Olea europaea*), monitoring of asymptomatic infections by *Verticillium dahliae*, 1058
Oliveira, L. S., S2.107
Oliveira, M. S., S2.107
Oliver, A. K., S2.107
Oliver, J. E., S2.107
Oliveros, O. A., 156
Oliver, R. P., 690
Olpidium bornovanus, S2.138
Olsen, M., S2.27, S2.103, S2.107
Olson, J., S2.9
Olson, L. K., S2.107
Olson, S. M., 228
Omura, T., 513
O'Neill, E., S2.12
1000 Fungal Genomes Project, S2.137
Ong, K., S2.49, S2.177
Onion
DNA microarray detection of bulb rot, S2.8
environmental and management factors associated with bacterial rots, S2.173
Onion bulb rot, S2.8
Onion stunting, management, S2.131
Onion thrips (*Thrips tabaci*), S2.142
Oni, R. A., S2.89
Online courses and programs, S2.189
Onuki, M., 509
Oomycetes
associated with soybean seedling diseases, S2.123
chitin synthase gene, S2.108
environmental metagenomics, S2.178
isolated from soybeans with damping-off, S2.25
measuring biodiversity, S2.178
saprotrophic species from a mangrove swamp, S2.153
similarities with true fungi, 1035
Open Tree of Life Project, S2.48
Ophiodothella, S2.127
Ophiodothella vaccinii, S2.56
Ophiognomonia clavigignenti-juglandacearum, S2.66
Ophiosphaerella herpotricha
impact of nitrogen source and pH on mycelial growth, S2.30
phylogenetic placement, S2.44
Ophiosphaerella korrae
impact of nitrogen source and pH on mycelial growth, S2.30
phylogenetic placement, S2.44
Ophiosphaerella narmari, S2.44
Opperman, C. H., S2.85
Orange rust, introduction into the Louisiana sugarcane industry, S2.53
Orbygnia sp., S2.3
Orce, I. G., 555
Ordoñez, M. E., S2.11, S2.12, S2.108
Oreomunnea mexicana, S2.30
Organic agrofungicides, S2.72
Organic fertilization, response of soil microbial communities to, S3.4
Organic potatoes, variety and production trials, S2.25
Organic production practices, effect on tomato soilborne pests, 792
Organic rice, efficacy of *Bacillus* as biocontrol agents for sheath blight and narrow brown leaf spot, S2.168
Organic tomatoes, fungal and oomycete pathogen detection, S2.141
Ornella, L., 555
Orquera, G., S2.108
Orshinsky, A., S2.14, S4.1
Ortega-Arreola, R., S2.15
Ortega-Beltran, A., S2.108, S2.175
Ortiz-Santana, B., S2.108
Oryza rufipogon. *See* Wild rice
Oryza sativa. *See* Rice
Osei, M. K., S2.12
Oshea, P., S2.158
Ospina-Giraldo, M., S2.74, S2.108
Osti, S., S1.8
Ostry, M., S2.66, S2.108
Osuna Avila, P., S2.136
Otero-Colina, G., S2.124
Otten, W., 1012
Otto-Hanson, L. K., 34, S3.5
Otto, K., S3.17
Oudemans, P. V., S2.109, S2.112, S2.114
Outwater, C. A., S2.191
Owensby, C. A., S2.109

Owens, K. J., S2.109, S2.113
Ownley, B. H., S2.84, S2.109
Oxalate decarboxylase gene, S2.81
Oxalis corymbosa. *See* Gold Veined Oxalis
Oxathiapiprolin, S2.111
Oxidized lipids, control of *Aspergillus* disease development in maize, S2.19
Oxytetracycline resistance, in *Xanthomonas arboricola* pv. *pruni*, S2.11
Ozias-Atkins, P., S1.9, S2.183

Pace, R., S2.185
Pachyphlodes-Scabropezia lineage, S2.58
Padgett, G. B., S1.9, S2.116
Padhi, S., S2.99
Paecilomyces lilacinus YES-2-14, S2.83
Paetzold, L., 1235, S2.162
Paéz, C. P., S2.58
Pagadala, S., S2.89
Pagliaccia, D., 91, S2.107
Pahl, D. M., S2.89
Pain, A., S2.98
Pakala, S., S2.144
'Palisades' zoysiagrass, S1.8
Palma-Guerrero, J., S2.186
Palmano, S., 776
Palmateer, A. J., S2.109
Palmer, C. L., S2.18, S2.151
Palm, M. E., S2.172
Palm trees
  diseases in Central America, S2.177
  invasive threats to, S2.177
  phytoplasmas, S2.177
Palumbo, J. D., S2.175
Panaccione, D. G., S2.44, S4.3
Panchal, S., 326, S2.110, S2.125
Pandey, R., S2.98
Pang, Z., 594, 920
Panicum, S2.183
Panicum mosaic virus (PMV), S2.88, S2.138
Panicum virgatum. *See* Switchgrass
Panijel, M., S2.24
Pan, J., S2.109, S2.165
Pankratova, L., S2.15
Panthee, D., S2.134
Pantoea agglomerans
  development of a bioreporter, S2.84
  environmental and management factors, S2.173
Pantoea agglomerans pv. *gypsophilae*, S2.24
Pantoea ananatis, S2.173
Pantoea stewartii, type III secretion system in vector transmission, S2.171
Pantoea stewartii subsp. *stewartii*
  sideophore-mediated iron uptake for in plant growth, S2.21
  trend study in the U.S., 2001-2012, S3.3
  See also Stewart's wilt of corn
Paolinelli-Alfonso, M., S2.110
Papaya (*Carica papaya*)
  anthracnose caused by *Colletotrichum* spp., S3.11
  evolutionary history and genetic diversity of *Phoma caricae-papayae*, S2.178
  genetic structure of *Colletotrichum gloeosporioides* sensu lato isolates from, 182
  pathogenicity of *Pythium aphanidermatum*, S3.14
Papaya ringspot virus-W (PRSV-W), S2.1
Papp, T., S2.142
Pappu, H., S2.110, S2.130, S2.148, S3.12
Paranectria, S2.59
Parasitism genes, 175
Paratritirachium, S2.103
Pare, P. W., S2.94
Paret, M. L., 228
Parikh, L., S2.98
Park, B., 1204
Parke, J., S2.77
Parke, J. L., S2.46
Parker, M., S2.111
Park, J.-H., 565
Park, J. K., S3.7
Park, S., S2.141, S3.7
Park, S.-Y., 1204
Parkunan, V., S2.162
Parque Estadual da Ilha do Cardoso (PEIC), S2.68
Parque Estadual digestive–absorptive systems Fontes do Ipiranga (PEFI), S2.68
Parra, C. C., S2.75, S2.86
Parris, K., S2.37
Pasche, J. S., S2.111, S3.4, S3.7
Passalid beetles, S2.150
Pastor-Corrales, M. A., S2.132
Patel, H. K., S2.118
Patel, J. S., S2.98, S2.111
Patel, N., S2.112
Pathogenesis related genes, expression profiling and evolution in maize in response to *Ustilago maydis*, S2.25
Pathogenic symbioses, compared to lichen symbioses, S2.185
Paula, P. V. A., S2.151
Paulitz, T., S2.131
Paulitz, T. C., 1130, S2.3
Paul, P., S2.33
Paul, P. A., 906, S2.7, S2.88, S2.123, S2.127, S2.131, S2.173
Pavan, W., S3.3
Paveley, N. D., 666, 690, 1209
Pawlowski, M. L., S3.7
Payne, A., S2.112
Payne, G., S2.104
Payne, G. A., S2.79, S2.133
Payton, P., S2.94
Pazdernik, K., S2.51
pC6 movement protein, 513
pC5 nucleocapsid protein, 513
PCR-RFLP
  analysis of the *Fusarium oxysporum* species complex isolated from soybean, S2.40
  assay for genetic diversity studies of *Elsinoë australis*, S2.30
Pea (*Pisum sativum*)
  genetic and phylogenic diversity of *Pseudomonas syringae* pv. *syringae* strains from, 673
  measuring root disease suppression in response to a compost water extract, 255
Pea bacterial blight, 673
Peach (*Prunus persica*)
  bacteriophage ecological niches and coevolution with *Xanthomonas arboricola* pv. *pruni*, S2.135
  characterization of Armillaria root disease in Mexico, S2.39
  leaf abscission and infection by *Xanthomonas arboricola* pv. *pruni*, S2.173
Peach rosette mosaic virus (PRMV), S2.49
Peanut (*Arachis hypogaea*)
  effect of crop rotation on diseases, nematode activity, and yield, S2.23
  effect of planting date and early season prothiconazole applications on stem rot, S2.149
  effect of temperature on *Sclerotium rolfsii* growth, S1.10
  evaluation of flutriafol for diseases, S1.11
  mini core collection at ICRISAT, S2.141
  molecular diversity of peanut rust pathogen and its host, S1.9
  monitoring leaf spot diseases, S1.8
  Rhizoctonia solani AG-1 1A infection in Arkansas, S2.42
  seed treatments in disease management in Nicaragua, S3.12
  See also Groundnut; Valencia peanut
Peanut Genome Consortium, S2.183
Peanut Genome Initiative (PGI), S2.183
Peanut Genome Project (PGP), S2.183
Peanut rust
  molecular diversity of pathogen and its host, S1.9
  See also Puccinia arachidis
Peanut stem rot, S2.149
Peay, K. G., S2.41, S2.82, S2.181, S2.182
Pecan, fungicide spray coverage from ground-based sprayers, S2.17
Pecan scab
  fungicide spray coverage from ground-based sprayers, S2.17
  trunk application of phosphite for control of, S2.17
Pecan truffle (*Tuber lyonii*), S1.2, S2.135
Pectobacterium carotovora, S2.173
Pectobacterium carotovorum subsp. *brasiliense*, 1268
Pedley, K. F., 1169
Peever, T. L., 445, 741, S2.123
Pegues, M., S2.54
Pelargonium, bacterial blight in, S2.94
Pelletier, D., S2.18
Pelletier, G., S2.76
Peltigera canina, S2.149
Peltzer, D., S2.182
Peng, G., 245
Pengue, G., S2.155
Peng, Y., S2.184
Penicillium digitatum, genotyping imazalil resistance in, S2.72
Penicillium expansum, stability and pyrimenthanil-resistant phenotypes from apple, S2.22
Penicillium spp.
  host range of rotting bulb crops, S2.37
  multilocus database for identification, S2.113
Pepino mosaic virus, S2.26
Pepper
  attachment and germination *Phytophthora capsici* of zoospores on roots, S2.37
  detection and quantification of *Leveillula taurica* growth in leaves, 623
  internode stunting from *Cucumber mosaic virus*, S2.100
  molecular diagnosis of bacterial spot pathogens, S2.74
  population structure of *Phytophthora capsici* in China, 920
  See also Capsicum annuum
Peralta, E. L., S2.117
Perazzolli, M., 1227
Percival, G., S2.67
Percolation-based risk index, for pathogen invasion, 1012
Peregrinus maidis, S2.11
Pereira, A., S2.30
Pereira-Carvalho, R. C., S2.112, S2.137
Pereira, F. B., S2.166
Pereira, R. B., S2.6
Perennial ryegrass (*Lolium perenne*)
  induction of plant defenses by salicylic acid against gray leaf spot, S2.117
  molecular and genetic basis of mutualism with *Epichloë festucae*, S2.13
  spatial patterns of ergot in seed fields, S2.37
Peres, N. A., S2.14, S2.45, S2.51, S2.90, S2.95, S2.107, S2.112, S2.130, S2.134
Perez, C. A., S2.123
Pérez de la Vega, M., 673
Perez Garcia, M., S2.8, S2.9
Perez-Hernandez, O., S2.83, S3.7
Perez-Moreno, L., S2.41, S2.112
Pérez-Serrano, V., 1058
Pérez-Sierra, A., 851
Perina, F. J., S2.6, S4.3
Perkins, L. B., S2.8

Peronosclerospora, S2.179
Peronosclerospora sorghi, S1.7
Peronospora belbahrii, S3.6
See also Basil downy mildew
Peronospora farinosa f. sp. *spinaciae*, S2.42
Peronospora variabilis, S2.191
Perring, T., S2.119
Perry, B., S2.47
Perry, K. L., S2.145
Persea americana. *See* Avocado
Pertot, I., 1227
Perumal, R., S2.11, S3.2
Pesce, C., S2.170
Pesic-VanEsbroeck, Z., S2.5
Pesticide Risk Mitigation Engine (PRiME), S2.29
Peter, K. A., S2.67, S2.70
Petersen, R., S2.113
Petersen, R. H., S2.62, S2.63
Peterson, G., S3.8
Peterson, G. L., S2.178
Peterson, S., S2.113
Petri disease. *See Phaemoniella chlamydospora*
Pew, T., 255, S3.16
Peziaceae, S2.58
Pezizomycotina, S2.130
Pfeiffer, D. G., S2.189
Pfenning, L. H., S2.113, S2.122, S2.136
Pfeufer, E. E., S2.173
Pfister, D. H., S2.54
Phacidiopycnis washingtonensis, S2.133
Phaemoniella chlamydospora
explaining grapevine defense response to, 1028
genetic diversity in North American populations, S2.148
Phage therapy
for horse chestnut bleeding canker, S2.67
See also Bacteriophage
Phakospora pachyrhizi
Arabidopsis nonhost resistance genes to defeat, S2.77
effects of frequency of "extreme" temperature highs on, 708
effects of mineral nutrition on, S2.133
efficacy of disinfestants in killing urediniospores of, S3.2
VIGS study of proteins in interactions with soybean, S1.4
See also Soybean rust
Phanerochaete carnosa, S2.180
Phaseolinone, S2.101
Phaseolus lunatus. *See* Lima bean
Phaseolus vulgaris. *See* Common bean
Phaseolus vulgaris endornavirus 1, S2.73
Phaseolus vulgaris endornavirus 2, S2.73
Phellinus noxius, S2.28
Phellinus sensus stricto, S2.20
Phellinus sulphurascens, 583
Phenazine, 995, S2.155, S2.164, S2.165
Phenazine-producing *Pseudomonas* spp., determination in wheat, S2.100
Phenolic biomarkers, S2.29
Phenylalannine ammonia lyase 4 gene, S2.89
Phialocephala fortinii, S2.149
Phillips, T. W., S2.59, S3.4
Phillospheric yeasts, S2.85
Phloem sieve elements, visualization of '*Candidatus* Liberibacter asiaticus' cells in citrus seed coats, 545
Phlox (*Phlox paniculata*), susceptibility to *Phytophthora nicotianae*, S2.36
PhoA assay, S2.157
Phoenix dactylifera. *See* Date palm
Phoma caricae-papayae, S2.178
Phoma macrostoma var. *macrostoma*, S4.1
Phoma medicaginis
complementing T-DNA replaces original T-DNA in tagged mutants, S2.27
response to *Medicago truncatula* saponins, S1.9, S2.121
Phoma pinodella, 255
Phomopsis gulyae, S2.91
Phomopsis helianthi, S2.91
Phomopsis seed decay, evaluating soybean for resistance, S2.80
Phomopsis spp., pathogenicity on soybeans from Minnesota, S2.89
Phompsis stem canker, characterizing aggressiveness in sunflower, S2.91
PhoP/Q regulatory system, of *Xylella fastidiosa*, S2.191
Phormia regina, S2.185
Phosphite fungicide
foliar application in control of apple scab, S2.39
trunk application for control of pecan scab, S2.17
Phosphonate, pre- and postharvest management of citrus brown rot, S2.3
Phosphorous acid, control of bacterial diseases and PR-gene induction, S2.79
Photocatalysis, 228
Phylloplane yeasts. *See* Ballistosporic phylloplane yeast survey
Phymatotrichopsis omnivora
control in grapevines, S1.7
investigating the genetic structure of, S2.27
Physalis peruviana (Cape gooseberry), S2.14
Physalospora vaccinii, S2.109
Phytophthora alni subsp. *alni*, 190
Phytophthora alni subsp. *uniformis*, 190
Phytophthora blight
effect of *Chlorella* on sporangia production, S3.16
managing with biofumigation, S2.93
on squash, biocontrol with *Bacillus subtilis* IN937b, S2.98
Phytophthora capsici
attachment and germination of zoospores on pepper roots, S2.37
biocontrol with *Bacillus subtilis* IN937b, S2.98
effect of *Chlorella* on sporangia production, S3.16
induced resistance by eicosapolyenoic fatty acids in tomato, S2.122
management in watermelon, S1.6
management with biofumigation, S2.93
novel *Capsicum* gene inhibiting host-specific resistance to, 472
population structure in pepper from China, 920
QTL mapping of resistance in *Capsicum annuum*, S2.101
Phytophthora cinnamomi
characterization in ornamental crops in South Carolina, S2.128
mitochondrial haplotype and nuclear genotype correlation, S2.91
population genetic structure of, 91
use of fungal "cocktail" to inhibit growth, S2.160
white oak decline and, S2.191
Phytophthora citricola, 1020
Phytophthora Database 2.0, 1204
Phytophthora fruit rot
resistance in *Capsicum*, S2.101
of watermelon, management, S1.6
Phytophthora infestans
efficacy of copper hydroxide in inhibiting growth of, S3.6
Halliwell-Asada pathway in photosynthesis shutdown in the compatible interaction with potato, S2.23
investigation of populations in and near central New York, S2.33
morphological variation of Thai isolates from potato, S2.26
novel clonal lineages elicit differential disease and pathogen responses, S2.49
pathogenicity and host range from potato in Thailand, S2.136
population dynamics in Egypt, S2.39
Phytophthora infestans resistance
development of diploid potato breeding lines with, S2.49
in heirloom and hybrid tomatoes, S2.129
Phytophthora-infested water, plant health risks from irrigation with, S1.7
Phytophthora multivora, 1020
Phytophthora nicotianae
analyses of genetic variation inferred from mitochondrial and nuclear DNA sequences, 610
biological control by heat-tolerant bacteria in irrigation water, S2.56
in Florida citrus groves, S2.36
susceptibility of phlox to, S2.36
Phytophthora parasitica
detection and molecular identification from annual vinca in Nevada, S2.155
Ppmid1 gene in asexual development, S2.64
Phytophthora pini, 1020
Phytophthora plurivora, 1020
Phytophthora ramorum
comparative genomic analysis, S2.82
concentration of sporangia or zoospores for infection of host roots, S2.132
detection by sampling water in retention ponds, S2.136
disinfesting runoff water contaminated with, S2.77
genome-wide patterns of diversity, S2.32
interaction with root stress and chemical management in potted rhododendron, S2.124
phenolic biomarkers for prediction in coast live oak, S2.29
population dynamics in a California forest, 1141
steaming to eradicate from nursery soil, S2.129
update on clonal populations in the U.S., S2.41
Phytophthora root rot of avocado, 91
Phytophthora rubi, S2.139
Phytophthora sojae
genetic changes underlying pathotype shift in, S3.1
glyceollin in soybean plant defense against, 984
polysaccharide lyase genes and the infection of soybeans, S2.74
production of RNA-silencing repressors, S2.188
Phytophthora spp.
biocontrol agents to control in chile pepper, S2.56
effects of solarization and biocontrol in container nurseries, S2.46
expanding host range of a *Phytophthora* hybrid, S2.79
functional analysis of the host target of an RXLR effector, S2.4
genomics-based diagnostic marker development for, S2.65
isolation from stream ecosystems, S4.2
membrane-based oligonucleotide array for the detection of, 43
migration and evolution, S2.177
plant health risks from irrigation with *Phytophthora*-infested water, S1.7
polymorphic microsatellite markers, 1020
production of RNA-silencing repressors to promote infection, S2.188
three novel species from irrigation water in Mississippi, S2.164
Phytoplasma NAGYIII, S4.1
Phytoplasmas
field treatment of grapevine bois noir with resistance inducers, 785

hydrogen peroxide accumulation and transcriptional changes in grapevines recovered from Flavescene dorée disease, 776
infection of native and introduced trees in Colombia, S2.46
molecular characterization of lethal yellows, S2.177
palm phytoplasma detection, S2.177
16SrXII-E group, S2.26
strains associated with diseased potatoes in China, S2.26
Pianosi, A., S2.52
Piatek, M., S3.13
Picard, K. T., S2.113
Picton, D. D., 488, S2.109, S2.113
Pid3-A4 resistance gene, 594
Pid3 resistance gene, 594
Pierce, B., S2.191
Pierce, N. E., S2.16
Pierce's disease
effects of rootstock on infection and grapevine sap phenolics, S2.154
in grafted grape cultivars, S2.126
phoP/Q two-component system, S2.191
therapeutic and prophylactic application of phage, S2.34
Pierson, E. A., S2.79, S2.155, S2.164, S2.165
Pierson, L. S., S2.155, S2.164, S2.165
Pierson, T., S1.3
Pi-hkl gene, 1162
pilG gene, S2.168
Pina, J. A., 1077
Pinheiro, D. T., S4.3
Pinto beans. *See* Common bean
Pinto, R., 362
Pinus contorta, S2.48
Pinus ponderosa
ectomycorrhizal communities in the Deschutes National Forest, S2.48
ectomycorrhizal communities of *Chrysolepis chrysophylla*, S2.85
Pinus radiata, S2.191
Pinus spp.
evidence for multiple introductions and clonality in Spanish populations of *Fusarium circinatum*, 851
host-specific relationship with *Suillus*, S2.82
Pinus taeda
ectomycorrhizal community, S2.160
effect of altered climate scenarios on loblolly pine decline, S2.26
Pirarungaua stream, S2.68
Pires-Zottarelli, C. L. A., S2.34, S2.68, S2.153
Pislariu, C., S2.92
Pistachio
aflatoxin reduction with biopesticide AF36, S2.175
fungicide resistance in *Alternaria* spp., S3.11
reducing fungicide applications to control Alternaria late blight, S3.15
Pisum sativum. *See* Pea
Pitch canker, 851
Pitcher plants, patterns of fungal diversity in, S2.16
Pityophthorus juglandis (walnut twig beetle), S2.120
Piveta, G., S2.43
Plant biosecurity
masters-level education, S2.189
next generation sequencing and, S2.33
recent innovations, S2.176
Plant diagnostic tools, development standards, S2.77
Plant drought resistance, fungal endophytes and, S2.183
Plant growth promoting rhizobacteria (PGPR) MBI600, S2.168
Plant immunity
genetic and biochemical characterization of ACC oxidase in, S4.2
against human pathogens, S2.185
Plant pathology
contributions to food safety, S2.184
effective metrics for documenting research impact, S2.190
integrating foundational topics in an undergraduate biology curriculum, S2.160
LINK and CANARY technologies for rapid detection of pathogens, S2.20
online and distance courses and programs, S2.189
role in filling regulatory gaps, S2.180
teaching tropical plant pathology to a global audience, S2.189
Plant replacement programs, in disease management, 117
Plant symbioses, symptomless, S2.185
Plant-symbiotic fungi, responses to climate change, S2.182
Plasencia, J. D., S2.176
Plasmodiophora brassicae
genetic transformation, 1052
suppression by Serenade, 245
Plasmopara halstedii, S2.63
Plasmopara obducens, S2.109
Plasmopara viticola
identification of genes involved in pathogenesis on grapevine, 1035
production and release of asexual sporangia, 64
Plata, G., S2.191
Plaza, M., 1188
Pleiotropic drug resistance (PDR)-like ABC genes, S2.78
Ploetz, J., S2.114
Ploetz, J. N., S2.71
Ploetz, R., S2.40, S2.114
Ploetz, R. C., 400, S2.71, S3.15
Ploper, L. D., 555
Plum pox virus (PPV)
characterization of sour cherry isolates of, 972
comparison of the Pennsylvania and Ontario survey and eradication programs, S2.51
surveying for in Texas, S2.49
Pluteus section *Pluteus*, S2.70
Poa alsodes, S2.133
Poa annua, assessment of anthracnose severity, S2.65
Poa trivialis (roughstalk bluegrass), S3.9
Podosphaera aphanis
characterization of infection of strawberry leaves, S2.10
factors affecting foliar mildew severity in strawberry, 811
geographic and climatic discontinuity in production of cleistothecia, S2.14
temperature regulation of chasmothecia initiation, 717
See also Powdery mildew
Podosphaera macularis
emergence and characterization on hop cultivars with R6-based resistance, S2.38
mating type distribution and absence of cleistothecia in, S2.161
Podosphaera xanthii
confirming resistance in bottle gourd germplasm, S2.75
fungicide sensitivity, S2.93
Poggi, S., 1012
Poinssot, B., 1035
Polashock, J., 81, S2.114
Polidori, J., 833
Polyethylene glycol-mediated transformation, of *Septoria musiva*, S3.7
Polygalacturonases, S2.158
Polymerase chain reaction (PCR)
detection of *Harpophora maydis*, S2.30
detection of *Soybean vein necrosis virus*, S2.135
repetitive PCR, 673
UP-PCR cross-hybridization method, S2.76
use for the speciation of fungi recovered from dried fruits and tree nuts, S2.147
See also Multiplex PCR; PCR-RFLP; Quantitative PCR; Real-time quantitative PCR; Reverse transcription PCR
Polymorphic microsatellite markers, for *Phytophthora* spp., 1020
Polypores (bracket fungi), improved taxonomic resolution, S2.96
Polysaccharide lyase genes, S2.74
Ponce, K., S2.35
Pond, E., 91
Pooideae, endophyte diversity in, S2.165
Poojari, S., S2.114
Poole, G., 1130, S2.6
Popko, J. T., S2.5, S2.63, S2.126
Poplawsky, A. R., S2.38, S3.13, S3.15
Popper R package, S2.70
popP gene, S2.132
PopS virulence effector, S2.66
Population biology
Cercospora sojina mating-type distributions and genetic diversity on soybean, 1045
evidence for multiple introductions and clonality in Spanish populations of *Fusarium circinatum*, 851
genetic and phenotypic diversity in *Sclerotinia sclerotiorum* populations infecting canola, 750
genetic differentiation between populations of *Phytophthora alni* subsp. *uniformis*, 190
genetic relationships in an international collection of *Puccinia horiana*, 1169
genetic structure of *Colletotrichum gloeosporioides* sensu lato isolates from papaya, 182
influence of hyperparasites on population structure of *Cryphonectria parasitica*, 1280
population genetic structure of *Phytophthora cinnamomi*, 91
population genetic structure of *Rhizoctonia solani* AG-3PT, 862
population structure of *Phytophthora nicotianae* isolates, 610
signatures of recombination in clonal lineages of the citrus brown spot pathogen, 741
Populus spp., bronze leaf disease, S2.108
Porch, T. C., S2.1
Porras-Alfaro, A., S2.64, S2.87, S2.115, S2.119, S2.126, S2.146, S2.149
Porter, L., S2.131
Portier, U., 833
Postharvest fruit rot in apple, S2.160
Postman, J., S2.156
Potato (*Solanum tuberosum*)
aphid feeding behavior and virus resistance in somatic fusions and crosses of *S. bulbocastanum* and *S. tuberosum*, S1.3
colonization patterns of *Pectobacterium carotovorum* subsp. *brasiliense*, 1268
development of diploid breeding lines with resistance to late blight, S2.49
effective implementation of disease-suppressive crops in rotations, S2.77
effects of seed type and variety on the incidence of *Potato virus Y*, S2.46
identification of a "caulimo-like" virus in germplasm, S2.1
organic potato variety and production trials, S2.25
pathogenicity and aggressiveness of *Alternaria alternata*, *A. solani*, and *A. triticina*, S2.149
Phytophthora infestans infection
the Halliwell-Asada pathway in photosynthesis shutdown in compatible interactions with, S2.23
morphological variation of Thai isolates, S2.26

phytoplasma strains associated with diseases in China, S2.26
Rhizoctonia solani infection
biocontrol with aerobic endospore-forming bacteria strains, S2.17
population genetic structure of strain AG-3PT, 862
susceptibility of cultivars to *Potato mop-top virus*-induced tuber necrosis, S3.3
Verticillium dahliae infection
effect of green manure crops on, S2.98
incidence and impact in soil associated with certified seed, 55
population genetic structure, 445
Zebra chip disease
effect on tuber physiology, 419
overview and characterization of, 524
relationship of biochemical responses to disease progression, S2.154
Potato common scab, biological control by *Pseudomonas* sp. LBUM223, 995
Potato early dying (PED)
effect of composted manure and separated hog slurry solids on, S2.98
effect of green manure crops on, S2.98
Potato late blight
development of diploid potato breeding lines with resistance, S2.49
evaluation of the blight decision support system for integrated management of, S2.134
microbial communities associated with the suppression of in soils from Ecuador, S2.35
See also Phytophthora infestans
Potato leafroll virus (PLRV), S2.38
Potato mop-top virus (PMTV), S3.3
Potato psyllid. *See Bactericera cockerelli*
Potato soft rot enterobacteriaceae, 1268
Potato spindle tuber viroid (PSTVd), S2.12
Potato viruses
interactions between PVS and PVY, S2.110
molecular mechanisms of eIF4E-mediated resistance against, S2.8
Potato virus S (PVS), S2.110
Potato virus Y (PVY), interactions with *Potato virus S*, S2.110
effects of seed type and variety on the incidence of, S2.46
resistance among varieties for improved seed potato production, S2.166
Potato zebra chip disease
alternative compounds for management, S3.13
assessment of management and environmental factors affecting regional occurrence, S2.162
effect on tuber physiology, 419
history in Mexico, S3.12
influence of environmental factors and management practices on occurrence, 1235
overview, characterization, and discussion of management, 524
relationship of potato biochemical responses to disease progression, S2.154
See also '*Candidatus* Liberibacter solanacearum'
Potnis, N., S2.50
Potter, J., S2.145
Potvin, A., S2.76
Potyviridae, S3.16
Poudel, R., S2.18, S3.8
Poulin, L., S2.67
Poussier, S., S2.170
Powdery mildew
of cucurbits, efficacy of fungicides with resistance risk for, S2.93
of grapevine
ontogenesis of conidiation in, S2.93
real-time detection of airborne inoculum, S2.144
of hops, emergence and characterization on cultivars with R6-based resistance, S2.38
of pepper, detection and quantification of *Leveillula taurica* growth, 623
of strawberry
factors affecting foliar mildew severity, 811, 1087
temperature regulation of chasmothecia initiation, 717
UV-B radiation for control under greenhouse conditions, S2.9
See also Podosphaera aphanis
Powdery mildew resistance
confirming in bottle gourd germplasm, S2.75
in *Cornus florida*, S2.98
quantitative phenotyping in grapevine, S2.22
Powell, A. J., S2.64, S2.115
Powell, M., S3.15
Powell, M. J., S2.34, S2.115, S2.130
Power, I. L., S1.9, S2.115
Poza-Carrion, C., 341
Pozza, E. A., S2.133, S2.151
Ppmid1 gene, S2.64
P6 protein, S2.188
Pradhan, S., S2.52
Prasad, V. P. V., S2.59
Prathuangwong, S., S2.25
Pratt, R., S2.171
Pratylenchus vulnus, management on walnut, S2.159
Predaja, L., 972
Preiss, K., S2.64
Presley, G. H., S2.95
Presser, J., S2.50
Prestat, E., S2.182
Price, P. P., S1.9, S2.116
Prikhodko, Y., 972
PRiME, S2.29
Pringle, A., S2.16
Pringle, H. C., S2.158
Prior, P., S2.3, S2.66
Probst, C., S2.5, S2.105
Proctor, R. H., 400
Proffer, T. J., S2.191
Progeny production curve, relating to the speed of an epidemic, 204
Prom, L. K., S3.3
Propagation systems, percolation-based risk index for pathogen invasion, 1012
Prosopis velutina (Arizona mesquite), S2.47
Prospero, S., 1020
α-Proteobacteria, 524
Pruett, G., S2.40
Pruisner, R., S2.175
Prunus cerasus. See Sour cherry
Prunus crops
evaluation of *Meloidogyne incognita* resistance genes in, 833
See also Peach; Sour cherry; Sweet cherry
Prunus replant disease, S2.128
Pruss, G., S2.187
Pruvost, O., S2.67
Pryor, B., S2.27
Pryor, B. M., 741
Pscheidt, J. W., S3.15
Pseudocercosporella capsellae, S2.53
Pseudomonas chlororaphis 30-84
characterizing the promoter of the phenazine biosynthesis operon, S2.165
function of *acr* genes in phenazine regulation and transport, S2.164
regulation of phenazine biosynthesis, S2.155
Pseudomonas fluorescens, 341
Pseudomonas fuscovaginae, S2.10
Pseudomonas marginalis, S2.173
Pseudomonas protegens, S2.28
Pseudomonas protegens Pf-5, S2.121
Pseudomonas spp.
determination of phenazine-producing species in wheat, S2.100
epiphytic survival on *Lolium multiflorum* and *Rumex crispus*, S1.3
fluorescent species associated with cranberry, S2.136
found on Loropetalum stem canker, S2.141
LBUM223 in biological control of potato common scab, 995
role of humidity and light in *Arabidopsis-Pseudomonas* interaction, S2.110
See also Fluorescent *Pseudomonas*
Pseudomonas syringae
effect of cover crops to reduce disease incidence and severity in squash, S2.147
effect on *Salmonella enterica* survival on leaves, 341
Pseudomonas syringae pv. *aesculi*, S2.67
Pseudomonas syringae pv. *phaseolicola*, S2.47
Pseudomonas syringae pv. *syringae*
differentiated phylotype associated with mango, 1115
genetic and phylogenic diversity of strains from pea, 673
genome sequencing and comparative analysis of strains B301D and HS191, S2.119
Pseudomonas syringae pv. *tomato*, S2.105
Pseudomonas syringe pv. *tabaci*, 81
Pseudoperonospora cubensis
differentiation of subpopulations using microsatellite loci, S2.54
influence of environmental factors on aerial concentrations, S2.52
modeling spatial frailties in survival analysis of epidemics, 216
occurrence of the A2 mating type in the U.S., S2.145
pathogenicity on cucurbits in Costa Rica, S2.16
Pseudoperonospora spp., differentiation using microsatellite loci, S2.54
Pseudothecia, 281
Pseudotsuga menziesii. See Douglas-fir
Psyllids, testing project in Florida, S2.55
Pterospora andromedea, S2.36
Puccinia arachidis
genetic polymorphism in, S2.115
molecular diversity, S1.9
Puccinia coronata f. sp. *avenae*, S2.19
Puccinia graminis, S2.36
Puccinia graminis f. sp. *tritici*
efficacy of disinfestants in killing urediniospores of, S3.2
functional analysis of conserved genes, S2.164
race TTKSK, 1153
See also Wheat stem rust
Puccinia horiana
genetic relationships in an international collection of, 1169
systemic infection of chrysanthemum, S2.18
Puccinia kuehnii, S2.53
Pucciniales
DNA barcoding from the Brazilian Cerrado, S2.137
molecular phylogenetic diversity and distribution of *Mycodiplosis* on, S2.102
Puccinia mariae-wilsoniae, S2.128
Puccinia melanocephala, S2.10
See also Brown rust
Puccinia polysora, S1.1
Puccinia psidii, S2.123
Puccinia punctiformis, S2.15
Puccinia recondita f. sp. *tritici*, S2.80
Puccinia spp., on wheat in the Ecuadorian highlands, S2.108
Puccinia striiformis, analysis of interregional dispersal in China, S2.81
Puccinia striiformis f. sp. *tritici*
association of SNP markers to avirulence genes, S2.156
early monitoring based on infrared spectroscopy, S2.80

evolution of virulence on genes for adult-plant resistance in wheat, S2.97
identification of *Berberis* spp. as alternate hosts, 927
local dispersal from single source lesions, S2.41
population structure and genomics, S2.184
races identified in the U.S. in 2012, S2.155
screening winter wheat germplasm for resistance, S3.5
on wheat in the Ecuadorian highlands, S2.108
Puccinia triticina
operational warning in winter wheat, S2.38
population divergence correlated with wheat evolution, S2.84
Puccinia triticina resistance
evaluation of *Triticum durum* germplasm for, S3.2
histological characterization, S2.37
screening winter wheat germplasm for, S3.5
seedling resistance in Thatcher isolines, S3.3
Puckett, R. D., S2.175, S3.14, S3.15
Pu, L., S2.116
Pumphrey, M., S2.164
Pumpkin
chemical and biocontrol agents for management of *Xanthomonas cucurbitae*, S2.144
detection of *Xanthomonas cucurbitae* in seed, S2.119
Punctodera spp., in golf course greens, S2.103
Pun, M., S2.97
Puppala, N., S3.14, S3.16
Purdie, L., S2.76
Puri, K. D., S2.78
Purple nutsedge (*Cyperus rotundus*), 792
Purple seed stain, S1.9
Purvis, M. A., S1.9, S2.116
'Pusa Ruby' tomato, S2.9
Putman, A., S2.14, S2.116
Putman, A. I., S4.1
Pu, X., S2.82
PvInv gene, 1035
PvLac gene, 1035
PvNuo gene, 1035
Pye, M. F., S2.122
Pyle, J. D., S2.138
Pyraclostrobin, 690
Pyrenophora teres f. *maculata*, S2.74
Pyrenophora tritici-repentis
evaluation of spring wheat germplasm for resistance to race 1, S2.4, S3.1
lipid profiles in wheat cultivars resistant and susceptible to tan spot, 74
Pyricularia, *Pyricularia/Magnaporthe* nomenclature, S2.173
Pyricularia oryzae, S2.124
Pyrimethanil resistance, in *Penicillium expansum* from apple, S2.22
454-Pyrosequencing, 1020
Pythium aphanidermatum, S3.14
Pythium brassicum, S2.138
Pythium damping-off, evaluation of products for greenhouse management, S2.13
Pythium insidiosum, S2.50
Pythium iwayamai, S2.65
Pythium seed and root rots of soybean, effects of salinity on, S1.10
Pythium spp.
characterization of species associated with Prunus replant disease, S2.128
effect of crop rotation on population composition in soybean fields, S2.150
exploring the characteristics of *Pythium* communities, S2.159
fungicide sensitivity of species affecting corn and soybean in Iowa, S3.6
genomics-based diagnostic marker development for, S2.65
impact on floriculture crops in North Carolina, S1.7
isolation from stream ecosystems, S4.2
pathogenicity affecting corn and soybean, S2.92

Qian, G., S2.168
Qiao, T.-M., 135
Qiao, Y., S2.188
Qin, R., S2.116
Qiu, C., S2.21, S2.27, S2.117
Qiu, J., S2.116, S2.184
Qiu, W., S2.32
QoI resistance
in *Botrytis cinerea* from eastern U.S. vineyards, S4.1
characterization and molecular diagnosis in *Cercospora sojina* isolates, S2.166
competitiveness of field QoI-resistant *Alternaria alternata* isolates, S2.152
evaluation of *Rhizoctonia solani* AG 1-IA and *Rhizoctonia* species, S2.24
monitoring in *Rhizoctonia solani* isolates causing rice sheath blight, S2.106
QTL mapping
to identify new sources of rice sheath blight resistance, S2.24
of wheat stripe rust resistance in spring wheat, S2.42
Quantitative PCR (qPCR)
detection and identification of *Ralstonia solanacearum*, S2.140
detection of *Fusarium oxysporum* f. sp. *phaseoli* in bean seeds, S2.153
detection of *Fusarium oxysporum* in grated melon genotypes, 802
detection of *Harpophora maydis*, S2.30
temporal evaluations on the wheat stem rust infection process on barley, S3.9
See also Real-time quantitative PCR: Taqman real-time PCR
Quantitative pyrosequencing, to dissect complex pathogen-pathogen interactions, S2.94
Quantitative resistance, to Fusarium head blight in elite spring barley, 1252
Quarantine fungi, detecting with DNA barcoding, 1103
Quercus agrifolia (coast live oak), S2.29
Quercus alba. *See* White oak
Quercus hypoleucoides, S2.62
Quesada, L., S2.117
Que, Y., S2.84
Qu, F., S2.26
Quinoa (*Chenopodium quinoa*)
detection of *Peronospora variabilis* in seeds, S2.191
plant growth promoting characteristics of *Bacillus* species associated with, S2.144
Quinoa downy mildew, S2.191
Quinolone alkaloids, S2.68
Quinone outside inhibitor (QoI) fungicides
effect on Fusarium head blight in soft red winter wheat, S2.33
sensitivity of *Cercospora kikuchii* to, S1.9
See also QoI resistance
Quintanilla, L., S2.60, S2.186
Quiroz-Flores, A., S2.59
Quito-Avila, D. F., S2.72, S2.117
Quitugua, T., S2.176
Quorum-sensing transcription factor, *aviR*, 427

Rabie, A. A., S2.154
Racette, G., S2.147
Rachilla–seed interface, xylem discontinuity in wheat, 682
Radmer, L., 43
Radwan, O., S2.117, S3.8
Raffaelea lauricola, on avocado, S2.40, S2.114
Raffaelea quercus-mongolicae, S2.74
Raghavan, C., S2.19
Rahman, A., S2.117
Rahman, M., S2.118, S4.3
Raid, R., S1.3
Raid, R. N., S2.29
Rajasekaran, K., S2.127
Raj, Y., S2.152
Rakotondrafara, A. M., S2.8
Rallos, L., S4.3
Ralstonia solanacearum
contribution of extracellular DNases to virulence, S2.147
degradation of hydroxycinnamic acids, S2.86
detection using portable surface plasmon resonance technology, S2.167
effect of transitional organic product practices on, 792
evaluating tomato rootstocks for resistance in North Carolina, S2.134
genetic variability in Brazil, S2.126
host adaptation in, S2.3
identifying host targets for type III effectors in *Solanum lycopersicon*, S2.73
improved multiplex PCR and qPCR detection and identification, S2.140
infection of highbush blueberry, S2.112
PopS virulence effector and the suppression of SA-mediated defenses, S2.66
strain P673, analysis of virulence factors, S2.17, S2.18
T3SS activation in planta, S2.32
See also Bacterial wilt
Ramadugu, C., S2.55, S2.72, S2.118, S3.14
Ramegowda, Y. B., S2.60
Ramirez-Del Villar, A., S2.118
Ramirez-Escobar, U. M., 862
Ramirez, G., S2.119
Ramirez, G. M., S2.11, S2.59
Ramírez-Malagon, R., S2.41, S2.112
Ramorum blight, S2.124
Rampersad, S. N., 182
Ramsubhag, A., S3.11
Ramularia eucalypti species complex, S2.153
Ramulosis of cotton, S2.113
Randall, J., S2.138, S3.14
Ranjan, A., S2.118
Ransom, J., S3.5
Rapicavoli, J., S2.119, S2.171
Rapid blight, new occurrences, S2.107
Raputia heptaphylla, S2.68
Raruang, Y., S1.4, S2.45
Rascher, U., S2.128
Rashed, A., 1235, S2.154, S2.162
Raspberry (*Rubus idaeus*), isolation and detection of *Phytophthora rubi*, S2.139
Raspberry bushy dwarf virus (RBDV), S2.117
Raspberry ringspot virus (RpRSV), S2.49
Rathayibacter agropyri, S2.92
Ratoon stunt, S2.84
Raudabaugh, D. B., S2.119
Ravanlou, A., S2.119
Ravindran, A., S2.79, S2.119
Rayamajhi, M. B., S2.123
Rayapati, N., S2.20
Razor Ex BioDetection System, S2.9
Rcc1 gene, 575
Reactive oxygen species
assessing the scavenging activity of *Diplodia pinea*, S2.132
quantification using the fluorimetric probe Amplex Red, S2.24
Real-time quantitative PCR (qRT-PCR)
assessment of *Sphacelotheca reiliana* interactions with maize seedlings, S2.7
comparison of protocols for the monitoring of asymptomatic olive infections by *Verticillium dahliae*, 1058
detection and differentiation of *Colletotrichum* species causing soybean anthracnose, S2.164
detection of *Agrobacterium vitis*, 633

detection of *Fusarium oxysporum* in grated melon genotypes, 802
detection of *Leveillula taurica*, 623
evaluation of experimental fungicides against *Septoria tritici*, S2.10
generation of full sequence reads from small amplicons, S2.8
magnetic capture hybridization real-time PCR assay for detecting *Agrobacterium vitis*, 633
temporal evaluations on the wheat stem rust infection process on barley, S3.9
See also Quantitative PCR; Taqman real-time PCR
Rebollar-Alviter, A., S2.119, S2.134
Recombinase-based in vivo expression technology (RIVET)
identification of *Salmonella enterica* genes with a role in persistence on lettuce leave, 362
to monitor *Salmonella* AI-2 signaling, 352
Red blotch disease, 1069
Reddy, M. S., S2.168
Redfern, J., S2.115
Redinbaugh, M., S2.171
Red stele of raspberry, S2.139
Reduced risk fungicides, control of carrot foliar diseases, S3.5
Reed, S., S2.120
Ree, R., S2.48
Reeves, G., 472
Reges, J. T. A., S3.5
Rehner, S. A., 400
Reid, C., S2.69
Reid, C. L., 427, 633
Reineke, A., 1001
Reinhold, L., S2.120
Reisch, B., S2.22
Reiter, M. S., S2.120
Remesal, E., 479
Repetitive polymerase chain reaction (rep-PCR), 673
Reproduction curves, 204
Requena, N., S2.187
Reschke, M., S2.13
Residue management
effect of levels of wheat residue on severity of Stagonospora nodorum blotch, S2.95
effect on Goss's wilt of corn, S2.94
Resistance (*R*) genes
comparative analysis of the disease resistance gene space of rosaceous species, S2.20
evaluation of *Meloidogyne incognita* resistance genes in *Prunus*, 833
functional analysis of *Pid3-A4* by allele mining in common wild rice, 594
identification and mapping of a wheat resistance gene to an unadapted isolate of *Colletotrichum cereale*, 575
identification of blast resistance gene *Pi-hkl* in *Japonica* rice landrace, 1162
identification of homologues in common bean using nucleotide-binding site domains, 156
identification of *Rpg5* gene in wheat stem rust resistance, 1153
in silico identification and characterization in switchgrass, S2.46
Resistance inducers, field treatment of grapevine bois noir, 785
Resistance to *Colletotrichum cereale 1* (*Rcc1*) gene, 575
Restrepo, S., S2.23
Reverse transcription PCR (RT-PCR)
detection of *High plains virus*, S2.9
end-point RT-PCR for the detection of *High plains virus*, S2.9
one-step detection and differentiation of sweet potato potyviruses, S2.76
See also Multiplex one-step RT-PCR
Reyes, C., S2.91
Reyes Chin-Wo, S., S2.101
Reyes, R., S2.44
Reynolds, D. R., S2.19
Rezende, J., S2.120
Rezk, A., S2.4
Rhizamonas, S2.46
Rhizobacteria, attenuation of *Curtobacterium flaccumfaciens* pv. *flaccumfaciens* in common bean, S2.91
Rhizobacteria Jdm1, S2.159
Rhizobiaceae, 524
Rhizoctonia damping-off, evaluation of products for greenhouse management, S2.13
Rhizoctonia root rot
of apple, anaerobic soil disinfestation in suppression of, S2.60
identification of resistance in barley, S2.3
in sugar beet, management, S2.73
Rhizoctonia solani
Bacillus subtilis induced tolerance in cotton, S2.94
biocontrol with aerobic endospore-forming bacteria strains, S2.17
characterization of anastomosis groups on potato, S2.96
comparative genomic analyses, S2.98
control by rice-associated strains of *Bacillus* spp., S1.9
diversity in association with canola, wheat, and pea, S2.111
efficacy of *Bacillus* in biocontrol with organic rice, S2.168
evaluation of control with PGPR strain MBI600 in combined use with azoxystrobin, S2.168
management in sugar beet, S2.73
monitoring azoxystrobin resistance in, S2.106
transcriptional profiling of sclerotia formation in, S2.144
See also Brown patch; Sheath blight
Rhizoctonia solani AG-5, anaerobic soil disinfestation in suppression of, S2.60
Rhizoctonia solani AG11, spatial analyses, S1.10
Rhizoctonia solani AG1-1A
effect of *Brassica juncea* cover cropping on, S1.5
evaluation for resistance to QoI fungicides, S2.24
on peanut in Arkansas, S2.42
precision concept for management, S2.137
See also Rice sheath blight
Rhizoctonia solani AG2-2 IIIB, importance of soil moisture and isolate origin on disease severity, S2.102
Rhizoctonia solani AG-3PT, 862
Rhizoctonia spp.
analysis of the expansion segment D11 of 28S rDNA, S2.50
evaluation for resistance to QoI fungicides, S2.24
glyphosate application to cereal cover crops to manage onion stunting, S2.131
Rhizomonas, S2.46
Rhizomorpha corynephora, S2.85
Rhizopogon spp., S2.36
RhizoVital 42 fl., 1001
Rhododendron, ramorum blight, S2.124
Ribeiro Junior, P. M., S2.91
Rice (*Oryza sativa*)
analysis of rice PDR-like ABC transporter genes in sheath blight resistance, S2.78
characterization of DAMP induced innate immune response, S2.118
detection of *Xanthomonas oryzae* pathovars from seed, S2.152
dynamics of *Southern rice black-streaked dwarf virus* in, 509
efficacy of *Bacillus* as biocontrol agents for sheath blight and narrow brown leaf spot, S2.168
efficacy of seed treatment fungicides for control of seedling diseases, S2.168
hemibiotriophy in the rice blast system, S2.186
identification of blast resistance gene *Pi-hkl*, 1162
identifying novel bacterial disease resistance sources for, S2.19
impact of temperature on expression of TAL effector-activated genes, S2.30
phenylalannine ammonia lyase 4 gene associated with disease resistance, S2.89
reaction of cultivars to *Ustilaginoidea virens* infection, S1.10
resistance to viruses transmitted by small brown planthoppers, S2.184
Rice black streaked dwarf virus infection and elevated levels of hydrogen peroxide, S2.163
Rice grassy stunt virus resistance induced in transgenic plants, 513
sheath blight control by rice-associated strains of *Bacillus* spp., S1.9
Rice black streaked dwarf virus (RBSDV), S2.163, S2.184
Rice blast
global efforts in managing, S2.184
hemibiotrophy, S2.186
interactome of pathogenicity factors, S2.81
See also Magnaporthe oryzae
Rice blast resistance genes
functional analysis of *Pid3-A4*, 594
identification of *Pi-hkl* in *Japonica* rice landrace, 1162
molecular characterization, S2.88
Rice, C. W., S2.182
Rice false smut, S2.184
Rice grassy stunt virus (RGSV), 513
Rice resistance genes, identification via targeted genome editing, S2.13
Rice sheath blight
effect of *Brassica juncea* cover cropping on, S1.5
efficacy of *Bacillus* in biocontrol with organic rice, S2.168
evaluation of control with PGPR strain MBI600 in combined use with azoxystrobin, S2.168
monitoring azoxystrobin resistance in, S2.106
precision concept for management, S2.137
Rice sheath blight resistance, QTL mapping to identify new sources in recombinant inbred lines, S2.24
Rice stripe virus (RSV), 513, S2.184
Riddle, J. M., S2.150
Ridenour, J., S2.121
Ridenour, J. B., S1.9, S2.120
Rideout, S., S2.120, S2.173
Riley, D., S2.137
Riley, M. J. J., S2.179
Riley, R., S2.101, S2.121, S2.181
Riley, R. W., S2.146
Ring nematode (*Mesocriconema xenoplax*), management on walnut, S2.159
Riosmena-Rodriguez, R., S2.5
Rioux, R., S2.121
Riquelme, M., S2.186
Risk aversion, accounting for in calculating fungicide dose decisions, 666
Ristaino, J. B., S2.189
Ritchie, D., S2.122
Ritchie, D. F., S2.135
Ritzenthaler, C., S2.51, S2.188
Rivard, C., S3.8
Rivas-Plata, E., S2.149
Rivera Beede, I. M., S2.121
Rivera-Vargas, L. I., S2.130, S3.13, S3.16
RMia gene, 833
RNA interference (RNAi)
conferring resistance against *Rice grassy stunt virus*, 513
transfection to prevent infection, S3.9

RNA silencing
production of RNA-silencing repressors by *Phytophthora*, S2.188
in viral infections of maize, S2.187
RNA viruses, evolutionary genetic factors in the emergence and spread of, S2.179
Roasted milo, S3.13
Roatti, B., 1227
Roberson, R. W., S2.44, S2.93
Roberson, S. L., S1.9, S2.121
Roberts, D. P., S2.98, S2.121
Roberts, J., S2.122
Robertson, A., S2.35, S2.93, S3.5, S3.6, S.36
Robertson, A. E., S2.88, S2.92, S2.123, S2.131, S2.175, S3.1
Robertson, C., S2.55, S2.158
Robertson, C. J., S2.31, S2.57
Robertson, C. L., S1.9, S1.11, S2.116, S2.133
Roberts, P., S1.3
Roberts, P. D., 1243, S2.36, S2.40
Roberts, S. M., S2.122
Robert, V. A. R. G., 400
Robin, O. A., S2.146
Robinson, M. D., 98
Roca, M. M., S2.177
Rocha, S. C. O., S2.68
Roche, D., S2.3
Rochet, J., S2.124
Roda, A. L., S3.15
Rodrigues, J. V., S3.13, S3.15, S3.16
Rodriguez, A., S2.43, S2.122, S2.188
Rodriguez-Alvarado, G., S2.15, S2.122, S2.136
Rodriguez, D., S2.67
Rodríguez, J., S2.151
Rodríguez, L., S2.122
Rodriguez-R. L. M., S2.67
Rodriguez-Zaragoza, S., S2.59
Roeschlin, R. A., 555
Rogers, E. E., S2.78
Roguing, in disease management, 117
Rohila, J., S2.4, S3.1
Rohrig, E., S2.141
Rojas, A., S2.123, S2.150
Rojo-Baez, I., S3.11
Roldan-Ruiz, I., 1169
Rollins, J. A., S2.81, S2.156
Rolshausen, P., S2.148, S3.12
Romanazzi, G., 785
Romero, M. P., S2.123
Rondon, M. N., S2.113
Rondon, S. I., S2.38
Rong, X., S2.123
Rooney, A. P., 400, S2.71
Root diseases, measuring suppression in response to a compost water extract, 255
Root endophytes, production of acid protease, S2.92
Root-knot nematodes
control with *Aspergillus niger*-Y61, S2.116
effect of parasitism on host gene silencing, S2.155
emerging problems with minor species, 1092
host-derived RNA interference targeted to parasitism gene 16D10, S2.129
isolation and characterization of rhizobacteria Jdm1 antagonist, S2.159
management with tall fescue rotations prior to peach orchard establishment, S2.104
Mi1D05 parasitism gene, 175
response of African horned cucumber to, S2.144
segregation and mapping of quantitatively inherited traits affecting parasitism, 935
See also Meloidogyne incognita
Root mycobiomes, S2.115
Root rot
on blueberry in Mexico, S2.119
root rot fungi, 583
on wheat, survey in South Dakota, S2.48
Roots
internal colonization by *E. coli* O157:H7, 333
microbiome shifts associated with reduction of pathogen root colonization, 23
root-knot nematode infection and the *Mi1D05* parasitism gene, 175
Roper, C., S2.21
Roper, M. C., S2.119, S2.171
Rosa, B. A., 326
Rosaceous species, comparative analysis of the disease resistance gene space of, S2.20
Rose, biocontrol of *Botrytis cinerea* with phillospheric yeasts on cut roses, S2.85
Rose, L. J., S2.72
Rosen, B., 156
Rosen, C., 34
Rose rosette disease (RRD), S1.3
Rose rosette virus (RRV), S1.3
Rosique-Gil, E., S2.152
Ross-Davis, A. L., S2.39, S2.123
Rossi, V., 64
Rosskopf, E., S2.61
Rosskopf, E. N., 792
Rossman, A. Y., S2.59, S2.89, S2.125, S2.150, S2.172
Rotenberg, D., S2.11, S3.1, S3.2, S3.7
Rothrock, C. S., S1.9, S1.10, S2.42, S2.137, S2.150
Rothwell, N. L., S2.79
Rotich, F., S2.124
Rott, M., S2.124
Roubtsova, T. V., S2.124, S2.163
Roughstalk bluegrass (*Poa trivialis*), S3.9
Rouse, D., S2.25
Roux, B., S2.170
Rowhani, A., 1069, S2.3, S2.4
Roy, A., 488, S2.124
RoyChowdhury, M., S2.125
Roy, D., 326, S2.125
Roy, M., S2.58, S2.124
RPB2 gene, 479
Rpg5 gene, 1153
Rpg4-mediated wheat stem rust resistance, 1153
Rubber tree (*Hevea brasiliensis*)
basidiomycetous endophytic community, S2.90
delimitation of tropical endophyte *Diaporthe* species from, S2.134
South American leaf blight of, S2.61
Rubus idaeus, isolation and detection of *Phytophthora rubi*, S2.139
Rubus yellow net virus (RYNV), S2.35
Rucker, K., S2.149
Rudgers, J., S2.165, S2.183
Ruess, R., S2.182
Ruggeri-Gomes, J., S2.67
Ruhl, G. E., S3.3
Rumex crispus, S1.3
Runoff water, disinfesting from contamination with *Phytophthora ramorum*, S2.77
Rupe, J., S1.2, S2.28, S2.80
Rupe, J. C., 1045, S1.9, S2.123, S2.150
Rupp, R., 1130
Rush, C. M., 1235, S2.154, S2.162
Rush, M. C., S1.9
Russian wheat aphid (*Diuraphis noxia*), S2.87
Russo, J., 1204
Russo, T. R., S2.60
Rust fungi
DNA barcoding from the Brazilian Cerrado, S2.137
See also Individual rusts
Rust resistance, simple sequence repeat DNA markers linked with in common bean, S2.132
Rusty mottle of sweet cherry, 1287
RXLR effectors, S2.4, S2.188
Ryan, K. L., S4.3
Rychlik, M., 1252
Rye (*Secale cereale*), as a cover crop to reduce incidence of *Pseudomonas syringae*, S2.147
Ryu, J. S., S2.95
Saalau-Rojas, E., 900, S2.83, S2.171
Saari, S., S2.185
Sabanadzovic, S., S1.6, S2.2, S2.87, S2.125
Sackett, K., S2.41
Saeed, H., S2.124
Saenz-Hidalgo, H. K., S3.12
Saharan dust storms, microbial diversity and emerging pathogens, S2.83
Saif, A., S2.140
Saito, S., 1180
Sakai, J., 509
Salamov, A., S2.121
Salazar, A., S2.11
Saleh, A. A., S2.39, S2.125
Salgado, J. D., S2.173
Salgado-Salazar, C., S2.125
Salicaceae, S2.142
Salicylic acid
induction of plant defenses in perennial ryegrass, S2.117
salicylic acid-mediated defense network in strawberry, S2.82
Salinity
effect on Pythium seed and root rots of soybean, S1.10
impact of *Ceratocystis fimbriata* wilt on mango, S2.100
impact on *Ceratocystis fimbriata* wilt in mango, S2.100
interactions with soybeans and *Soybean mosaic virus*, S2.76
molecular and cellular responses of date palm roots to salinity stress, S3.8
Salix, ectomycorrhizal fungi, S2.182
Sallee, J., S2.33
Salleh, B., S2.98
Salmonella
activation of the plant immune system, S2.95
interactions with plants and associated microbiota, 316
Salmonella enterica
colonization of plants, S2.185
effect of resident leaf bacteria on immigrant cell survival, 341
effects of fumigation and bactericide applications, S2.120
factors affecting proliferation on tomato, S2.12
identification of genes with a role in persistence on lettuce leaves during cold storage, 362
insect transmission, S2.171
role of motility in root colonization, S2.56
transmission by flies, S2.185
Salmonella enterica Typhimurium, effect of soil management on movement in tomato plants, 381
Salmonella enterica Typhimurium SL1344, plant immunity against, 326, S2.185
Salmonella spp., consequences of disrupting AI-2 signaling on interactions with soft rots, 352
Salomon, C. E., 34
Salt marshes, *Fusarium* species composition, S2.40
Salt stress, S1.6
Salustiano, M. E., S2.113
Salvadora spp., S2.38
Salvatierra, J., S2.114
Samiksha, F., S2.157
Samuels, G. J., S2.59
Sanchez, A., S1.1, S2.126
Sánchez, G., S2.151
Sanchez, M., S2.137
Sanchez-Pale, J. R., S2.134
Sanchez-Perez, A., S2.49
Sandberg, D. C., S2.126
Sanders, H., S2.37
Sandona, K., S2.64, S2.115, S2.126
Sangchote, S., S2.136

Sang, H., S2.5, S2.63, S2.126
Sanogo, S., S2.138, S3.14, S3.16
Santiago, T. R., S2.126
Santos, M. M. D., S2.127
Sap flow velocity, effect of *Ceratocystis smalleyi* infections on, 565
Sapkota, S., S2.127
Saponins, S1.9
Sarcodon, S2.53
Sarmiento, C., S2.48
Sarmiento, L., S2.106
Sasaya, T., 513
Satellite RNAs, of *Grapevine fanleaf virus*, 1180
Sattler, S. E., S3.3
Sauer, K., S2.64
Savage, J., S2.41
Saville, B., S2.26
Sayler, R., S2.127
Scab. *See* Fusarium head blight
Scalliet, G., 880
Scandiani, M. M., 400
SCAR markers. *See* Sequence-characterized amplified region markers
Scauflaire, J., 400
Schadt, C., S2.18
Schaefer, A., S2.18
Schaffer, B., S2.114
Schardl, C., S2.13
Schardl, C. L., S2.44, S2.101, S2.109, S2.165
Schaub, M., S2.22
Schaub, T., S2.138, S3.14
Scheets, K., S2.187
Schena, L., 610
Schilder, A. C., S2.127
Schilling, J. S., S2.95
Schisler, D. A., S2.123, S2.127
Schlub, R. L., S2.10, S2.128
Schlund, S. A., S2.128
Schlüter, K., 682
Schmidt, L. S., S2.128
Schmittgen, S., S2.128
Schmitt-Keichinger, C., S2.188
Schmitt, M., S2.103
Schnabel, G., S2.43, S2.51, S2.128
Schneider, R., S2.158
Schneider, R. W., S1.9, S1.11, S2.116, S2.133
Schneider, W., S2.33, S2.124, S2.139, S2.176
Schneider, W. L., S2.33
Schneweis, B., S3.7
Schoch, C. L., S2.128
Schoebel, C. N., 1020
Schoelz, J., S2.7, S2.43, S2.188
Schoelz, J. E., S2.122, S2.189
Schoenlein-Crusius, I. H., S2.68
Scholthof, H. B., S2.105
Scholthof, K. B. G., S2.88, S2.138
Schreier, S., S2.128
Schroeder, B. K., S2.8, S2.37, S2.92
Schubert, T., S2.141
Schuenzel, E., S2.23, S2.44
Schultheiss, H., S2.77
Schultz, K., S2.102
Schurt, D. A., S2.91
Schuster, G., S2.177
Schutte, T., 281
Schwartz, H., S2.142, S3.17
Schweigkofler, W., S2.129
Schweri, K., S2.129
Sciumbato, G., S2.80, S2.158
Sclerophthora, identification and diagnosis, S2.179
Sclerotinia homoeocarpa
  adaptability to multiple fungicide pressures in heterokaryons, S2.73
  expression of germin-like protein gene in response to infection by, S2.121
  field selection of DMI insensitive isolates, S2.5
  genetic determinants of fungicide detoxification in, S2.63
  genetic mechanisms of decreased sensitivity to iprodione, S2.126
  molecular and diagnostic assays for fungicide resistance in, S2.63
  signatures of global dispersal and population structure, S2.116
  stimulation of radial growth in vitro, S2.52
  taxonomic placement, S4.1
  See also Dollar spot
Sclerotinia minor, S2.27
Sclerotinia rolfsii, S2.162
Sclerotinia sclerotinia
  carbon sources in relation to pathogenicity on Valencia peanut, S3.14
  factors affecting selection for resistance in common bean, S3.17
  genetic and aggressiveness variation in bean fields in Brazil, S3.9
Sclerotinia sclerotiorum
  characterization of isolates for soybean for aggressiveness and mycelial compatibility, S2.138
  field trial evaluation of resistance in annual bedding plants, S2.52
  genetic and phenotypic diversity in populations infecting canola, 750
  genetic variation and aggressiveness in, S2.117
  high density genotyping, S2.21
  identification of resistance loci in a perennial relative of soybean, S2.24
  oxalate decarboxylase gene in the early infection process, S2.81
  prevalence of inversion negative and inversion positive *MAT* alleles, S2.27
Sclerotinia stem rot. *See Sclerotinia sclerotiorum*
Sclerotium cepivorum, S2.112, S2.173
Sclerotium rolfsii
  effect of planting date and early season prothiconazole applications on, S2.149
  identifying mycelial compatibility groupings in, 479
  optimum temperature for growth and colonization on peanut leaves, S1.10
Sclerotium root-rot, identifying mycelial compatibility groupings, 479
Scoglio, C. M., S2.59, S3.4
Scotton, M., 802
SdhB gene, S2.191
Seabloom, E. W., S2.34
Seabra, S. S., S2.91
Seaman, A., S2.33
Seaman, M., S2.5
Searle, C. L., S2.15
Sebacina vermifera, S2.92
Secoviridae, S2.145
Seedborne pathogens
  application of next generation sequencing in the development of diagnostic tools, S2.140
  evaluation of seed wash DNA extraction method, S2.140
  transmission of *Soybean mosaic virus*, 941
Seed endophytes, of the alpine tundra in Colorado, S2.146
Seedling blight of soybean, S2.31
Seedling yellows, S2.56
Seed potatoes, resistance to *Potato virus Y* infection, S2.166
Seed treatments
  bacteriophage treatments for the control of bacterial pathogens, S2.174
  development and formulation of seed treatment combinations, S2.174
  effect on Verticillium wilt of spinach, 268
  efficacy of fungicides for control of rice seedling diseases, S2.168
  microbial, S2.174
  nematode-protectant, S2.174
  new technologies, S2.174
  in peanut disease management in Nicaragua, S3.12
  physiological benefits of, S2.174
Seed wash DNA extraction method, S2.140
Seem, R., S2.14, S2.22
Seem, R. C., 717, S2.10, S2.93
Seetha, A., S2.104
Seeve, C., S2.155
Segoviano, M. A., S2.19
Seidl, A. C., S2.129, S3.6
Seifert, K. A., S2.103, S2.172
Seijo, T. E., S2.130
Sekimoto, S., S2.130
Sela (Saldinger), S., 362
Sempere, R. N., 1188
Sendín, L. N., 555
Sengoda Gounder, V., S2.130
Sensor-based plant pathogen detection, S2.176
Seo, S. T., S2.74
Septoria leaf blotch (SLB), operational warning in winter wheat, S2.38
Septoria leaf spot, control in tomato, S2.101
Septoria musiva
  PEG-mediated transformation, S3.7
  prediction of long-term field resistance of hybrid poplars, S2.116
Septoria passerinii, 600
Septoria speckled leaf blotch resistance, 600
Septoria tritici
  operational warning in winter wheat, S2.38
  real-time quantitative PCR assay for the evaluation of experimental fungicides against, S2.10
Septoria tritici leaf blotch, calculating fungicide dose decisions on winter wheat, 666
Sequence-characterized amplified region (SCAR) markers
  detection of brown patch pathogens from turfgrass, S2.76
  detection of *Macrophomina phaseolina* in cluster bean, S2.25
Sequence-tagged site (STS) markers, fine mapping of leaf rust resistance gene *LrZH84*, 169
Serenade, 245
Serfontein, S., 281
Serpi, M., S2.58
Serratia marcescens, S2.15
Serrato-Diaz, L., S2.130, S3.16
Sessa, G., S2.24
Sétamou, M., S2.75, S2.86
Setia, R., S2.73
Setosphaeria turcica, 641
Sexton, M., S2.120
Sexton, Z., S2.130
Seybold, S., S2.163
Shaffer, J. P., S2.48, S2.130, S2.161
Shagbark hickory (*Carya ovata*), 565
Shah, D. A., 906, S2.131
Shamoun, S., S2.82, S2.131
Shang, J., 594
Shankle, M., S1.1
Shan, T., S2.184
Shantharaj, D., S2.131
Shao, J., 488, 920, S2.124, S2.140
Sharafaddin, A. H., S2.125
Sharma, J., S2.135
Sharma Poudyal, D., S2.131
Shaver, J. B. R., S2.131
Shaw, B. D., S2.60, S2.186
Shaw, J. D., S2.123
Shaw, M. W., 666
Sheath blight of rice
  analysis of rice PDR-like ABC transporter genes in resistance, S2.78
  effect of *Brassica juncea* cover cropping on, S1.5
  suppression by rice-associated strains of *Bacillus* spp., S1.9
  See also Rhizoctonia solani

Shen, H., S2.82
Shen, W., S2.83, S2.84
Shepherd, L., S2.17
Sherwood, P., S2.132
Shew, B., S1.7, S2.85
Shew, D., S2.189
Shier, W. T., S2.176
Shiitake (*Lentinula edodes*), S2.105
Shimizu, T., 513
Shim, W. B., S2.167
'Shin-chunaga' wheat cultivar, 575
Shin, S. H., S2.132
Shi, Q., S2.132
Shirofugen stunt disease, 293
Shishkoff, N., S2.132
Shivas, R., S2.94, S2.150, S2.179
Shi, X., S2.132
Shneyder, Y., 972
Shoji, J., S2.92
Short, D. P. G., 400, S2.54, S2.71, S2.133
Short interfering RNAs (siRNAs), role in viral infections of maize, S2.187
Shotgun poplar disease, S2.35
Showmaker, K. C., S2.35
Shrestha, B. K., S1.9
Shugart, H., S2.119
Shu, X., S2.133
Shymanovich, T., S2.133, S2.165
Siambi, M., S2.104
Siciliano, M. F., 555
Sida micrantha mosaic virus, 436
Sida spp.
  as an inoculum source for tomato-infecting Begomoviruses, 436
  infection by monopartite begomoviruses, S2.23
Sierotzki, H., 880, S2.106
Sikdar, P., S2.133
Silliker, M., S2.90
Silva, E., S2.158
Silva, E. C., S2.133
Silva, K. J. P., S2.134
Silva, M. G., S2.133
Silva, M. L. O., S2.151
Silva-Rojas, H. V., S2.119, S2.134, S3.12
Silverman, E. J., S2.134
Silver nanoparticles, as a novel nematicide in turfgrass, S1.2
Simento, S., S2.123
Simmons, H. E., S2.134, S2.153
Simple sequence repeats (SSRs), specific discrimination of *Fusarium proliferatum*, S2.99
Sims, K. R., 545
Sinapis alba, 841
Singh, P., S2.78, S3.1
Singh, R., S1.8, S2.23, S2.106
Singh, S., S3.17
Single chain variable fragment (scFV) antibodies, S2.165
Single chain variable fragment (scFV) phage, S2.158
Single nucleotide polymorphisms (SNPs), genetic variation in isolates of *Phytophthora nicotianae*, 610
Sink, S., S2.71
Sinsabaugh, R., S2.60, S2.115, S2.146
Sisterson, M. S., 117
Sit, T. L., S2.85
Skaltsas, D. N., S2.134
Skarp gene, 129
Slemmons, C. R., S2.7, S2.8
Slippery skin of onion, S2.173
Slot, J. C., S2.177
Small brown planthoppers, S2.184
Small, I. M., S2.134
Small noncoding RNAs, S2.187
Small RNAs (sRNAs)
  deep sequencing, 1077
  role in host–fungal interactions, S2.187
  role in the virulence of *Xanthomonas campestris* pv. *vesicatoria*, S2.187
Smallwood, E. L., S2.15, S4.1
Smart, C., S2.141, S2.143, S2.190
Smart, C. D., S2.33, S2.37, S2.69, S2.76
Smartphone apps, to increase accuracy and early detection of new or invasive diseases, S2.28
Smilax rotundifolia, S2.165
Smiley, R. W., 1130
Smith, A. M., S2.135
Smith, B. J., S2.97, S2.135
Smith, C. A., S2.27
Smith, C. M., S1.8
Smith, D., S2.9, S2.82, S2.112
Smith, D. L., S2.135
Smith, G., S2.69
Smith, H., S2.83, S2.84
Smith, J., S2.40, S2.120
Smith, J. A., S2.71
Smith, J. E., S2.48, S2.85
Smith, M., S1.2, S2.53
Smith, M. E., S2.58, S2.135, S2.150
Smith, R., S2.140
Smith, S., S1.3, S2.37, S2.48
Smith, S. M., S2.25
Smolinski, T., S2.114
Snelling, J., S2.64, S2.92
Snover-Clift, K. L., S2.136
Snow rot, S2.65
Soares, W. O., S2.112
Soby, S. D., S2.136
Soderlund, C., S2.44
Soft rot of onion, S2.173
Soft winter wheat
  adult-plant resistance to *Puccinia striiformis* f. sp. *tritici*, S2.97
  effect of Fusarium head blight-Stagnospora leaf blotch management on yield and quality, S2.173
  effect of QoIs on Fusarium head blight, S2.33
Sogatella furcifera, 509
Soilborne pathogens
  effect of herbicides on, S2.84
  hidden host plant associations with fungal pathogens, 538
  percolation-based risk index for pathogen invasion, 1012
Soil management, effect on movement of *Salmonella enterica* Typhimurium in tomato plants, 381
Soil management zones, use for application of Telone in cotton, S1.5
Soil matric water potentials, regulatory effect on a tripartite host-specific rhizosphere interaction, S2.138
Soil microbes
  for broad-spectrum mycotoxigenic fungi control in corn, S2.166
  effects of agricultural management practices on, S2.162
  in organic *vs.* conventional vegetable production, S2.50
  response to organic and conventional fertilization, S3.4
Soil nematodes, assessment of diversity in soil samples, S2.136
Soil nitrate levels, effect on cotton production, S1.1
Soil RNA analyses, S2.50
Soil salinity. *See* Salinity
Solano, F., S2.136
Solanum bulbocastanum, S1.3
Solanum lycopersicon. See Tomato
Solanum phureja, 862
Solé, M., S2.13
Song, Q., S2.132
Sonti, R. V., S2.118
Sood, S., S2.29
Sooty blotch and flyspeck (SBFS)
  diversity in apples in Spain, S2.12
  Geastrumia polystigmatis, S2.88
  phenology of infection on apple, S2.65
  phylogenetic analysis, S2.66
Sooty mold, S2.19
Sopee, J., S2.26, S2.136
Sorghum (*Sorghum bicolor*)
  response of lines differing at the *P* locus to grain mold and head smut fungi, S3.3
  screening germplasm for biotic and abiotic stress tolerance, S2.11
  tolerance based index for screening accessions against stalk rot diseases, S3.2
Sorghum downy mildew, S1.7
Sosso, D., S2.167
Soto-Arias, J. P., S2.171
Soto-Plancarte, A. , S2.136
Sour cherry (*Prunus cerasus*), characterization of *Plum pox virus* isolates, 972
South American leaf blight (SALB), S2.61, S2.62
Southern blight, effects of agricultural management practices on, S2.162
Southern corn rust epidemics, field evaluation of, S1.1
Southern rice black-streaked dwarf virus (SRBSDV), 509
Souza, A. G., S2.100, S2.137
Souza, É. S. C., S2.112, S2.137
Souza, G. R., S2.91
Souza, P. E., S2.151
Souza, R. M., S2.91, S2.94
Soybean (*Glycine max*)
  aggressiveness and yield impact of *Fusarium* species, 822
  biodiversity and potential pathogenicity of field collected oomycetes from asymptomatic plants, S2.28
  Cercospora sojina mating-type distributions and genetic diversity, 1045
  comparison of *Fusarium tucumaniae* and *F. virguliforme* isolates from, S2.163
  cost to SMV for gain of virulence on *Rsv1*-genotypes, S2.73
  defense suppression by type III secretion system in *Bradyrhizobiurm japonicum*, S3.8
  detection and differentiation of *Colletotrichum* species causing anthracnose, S2.164
  effects of crop rotation on *Pythium* spp. population composition, S2.150
  effects of fungicide and cultivar selection on seed quality with delayed harvest, S1.2
  effects of minor elements on Cercospora leaf blight, S1.11, S2.158
  effects of salinity on Pythium seed and rot roots, S1.10
  efficacy of seed treatments on stand and yield in Arkansas, S1.9
  evaluating for resistance to Phomopsis seed decay, S2.80
  evaluation for resistance to charcoal rot, S2.130
  factors affecting soybean cyst nematode syncytia location in roots, S2.143
  field screening for Cercospora leaf blight resistance, S2.120
  fungal diversity by plant section in Mississippi, S2.146
  fungicide resistance in *Cercospora kikuchii*, S2.116
  fungicide sensitivity of *Pythium* species in Iowa, S3.6
  genome expression in response to *Fusarium virguliforme*, S2.117
  genotypic and phenotypic characterization of *Fusarium oxysporum* from roots, S2.39
  global expression patterns of *Xanthomonas axonopodis* pv. *glycines* in leaves, S2.25
  glyceollin in plant defense against *Phytophthora sojae* and *Macrophomina phaseolina*, 984

identifying *Meloidogyne incognita* resistance in cultivars, S2.157
interactions with *Fusarium oxysporum* in seedling disease, S2.31
interactions with SMV and soil salinity, S2.76
interactive effects of *Soybean mosaic virus* and salt stress, S1.6
microbial and nematode communities in Nebraska soils, S2.83
molecular characterization of a novel soybean-infecting nepovirus, S2.164
multi-state screen to identify seedling fungal pathogens, S2.158
oomycetes associated with seedling diseases, S2.123
oomycetes from isolates with damping-off, S2.25
pathogenicity of *Diaporthe* and *Phomopsis*, S2.89
pathogenicity of *Pythium* spp. at different temperatures, S2.92
PCR-RFLP fingerprinting of *Fusarium oxysporum* species complex, S2.40
potential use of non-native phytoalexins in controlling pathogens, S3.7
role of deoxynivalenol in seedling infections by *Fusarium graminearum*, S2.21
role of *Soybean mosaic virus*–encoded proteins in seed and aphid transmission, 941
sequencing approach to seed microflora assessment, S2.28
temporal dynamics of root colonization by *Fusarium virguliforme*, S2.157
VIGS study of proteins in soybean–*Phakospora pachyrhizi* interaction, S1.4
Soybean aerial blight, precision concept for management, S2.137
Soybean cyst nematodes
analysis of populations before and after corn rotation, S3.7
factors affecting syncytia location in soybean roots, S2.143
monitoring program and training system in Puerto Rico, S3.17
in North Dakota, S2.107
virulence and diversity in Nebraska fields, S3.3
Soybean mosaic virus (SMV)
cost to SMV for gain of virulence on *Rsv1*-genotype soybeans, S2.73
interactions with soybeans and soil salinity, S2.76
interactive effects with salt stress on soybean, S1.6
role of SMV–encoded proteins in seed and aphid transmission, 941
Soybean root rot
effect of drainage systems on, S2.56
effects of salinity on, S1.10
Soybean rust
effects of frequency of "extreme" temperature highs on, 708
effects of mineral nutrition on, S2.133
efficacy of disinfestants in killing urediniospores of, S3.2
See also Phakospora pachyrhizi
Soybean sudden death syndrome (SDS)
effect of flooding duration on the severity of, S2.2
See also Fusarium virguliforme
Soybean vein necrosis-associated virus (SVNaV), 966
Soybean vein necrosis disease (SVND), epidemiology, 966
vectors and alternative hosts, S1.11
Soybean vein necrosis virus (SVNV), S2.135
Soybean viruses, occurrence and distribution in Oklahoma, S2.4
Sparassis, S2.113
Spatafora, J., S2.109, S2.137, S2.146
Spatial frailty modeling, in survival analysis of cucurbit downy mildew epidemics, 216
Specialty crop clean plant centers, S2.179
Sphacelotheca reiliana, S2.7
Sphaeropsis pyriputrescens, S2.163
Sphaeropsis rot, sources and availability of inoculum in apple orchards, S2.163
Sphingomonas, S2.46
Spiceland, D., S2.12
Spinach (*Spinacia oleracea*)
frequency of race 2 strains of *Verticillium dahlia* in seeds, S2.133
root colonization and internalization by *E. coli* O157:H7, 333
transfer of *E. coli* O157:H7 to by house flies, 373
Verticillium wilt, seed localization and efficacy of seed treatments, 268
Spinach downy mildew, examination of molecular diversity with SSRs, S2.42
Spindle pole bodies, S2.93
Spinifex sericeus, S2.69
Spiroplasma citri, S2.157
Spiroplasma kunkelii, 129
Spring beauty (*Claytonia virginica*), S2.128
Spring dead spot of bermudagrass
impact of nitrogen source and pH on mycelial growth, S2.30
phylogenetic placement of fungi causing, S2.44
Springer, J. C., 1280
Spring wheat
association mapping of stripe rust resistance genes in germplasm lines, S2.155
evaluation of germplasm for resistance to tan spot, S3.1
evaluation of germplasm for tan spot resistance, S2.4
QTL mapping of wheat stripe rust resistance, S2.42
Spurlock, T. N., S1.10, S2.42, S2.137
Squash vein yellowing virus (SqVYV), 1243
Squires, J. N., S2.39
Srinivasan, R., S2.137
Srivastava, S., S2.28, S2.30
Srour, A., S2.101, S2.158
Stack, J., S2.99
Stack, J. P., S2.98, S3.4, S3.8
Stagonospora leaf blotch (SLB), S2.173
Stagonospora nodorum, S2.95
Stagonospora nodorum blotch, effect of levels of wheat residue on severity of, S2.95
Stajich, J., S2.53, S2.137
Stalker, H. T., S2.183
Stalk rot diseases, tolerance based index for screening sorghum accessions against, S3.2
Stall, R. E., S2.131
Stamler, R., S2.138
Standish, J., S2.146
Stanghellini, M., S2.138
Stanosz, G. R., S2.116
Starr, J. L., S1.2
Steadman, J., S2.138, S3.9
Steaming, to eradicate *Phytophthora ramorum* from nursery soil, S2.129
Steen, C., S2.150
Steenkamp, E., 400
Steffenson, B., 600, S3.2
Stefkova, K., S2.71
Steger, A., S1.2, S1.9, S2.80
Steger, A. J., S2.150
Steinberger, Y., S2.136
Stem blight of blueberry, S2.119
Stem dieback of tropical trees, S2.122
Stem diseases of lowbush blueberry, S2.7
STEM experiences, S2.33
Stenger, D. C., 117, S2.78
Stenocarpella maydis, S2.123
Stenroos, S., S2.96
Stensvand, A., 717, S2.10, S2.14
Stern, R. F., S2.113
Sterol demethylation inhibiting fungicides, sensitivity of *Cercospora beticola* to, S2.21
Stetina, T. J., S1.10
Stevenson, K. L., S1.4, S2.43
Stevenson, W. R., S2.136
Stewart, B., S2.153
Stewart, B. R., S1.10
Stewart, C. L., S2.138
Stewart, D., S2.76
Stewart, J. E., 741, S2.123, S2.139
Stewart, M., S1.2
Stewart's wilt of corn
resistance in dent corn inbreds, S2.17
trend study in the U.S., 2001-2012, S3.3
stfC gene, 362
Stidham, M., S2.51
Stielow, B., S2.16
Stilbene synthase genes, S2.32
Stipanovic, R. D., S2.31
Stobbe, A., S2.33, S2.139, S2.176
Stodart, B. J., S2.10
Stojšin, V., S2.21, S2.102
Stokes, C. E., S1.10, S2.139
Stomata, effect of JAZ on pathogen entry, S2.105
Stomatal immunity, 326
Stone, A., S2.124
Stone, E. A., S1.8
Stone fruit trees, surveying for viruses in Texas, S2.49
Stoner, A., S1.3
Stored grain diseases and pests, strategies for sampling and mitigation, S2.59
Stover, E., 15, S2.118
Strausbaugh, C. A., S2.139
Strauss, A., S2.131
Strauss, S. L., S2.92, S2.140
Strawberry (*Fragaria* × *ananassa*)
black root rot management, S2.147
characterization of *Podosphaera aphanis* infection, S2.10
effect of biological control agents on leaf microbiota, 1001
enhancement of *Colletotrichum gloeosporioides* resistance, S2.134
evaluation of fungicide applications for control of *Botrytis* and anthracnose, S2.112
factors affecting foliar mildew severity in, 811, 1087
fungi associated with diseased roots of runner plants, S2.95
LAMP assay for detection of *Colletotrichum acutatum*, S2.166
microbial suppression of soilborne diseases, S2.85
monitoring for fungicide resistance in *Botrytis cinerea*, S2.43
monitoring *Xanthomonas fragariae* infection process, S2.155
salicylic acid-mediated defense network, S2.82
screening germplasm for anthracnose disease resistance, S2.97
temperature regulation of chasmothecia initiation in powdery mildew of strawberry, 717
virus outbreak in Nova Scotia nurseries, S2.90
Strawberry black root rot, S2.147
Straw bio-reactor, S2.83
Strayer, A., S2.141
Stream ecosystems, isolation of *Pythium* and *Phytophthora* from, S4.2
Street trees, bacterial leaf scorch in Washington D. C., S4.2
Strelkov, S. E., 1052
Streptomyces humidus, 23

Streptomyces scabies
biological control by *Pseudomonas* sp. LBUM223, 995
effect of pathogen variation and urea on biological control of, 34
regulatory genes affecting thaxtomin production and pathogenesis in, S2.77
thaxtomin induction and regulation by, S2.45
Streptomycin, sensitivity of *Erwinia amylovora* to, S2.70
Streubel, J., S2.170
Striatin-interacting protein, S2.167
Strickland, T. C., S1.8
Stringfellow, W., S2.39
Stripe rust
association mapping of resistance genes in spring wheat germplasm lines, S2.155
early monitoring based on infrared spectroscopy, S2.80
epidemics of wheat and barley and races of *Puccinia striiformis* identified in the U.S. in 2012, S2.155
population structure and genomics, S2.184
predicting epidemics using general estimation equations, S3.4
Strobel, G. A., S2.79
Strohmeier, S., 1001
Stromberg, V. K., 237
Stubbs, J., S2.74
Stulberg, M. J., S2.140
Sturrock, R. N., 583
Stutz, J. C., S2.140
Suarez, S. N., S2.109
Subbarao, K. V., 268, S2.54, S2.133
Šubr, Z., 972
Succinate dehydrogenase inhibitor (SDHI) resistance, review of current knowledge, 880
Sudarshana, M. R., 1069, S2.4, S2.140
Sudarshana, P., S2.140
Sudden death syndrome (SDS), S2.117
See also Soybean sudden death syndrome
Sudden oak death, S2.32
See also Phytophthora ramorum
Suding, K., S2.60, S2.146
Sudini, H. K., S2.66, S2.141
Suga, H., 400
Sugar beet (*Beta vulgaris*)
curly top management, S2.139
Fusarium stalk blight and rot, S2.56
identification of *Cercospora*-resistant lines, S2.128
management of *Rhizoctonia solani*, S2.73
Sugar beet curly top management, S2.139
Sugar beet leaf spot (CLS), S2.21
Sugarcane
evaluating for resistance against *Xanthomonas albilineans*, S2.54
genetic diversity of viruses causing mosaic in, S2.158
history of brown rust in Florida, S2.29
introduction of orange rust in Louisiana, S2.53
loop-mediated isothermal amplification for detection of *Leifsonia xyli* subsp. *xyli*, S2.84
variability in *Puccinia melanocephala* pathogenicity and cultivar resistance, S2.10
Sugarcane wilt, S2.134
Su, H., S2.79
Suhr, M., S2.55
Suillus, S2.82
Sultana, V., S2.18, S2.38
Sulyok, M., S2.175
Summerell, B. A., 400
Summers, C., S2.141
Sun, B.-J., 949
Sundaresan, V., S2.187
Sundin, G. W., 304, S2.2, S2.79, S2.191
Sun, F., S2.184
Sunflower (*Helianthus annuus*)
characterizing aggressiveness of Phompsis stem canker, S2.91
identification of sources of resistance to *Plasmopara halstedii*, S2.63
Sunil Kumar, G. B., 1260
Sun, L.-Y., 949
Sun, M., S2.83
Sun, S., S2.80
Sun, W., S2.184
Sun, X., S2.141
Superstorm Sandy, S2.99
Surface irrigation water, ultraviolet treatment, S2.69
Surface plasmon resonance technology, S2.167
Surfactin, S2.98
Susca, A., S2.175
Suslow, K., S2.129
Suslow, T., 341
Sutton, B., S2.141
Sutton, D. A., 400
Su, Y., 1162
Suzuki, H., S2.180
Svendsen, J., S2.12
Swain, S., S2.142
Swainsonine, S2.12
Swart, F., 281
Swartwood Towne, M., S2.136
Sweany, R. R., S2.142
Sweet cherry, viruses associated with rusty mottle and twisted leaf diseases, 1287
Sweet orange, stability in *Citrus tristeza virus* populations in field and glasshouse, S2.31
Sweet orange scab, S2.30
Sweet potato (*Ipomoea batatas*)
biodiversity of the fungal community present in, S2.139
diversity of fungal and bacterial communities in tip/end rot, S1.10
effect of viruses and water-stress on storage root initiation, S2.142
microbial disease complex of tip/end rot, S2.139
Sweet potato viruses, detection, S2.5, S2.76, S2.109
Sweets, L., S2.123
Sweigard, J., S2.51
Swett, C. L., S2.191
Swietenia, S2.136
Switchgrass (*Panicum virgatum*)
characterization of culturable bacterial endophytes, S2.163
development of biopesticide extractives against bacterial spot of tomato, S2.109
eight new viruses identified in, S2.3
foliar disease incidence associated with in Mississippi, S2.49
Panicum mosaic virus as a potential threat, S2.138
in silico identification and characterization of NB-LRR-encoding resistance genes, S2.46
Swoboda, G. A., S2.55, S2.142, S2.165
Sybren De Hoog, G., 400
SYBR green qRT-PCR, detection of *High plains virus*, S2.9
Sylla, J., 1001
Sylvain, I. A., S2.49
Symptomatic hosts, 538
Symptomless plant symbioses, S2.185
Synanthropic flies, S2.185
Syringomycin E, S2.72
Systemic Acquired Resistance inducers, trunk injection, S2.2
Szabo, L., S2.164
Szarkándi, G. J., S2.142
Szostek, S., S2.142
Szurek, B., S2.13, S2.170

Tabima, J. F., S2.70
Takach, J. E., S2.142, S2.165
Takahashi, Y., 575
Takano, Y., 733
Takemoto, J., S2.72
Takeshita, M., 960
Talbot, J. M., S2.181, S2.182
Talbot, J. W., S2.82
TAL effectors. *See* Transcription Activation-Like effectors
Talley, J., 373, S2.185
Tall fescue (*Lolium arundinaceum*)
additional hosts of *Balansia epichloe*, S2.11
effect of endophyte on plants under drought stress, S2.101
effect of mowing height on establishment, S3.9
endophyte utilization, quality assurance, and characterization, S2.142
Tally, A., S2.106
Tamborindeguy, C., S2.79
Tamir-Ariel, D., 362
Tan, C. C., S2.78
Tancos, M., S2.143
Tang, J. L., S2.170
Tanguay, P., S2.76, S2.143
Tang, W., S2.170
Tang, Y., S2.92
Tanney, J., S2.103
Tan spot
evaluation of spring wheat germplasm for resistance, S2.4, S3.1
lipid profiles in wheat cultivars resistant and susceptible to, 74
Tao, A., S2.81
Taqman real-time PCR
detection of *Gooseberry vein banding associated virus*, S2.156
detection of grape crown gall, S2.69
detection of *High plains virus*, S2.9
Targeted genome editing, identification of new rice resistance genes, S2.13
Target spot of cotton, S2.54
Tariq, S., S2.18
Taski-Ajdukovic, K., S2.21
Tassel fungicide applications, impact on the *Aspergillus* and *Fusarium* spp. mycoflora of harvested corn, S1.1
Tatalovic, N., S2.143
Tatineni, S., S2.143
Tauxe, R., 306
Taylor, A., S2.104
Taylor, C. G., S2.155
Taylor, D. L., S2.60
Taylor, J., S2.82, S2.182
Taylor, J. W., S2.49, S2.186
Taylor, L., S2.182
Taylor, T., S2.67
Taylor, T. N., S2.180
Teale, S. A., S2.23
te Beest, D. E., 666
Tebeest, D. O., S1.10
Techniques
detection and quantification of *Leveillula taurica* growth in pepper leaves, 623
gene knockout in *Setosphaeria turcica* using *Agrobacterium tumefaciens*-mediated transformation, 641
magnetic capture hybridization real-time PCR assay for detecting *Agrobacterium vitis*, 633
Teixeira, G. A., S2.143
Télef-Micouleau, N., 1028
Telle, S., S2.178, S2.179
Telone, S1.5
Temperature
effects of frequency of "extreme" temperature highs on soybean rust development, 708
regulation of chasmothecia initiation in powdery mildew of strawberry, 717
Temperature/wetness modeling, of pseudothecium maturation and ascospore release in *Guignardia citricarpa*, 281

Temple, K., S2.73
Temple, T. N., S2.150
Temporary ponds, S2.34
Tennant, P., S2.123
Tenuivirus, 513
Tenuta, M., S2.98
Teosinte, expression profiling and evolution of pathogenesis related genes in response to *Ustilago maydis*, S2.25
Teplitski, M., 316, 352, S2.12
tepR, S1.8
Terán, H., S3.17
Teratosphaeriaceae phylogeny, S2.16
Testen, A., S2.144, S2.191
Teunissen, H. A. S., S2.94
Texas Phoenix Palm Decline (TPPD), S2.177
Texas root rot (TRR), S1.7
Thapa, S., S2.144
Thaxtomin, S2.45, S2.77
Thelonectria, S2.125
Thermophilic fungi, S2.64, S2.126
Thiamethoxam, in control of citrus canker, S2.52
Thiers, B., S2.97, S2.144
Thies, J., S2.144
Thiessen, L. D., S2.144
Thines, M., S2.178, S2.179
Thiophanate-methyl, S2.52
Thioredoxin family protein, S2.69
Thomas, A., S2.145
Thomas, A. L., S2.72
Thomas, C., S3.13
Thomas, E., S2.144
Thomas, K. A., 741
Thomas, S., S2.59, S2.136, S2.140, S2.145, S3.4, S3.8
Thomas, V. P., 935
Thompkins, A., S2.120
Thompson, C., S3.9
Thompson, J., S2.145
Thompson, J. R., S2.145
Thompson, S., S2.69
Thousand cankers disease, S2.120, S2.163
Thrane, U., 400
Thrips, transmission of *Salmonella enterica*, S2.171
Thrips tabaci, S2.142
Thurber, C., S2.24
Tian, L., S2.132
Ticosynnema gen. nov., S2.52
Tilletia caries, S2.93
Tilletia indica, S2.73
Tillier, E., S2.180
Tillman, B. L., S1.9
Timer, J., S2.58
Timilsina, S., S2.146
Timling, I., S2.182
Timmer, L. M., 741
Tip/end rot of sweet potato, S1.10, S2.139
Tisserat, N., S2.64, S2.65, S2.87
Titanium dioxide formulations, 228
TmpL protein homolog, S4.1
Tobacco
  CHP-7 in leaf apoplast, S2.87
  comparing the effects of *Xylella fastidiosa* subspp. *multiplex* and *fastidiosa*, S2.107
Tobacco black shank, 610
Tobacco mosaic virus (TMV)
  assessing vacuole trafficking and metabolizing components for their influence on, S2.189
  development of end-point multiplex RT-PCR and helicase dependent amplification for the identification of, S2.9
Tobacco necrosis virus (TNV), S2.43
Tobamovirus-induced disease, assessing vacuole trafficking and metabolizing components for their influence on, S2.189
Tobias, T., S2.64, S2.115, S2.126, S2.146, S2.149
Tobutt, K. R., S2.75
Todd, C. E., S2.146
TofI/TofR quorum sensing system, S1.2
Tohamy, A. M. M., S2.39
Toledo, L. F., S2.15, S2.67
Tollefson, S. J., S3.16
Tomaso-Peterson, M., S1.4, S1.10, S2.49, S2.146, S2.153
Tomato (*Solanum lycopersicon*)
  Alternaria stem canker, 733
  combined control of late blight, early blight, and Septoria leaf spot, S2.101
  consequences of disrupting *Salmonella* AI-2 signaling on interactions with soft rots, 352
  effect of application of Ascophyllum extract on growth, disease incidence, and yield, S3.11
  effect of plant nitrogen nutrition on *Botrytis cinerea* secondary inoculum, 261
  effect of soil management on movement of *Salmonella enterica* Typhimurium in, 381
  effect of transitional organic production practices on soilborne pests, 792
  eicosapolyenoic fatty acids induce resistance to *Phytophthora capsici*, S2.122
  evaluating rootstocks for bacterial wilt resistance, S2.134
  evaluation of an antagonistic rhizosphere fungal consortium against *Fusarium oxysporum* f. sp. *lycopersici*, S2.9
  factors affecting proliferation of *Salmonella enterica*, S2.12
  fruit colonization by *Clavibacter michiganensis* subsp. *michiganensis*, S2.143
  fungal and oomycete pathogen detection in the rhizosphere of organic tomatoes, S2.141
  genetic transformation with a calcium signal modifier gene, S2.86
  identifying host targets for *Ralstonia solanacearum* type III effectors, S2.73
  implications of *Tomato yellow leaf curl virus* resistance for virus epidemics and management, S2.137
  late blight resistance in heirloom and hybrid cultivars, S2.129
  molecular diagnosis of bacterial spot pathogens, S2.74
  occurrence and distribution of pathogenic and indicator bacteria, S2.89
  rhizobiome responses to new tomato rootstock systems, S3.8
  vaccination with a lab-attenuated strain of *Pepino mosaic virus*, S2.26
  viral infections in Ghana, S2.12
  weeds as potential inoculum sources for begomoviruses, 436
Tomato apical stunt viroid (TASVd), S2.12
Tomato early blight, management, S2.101, S2.118
Tomato late blight
  effect of an open-ended high tunnel production system on, S3.15
  management, S2.101, S2.134
  resistance in heirloom and hybrid tomatoes, S2.129
Tomato necrotic dwarf virus (ToNDV), S2.160
Tomato ringspot virus (TRSV), S2.49
Tomato rootstock systems, rhizobiome responses to new systems, S3.8
Tomato severe rugose virus (ToSRV), 436
Tomato sour rot management, S2.173
Tomato spotted wilt virus (TSWV)
  development of end-point multiplex RT-PCR and helicase dependent amplification for the identification of, S2.9
  evaluation and relative susceptibility of lettuce varieties to, S3.17
  identification of *Frankliniella occidentalis* proteins that interact with, S3.2
  inhibition of vector transmission, S3.7
Tomato wilt. *See Ralstonia solanacearum*
Tomato yellow leaf curl disease (TYLCD), S2.4
Tomato yellow leaf curl virus resistance, S2.137
Tombusviruses, 501, S2.105
Tomlinson, A., S2.101
Tompkins, D., S2.95
TonB-dependent receptors (TBDTs), S2.170
Tonnessen, B. W., S2.89
Tonoplast intrinsic protein 2 (TIP2), 175
Toomajian, C. P., S2.98
Toome, M., S2.146
Toperek, S., S2.35
Toprak-Celebi, F., S2.145
Torradovirus complex, S2.94
Torres-Barragan, A., S2.147
Tosa, Y., 575
Tospoviruses
  emergence and impact in Florida, S2.158
  fine structure mapping of silencing suppressor activity in, S2.110
  interaction between proteins in mixed infections, S2.148
  threat to vegetable production in Puerto Rico, S3.13
Toth, I. K., 333
Tournas, V. H., S2.147
Toussaint, V., S2.147
Toves, P. J., S2.6
Towata, T., 509
Toxoflavin, S1.8, S2.192
Toyoda, H., 623
Trail, F., 400, S2.117
Trainum-P, 1001
Trammell, L. L., S2.142
Trammell, M. A., S2.142
Tran, P., S2.147
Transcription Activation-Like (TAL) effectors
  contribution of typeIII/TAL effectors to pathogenicity, S2.170
  convergence on a single host susceptibility gene in citrus canker, S2.62
  diverse plant genes targeted by, S2.167
  diversity and adaptation in *Xanthomonas* populations, S2.171
  effect of temperature on expression of TAL effector-activated rice genes, S2.30
  in *Xanthomonas citri*, S2.131
Transformation. *See* Genetic transformation
Transgenic rice. *Rice grassy stunt virus* resistance induced in, 513
Transitional organic production practices, effect on tomato soilborne pests, 792
Transmission electron microscopy (TEM), visualization of '*Candidatus* Liberibacter asiaticus' cells in citrus seed coat vascular bundles, 545
Tran, T. M., S2.147
Tran, T. T., S2.170
Trappe, J., S2.58
Travadon, R., S2.13, S2.148
Tredway, L., S2.14, S2.116, S4.1
Tree fruit viruses, characterization by next generation sequencing, S2.124
Tree nuts
  fungal contaminants recovered from, S2.147
  use of PCR in speciation of fungi recovered from, S2.147
  See also Specific tree nuts
Tree of Life, S2.48
Trejo, R., S2.57
Trent, M. A., S2.21
Tresch, N., S2.77
Treseder, K., S2.64, S2.183
Trialeurodes vaporariorum, S2.7
Triazole fungicides, S2.127
Trichoderma harzianum T22, 1001
Trichoderma harzianum T39, 1227
Trichoderma spp.
  in the control of Botryosphaeria dieback in grapevine, S2.103
  control of soilborne pathogens with, S2.42

effect of volatile organic compounds on *Arabidopsis thaliana*, S2.63
responses in plants to volatile organic compounds from different species, S2.78
Trichoderma virens, S2.99
Trichodorus obtusus, S2.131
Trichomycetes, S2.13
Trichothecenes, 682
Trick, H. N., S3.9
Trifolium incarnatum, S2.60, S4.2
Trigiano, R., S2.54
Tringe, S., S2.182
Trinh, S. A., S2.94
Tripathi, D., S2.148
Triple Gene Block (TGB) proteins, S2.188
Triplett, L., S2.10, S2.92, S2.148
Triterpene saponins, S1.9, S2.121
Triticale, evaluation for *Xanthomonas translucens* pv. *undulosa* resistance, S2.127
Triticum aestivum. *See* Wheat
Triticum durum, evaluation of germplasm for resistance to *Puccinia triticina*, S3.2
Triticum mosaic virus (TriMV), S2.143
Trivedi, P., 652, S2.80
Trivellas, A., S2.51
Tronsmo, A. M., 717, S2.10, S2.14
Tropical forests/trees
diversity and evolutionary relationships of bacteria associated with seeds and seed-associated fungi, S2.48
host specificity of fungal phyllosphere communities, S2.13
Tropical plant pathology, teaching to a global audience, S2.189
Trouvelot, S., 1035
Trowbridge, S. M., S2.36
Trumble, J., S2.72
Trunk injection
in control of apple scab, S2.2
in control of fire blight, S2.2
Truong, C., S2.149
Tsai, Y., S1.10
Tsai, Y. C., S2.149
Tsai, Y.-L., 888
Tsuchiya, K., 960
Tsui, C., S2.143
Tsukahara, R. Y., S3.3
Tsukamoto, S., S2.174
Tuber lyonii (pecan truffle), S1.2, S2.135
Tugume, A. K., 949
Tulane virus (TV), 389
Tulloss, R. E., S2.63
Tunali, B., S4.1
Turechek, W., 1243, S2.155
Turfgrasses
development of SCAR markers and UP-PCR cross-hybridization method for detection of brown patch, S2.76
new occurrences of rapid blight and other labyrinthulids, S2.107
silver nanoparticles as a novel nematicide, S1.2
See also Individual grasses
Turgeon, B. G., 641
Turini, T. A., S3.17
Turnip mosaic virus (TuMV)
artificial microRNA-mediated resistance, 870
host membrane recruitment for replication and intercellular movement, S2.188
Tuskan, G., S2.18
Tuter, J., S2.115, S2.149
Twisted leaf of sweet cherry, 1287
Twitching motility
virulence in *Ralstonia solanacearum* P673 and, S2.17
in *Xylella fastidiosa*, S2.32
Twomey, M., S2.161
Tychon, B., S2.38
Tylka, G. L., S2.107, S2.143, S2.174
Tymon, L., S2.149, S3.17
Type III effectors (T3Es), S2.170
Type III secretion system (T3SS)
activation in *Ralstonia solanacearum*, S2.32
in *Bradyrhizobium japonicum*, S3.8
in *Pantoea stewartii*, S2.171
Type VI secretion system, virulence in *Ralstonia solanacearum* P673 and, S2.17
Tzanetakis, I. E., 966, S1.3, S1.6, S1.11, S2.87
Tzean, S. S., S2.28
Tzs protein, 888

Uchida, J. Y., S2.123
Udayanga, D., S2.150
Uddin, W., S2.81, S2.117
Udvardi, M., S2.92
Uehara-Ichiki, T., 513
Uehling, J., S2.58, S2.150
Ullrich, S. E., S2.3
Ultradwarf bermudagrass
characterization of ectotrophic root-infecting fungi, S2.153
ectotrophic root-infecting fungi, S1.10
Ultraviolet treatment
control of powdery mildew under greenhouse conditions, S2.9
of surface irrigation water, S2.69
Umeda, K., S2.3
Undergraduate biology curriculum, integrating foundational topics in, S2.160
Undifilum, S2.12
University of Illinois maize inbred collection, S3.6
University of Michigan Herbarium, S2.45
Upadhyaya, H. D., S2.141
Uppala, S. S., S2.150
UP-PCR cross-hybridization method, S2.76
Úrbez-Torres, J. R., S2.148
Urbina, H., S2.150
Urea, influence on *Streptomyces* antagonists, 34
U'Ren, J. M., S2.26, S2.150, S2.161
Uribe-Cortes, T. B., S2.134
Uribe-Vélez, D., S2.17, S2.85
Uridine diphosphate-glycosyltransferase, 682
Uromyces appendiculatus, S2.132
Uromyces transversalis resistance, S2.151
Urrea, K. E., S2.150
Usnea, S2.149
Ustilaginoidea virens, S1.10, S2.184
Ustilaginoidins, S2.184
Ustilago maydis
aflatoxin and fumonisin contamination of corn, S2.176
expression profiling and evolution of maize pathogenesis related genes in response to, S2.25
transcription factors in pathogenesis and meiosis, S2.26
Ustiloxins, S2.184
UV-B radiation. *See* Ultraviolet treatment
Uyemoto, J. K., 1069, S2.4

Vacas, J. G., 555
Vacuolar Processing Enzyme (VPE), S2.189
Vágvölgyi, C., S2.142
Vahling-Armstrong, C. M., S2.8, S2.37
Vaira, A. M., S2.188
Valdés, I., S2.122, S2.151
Valdes, S., S2.43
Valdez-Balero, A., S2.134
Valencia-Botín, A. J., S2.151
Valencia peanut
carbon sources in relation to pathogenicity of *Sclerotinia sclerotinia*, S3.14
evaluation of biorational products for efficacy against fungal pathogens, S3.16
Valent, B., S2.186
Valenzuela-Solano, C., S2.99, S2.103
Vallad, G. E., 228, 381, S2.146
Valverde, R., S1.5, S1.6, S2.2, S2.59, S2.73
Van Bockstaele, E., 1169
Van Bruggen, A. H., 381, S2.40, S2.46, S3.9
Vance, V., S2.187
van de Lee, T., 1169
van den Berg, F., 1209
van den Bosch, F., 666, 690, 1209
Van der Heyden, H., 811, 1087
Vandervoort, C., S2.2
Van Deynze, A., S2.101
Van Diepeningen, A., 400
Vandruff, S. M., S2.151
Van Eck, L., S2.87
VanEtten, H. D., 255, 400
Van Ghelder, C., 833
VanOverbeke, M., S2.52
VanWoerkom, A. H., S2.2
Varga, C., S2.151
Vargas, A., S2.114
Vargas-Ayala, R., S3.17
Vargas, J., S2.145
Varshney, R. K., S2.183
Vasco, G. B., S2.151
Vasilyeva, L., S2.151
Vaughan, R. H., 146
Vaz, A. B., S2.113
Vazquez, G., S2.91
Vazquez, O., S2.152
Vazquez, S., S2.92
Vega, B., S2.152
Vegetative compatibility, in *Cryphonectria parasitica*, 1280
Vegetatively-propagated crops
estimating the effectiveness of strategies to reduce seed degeneration in, S2.145
evaluation of management strategies to reduce seed degeneration in, S3.8
Velázquez, K., 1077
Velazquez-Liano, L. R., S2.152
Velazquez-Monreal, J. J., S2.15
Velez, P., S2.152
Vellinga, E. C., S2.70
Venkatesan, V., S2.104
Ventura, J. A., S2.113
Venturia inaequalis
control with foliar applications of phosphite fungicide, S2.39
control with trunk injection in apple, S2.2
CYP51A1 upstream anomalies in myclobutanil and difenoconzaole resistant isolates, S2.153
leaf-shredding as a component of integrated management for, S2.154
molecular characterization, S2.75
winter pseudothecial and ascal densities in South Africa, S2.154
See also Apple scab
Vera-Cruz, C., S2.19, S2.76, S2.152
Verdier, V., S2.10, S2.19, S2.30, S2.76, S2.152, S2.170
Verma, R., S2.176
Verticillium dahliae
comparison of real-time PCR protocols for the monitoring of asymptomatic infections on olive, 1058
effect of green manure crops on, S2.98
effect on cotton production, S1.1
genetic differentiation between populations from asymptomatic and symptomatic hosts, S2.68
genetic structure of populations from mint and potato, 445
hidden host plant associations, 538
histology and transcriptional changes in corn seed infected by, S2.133
incidence and impact in soil associated with certified potato seed, 55
peduncular infection and seed transmission in chile pepper, S3.14

population genetic analysis from lettuce, S2.54
race 2 strains in spinach seed, S2.133
in soil, roots, and stems of green manure crops, S2.159
on spinach, seed localization and efficacy of seed treatments, 268
See also Potato early dying
Verticillium spp., biocontrol agents to control in chile pepper, S2.56
Verticillium wilt
biocontrol agents in chile pepper, S2.56
effect on cotton fiber quality, S2.161
genetic structure of populations from mint and potato, 445
incidence and impact in soil associated with certified potato seed, 55
on olive, comparison of real-time PCR assays monitoring asymptomatic infections, 1058
seed localization and efficacy of seed treatments in spinach, 268
Veterano, S. T., S2.28
Viana de Sousa, M., S2.153
Vicia villosa, S2.60, S4.2
Vico, I., S2.70
Vidalakis, G., S2.156
Videira, S. I. R., S2.153
Vilchez, M., S2.3
Vilgalys, R., S1.2, S2.14, S2.18, S2.53, S2.82, S2.135, S2.150, S2.160, S2.182
Viljoen, A., 400, S2.72
Villamor, D. E. V., 1287
Villani, S., S2.153
Villegas, V., S2.17
Villordon, A. O., S2.142
Villosiclava virens, S2.184
Viloria, Z., S2.86
Vincelli, P., S2.6
Vines, P. L., S1.10, S2.153
Viral watermelon vine decline, 1243
Virginia Marano, A. V., S2.153
Virola PGPR extracts, S2.14
Virology
artificial microRNA-mediated resistance in mixed infections, 870
association of a DNA virus with grapevine red blotch disease, 1069
bioinformatic pipeline for use in metagenomic virus discovery, S2.139
characterization of sour cherry isolates of *Plum pox virus*, 972
dynamics of *Southern rice black-streaked dwarf virus* in rice, 509
epidemiology of Soybean vein necrosis-associated virus, 966
factors driving the expanding distributions of, S2.179
genetic diversity and potential vectors and reservoirs of *Cucurbit aphid-borne yellows virus*, 1188
genetic variability, evolution, and biological effects of *Grapevine fanleaf virus* satellite RNAs, 1180
genetic variation in *wheat streak mosaic virus*, 98
genome sequence and biological characterization of *Moroccan pepper virus*, 501
induction of antiviral responses against *Cucurbit chlorotic yellows virus* in melon, 960
intracellular accumulation and movement as a target for disease control, S2.188
Little cherry virus 1, genome characterization and association with Shirofugen stunt disease, 293
new enamovirus associated with Citrus vein enation, 1077
a novel virus of the genus *Cilevirus*, 488
reclassification of Lettuce necrotic stunt virus, 501
Rice grassy stunt virus resistance induced in transgenic rice, 513
role of siRNAs in infections of maize, S2.187
role of *Soybean mosaic virus*–encoded proteins in seed and aphid transmission, 941
selection pressure and founder effects in *Wheat yellow mosaic virus*, 949
transformative technologies from knowledge of virus–aphid vector interactions, S3.2
viruses associated with rusty mottle and twisted leaf diseases of sweet cherry, 1287
See also Individual viruses
Virulence factors, CsrA positive regulation of virulence factors in *Erwinia amylovora*, S2.6
Virulence genes, effects of Tzs protein and exogenous cytokinin on expression in *A. tumefaciens*, 888
Virus-induced gene silencing (VIGS), S1.4
Virus resistance, in somatic fusions and crosses of *Solanum bulbocastanum* and *S. tuberosum*, S1.3
Visser, R. G. F., 623
Vitale, S., 802
Viteri, D., S3.17
Vitis labrusca, S2.58
Vitis rotundifolia, effects of fungicide applications on, S2.135
Vitis vinifera. *See* Grapevine
Vitoreli, A., S2.153
Vivanco, C. E., S2.12, S2.108
Vives, M. C., 1077
Vlasák, J., S2.96
Vodak, M., S2.51
Vogel, K., S2.138
Voisin, R., 833
Vojnov, A. A., 555
Volatile organic compounds (VOCs)
identifying wheat pathogens through, S2.43
responses of plants to VOCs from species of *Trichoderma*, S2.63, S2.78
Von Diest, S. G., S2.154
von Einem, S., S2.70
von Tiedemann, A., 682
Vorsa, N., S2.114
Vowell, T. K. S., S2.6
Vu, A. L., S2.109
Vyas, M., S2.44

Waalwijk, C., 400
Wadl, P., S2.54
Wai, C. M., S2.119
Waldenmaier, C., S2.120
Walenta, D. L., S2.37
Waliyar, F., S2.104
Walker, A. M., S2.140
Walker, C., 1130
Walker, D., S2.182
Walker, D. R., S1.4
Walker, N., S2.44, S2.112
Walker, N. R., S2.52
Wallingford, A. K., S2.154
Wallis, C. M., S2.154
Walnut, management of lesion and ring nematode, S2.159
Walnut twig beetle (*Pityophthorus juglandis*), S2.120
Walsh, C. S., S2.89
Walsh, E., S2.155
Wamishe, Y., S2.24
Wan, A., S2.155, S2.156
Wang, D., S2.155, S2.164, S2.165
Wang, F., S2.89
Wang, G. L., S2.24
Wang, H., S2.155, S2.189
Wang, H. G., S2.80
Wang, J., 594, 1162, S2.156, S2.157
Wang, L., 927, S2.171
Wang, M., S2.42, S2.155, S2.156, S2.187
Wang, N., 652, S2.50, S2.62, S2.67, S2.80, S2.119, S2.157, S2.167, S2.168
Wang, N. Y., S2.156
Wang, R., S2.78
Wang, S., S2.155
Wang, W., 641
Wang, X., S2.105, S2.157, S2.184
Wang, Z. Y., 927
Wan, Q., S2.81
Ward, A., S2.157
Ward, B. M., S1.11, S2.133, S2.158
Ward, T. J., 400
Warner, A. J., S2.158
Warnke, K. Z., S2.158
Warnstrom, E. L., S2.158
Warren, J., S2.158
Wasala, L., 373
Washington-Keizerweerd, A. T., S2.158
Watermelon (*Citrullus lanatus*)
Ceratobasidium root rot, S2.103
effect of cover crops on root arbusuclar mycorrhizal colonization, S4.2
general suppression of Fusarium wilt with cover crops, S2.60
latent class analysis estimation of diagnostic tests for *Squash vein yellowing virus*, 1243
management of pre- and post-harvest Phytophthora fruit rot, S1.6
Wayadande, A., 129, 373, S2.7, S2.9, S2.185
Weather-driven logistic regression models, predicting Fusarium head blight epidemics, 906
Weaver, M., S2.158
Weaver, M. A., S2.68, S2.176
Web blight, S2.30, S2.91
Webb, S. L., S2.92
Webster, C., S3.13
Webster, C. B., 1243
Webster, C. G., S2.158
Wechter, W. P., S2.32
Weeds, as potential inoculum sources for a tomato-infecting begomovirus, 436
Weeping willow, *Melampsora* rusts, S2.146
Wegulo, S. N., S2.143
Wei, A., S2.140
Weiberg, A., S2.187
Weiβ, M., S2.64
Wei, G., 488, S2.109, S2.113, S2.124
Weigle, T., S2.58
Wei, H. H., S2.83, S2.84
Wei, L., S2.159
Weiland, J., S2.159
Welser, M. J., S2.161
Welti, R., 74
Wen, A., S2.69, S2.159
Wenninger, E. J., S2.102, S2.139
Wen, R. H., S2.73
Wessel-Beaver, L., S3.16
Westerdahl, B. B., S2.159
Westerhof, J., S2.94
West, J. L., S2.23
Westmoreland, M., S2.20
Wharton, P. S., S2.96, S2.161
Wheat (*Triticum aestivum*)
adult-plant resistance to *Puccinia striiformis* f. sp. *tritici*, S2.97
association mapping of stripe rust resistance genes in spring wheat germplasm lines, S2.155
characterization and quantification of *Fusarium* spp. on roots, S2.83
determination of 2,4-DAPG and phenazine-producing *Pseudomonas* spp. in, S2.100
early monitoring of stripe rust and leaf rust with infrared spectroscopy, S2.80
effect of climate on the distribution of *Fusarium* spp. causing crown rot, 1130
effect of intermittent pre- and post-anthesis moisture patterns on Fusarium head blight, S2.7
effect of levels of residue on severity of Stagonospora nodorum blotch, S2.95

effect of rain and simulated rain on deoxynivalenol levels, S2.97
effectiveness as a cover crop to reduce incidence of *Pseudomonas syringae*, S2.147
epidemics of stripe rust and races of *Puccinia striiformis* identified in the U.S. in 2012, S2.155
evaluation for *Xanthomonas translucens* pv. *undulosa* resistance, S2.127
evaluation of *Fusarium graminearum* root isolates to cause crown rot, S2.48
evaluation of spring wheat germplasm for resistance to tan spot, S3.1
factors limiting trichothecene contamination of grains after *Fusarium culmorum* infection, 682
fine mapping of leaf rust resistance gene *LrZH84*, 169
fungicide application timings for *Zymoseptoria tritici* are an effective anti-resistance strategy, 1209
Fusarium graminearum infection and deoxynivalenol concentrations, 460
genetic variation in *Cochliobolus sativus* isolates, S2.78
histologic characterization of wheat leaf rust resistance in Thatcher isolines, S2.37
identification and mapping of a resistance gene to and unadapted isolate of *Colletotrichum cereale*, 575
identification of pathogens through volatile organic compounds, S2.43
incidence of viruses in wheat curl mites in maturing wheat heads, S2.143
iturin levels linked to biological control of Fusarium head blight, 146
lipid profiles in cultivars resistant and susceptible to tan spot, 74
networks of stored diseases and pests, S3.4
potential of infection by *Magnaporthe oryzae* in the U.S., S3.8
Puccinia infection in the Ecuadorian highlands, S2.108
role of deoxynivalenol in seedling infections by *Fusarium graminearum*, S2.21
root rot disease survey in South Dakota, S2.48
seedling leaf rust resistance in Thatcher isolines, S3.3
spiked-based simulation model for wheat blast incidence, S3.3
warning system for foliar disease in the Grand-Duchy of Luxembourg, S2.38
See also Spring wheat; Winter wheat
Wheat bacterial leaf streak resistance, S2.127
Wheat blast, spiked-based simulation model for incidence, S3.3
Wheat bunt, identification and annotation of the mating locus in, S2.93
Wheat curl mites, S2.143
Wheat head blight, mechanisms and management of cardendeazim resistance, S2.184
Wheat leaf rust
early monitoring based on infrared spectroscopy, S2.80
operational warning in winter wheat, S2.38
See also Puccinia triticina
Wheat leaf rust resistance
fine mapping of resistance gene *LrZH84*, 169
histological characterization, S2.37
screening winter wheat germplasm for, S3.5
seedling resistance in Thatcher isolines, S3.3
Wheat stem rust
efficacy of disinfestants in killing urediniospores of, S3.2
temporal evaluations on the infection process on barley, S3.9
virus induced gene silencing, S2.36
Wheat stem rust resistance
identification of *Rpg5* gene, 1153
screening winter wheat germplasm for, S3.5
Wheat streak mosaic disease, effect of nitrogen fertilization on, S2.97
Wheat streak mosaic virus (WSMV)
effect of deletions in the coat protein cistron on disease symptoms, S2.143
effect of nitrogen fertilization on, S2.97
estimating susceptibility in noncrop grasses, S2.22
genetic variation in, 98
incidence in wheat curl mites in maturing wheat heads, S2.143
Wheat stripe rust
identification of *Berberis* spp. as alternate hosts, 927
local dispersal from single source lesions, S2.41
QTL mapping of resistance in spring wheat, S2.42
Wheat yellow mosaic virus (WYMV), 949
Wheeler, D. L., S2.159
Wheeler, T., S2.94
Wheeler, T. A., S2.161
Wherley, B., S1.8
Whidden, A. J., S2.90
Whipple, S. D., 1235, S2.162
White, F., S2.62, S2.88, S2.167
Whitefly
multiplex PCR identification, S2.7
protein biomarkers linked to transmission competent and transmission refractive populations, S2.65
Whitehill, J., S2.47
White leaf spot disease, field screening of *Brassica* germplasm for resistance against, S2.53
White mold. *See Sclerotinia sclerotinia*
White oak (*Quercus alba*)
ectomycorrhizal community, S2.160
Phytophthora cinnamomi and white oak decline, S2.191
White pine blister rust (WPBR), S2.143
White rot fungus, S2.180
White trunk rot of hardwoods, S2.20
Whitfield, A. E., S2.11, S3.1, S3.2, S3.7
Wideman, R., S2.114
Widholm, J. M., 984
Widmer, T., S2.160
Wiese, C., S2.160
Wildfire
effect on foliar endophytes of *Quercus hypoleucoides* and *Juniperus deppeana*, S2.62
See also Fire
Wild rice (*Oryza rufipogon*), functional analysis of the resistance gene *Pid3-A4* by allele mining, 594
Wild rocket (*Diplotaxis tenuifolia*), 23
Wildung, M. R., S2.93
Wilkins, K. E., S2.171
Willer, M., S2.44
Williams, G. C., S2.135, S2.160
Williams, L., 15
Williams, M. A., S2.163
Williamson, V. M., 935
Williams, T. F., S2.87
Williams, W. P., S1.2
Willis, D. K., S2.121, S2.135
Willoughby, J. A., S2.85
Willyerd, K., S2.33
Willyerd, K. T., 906, S2.7
Wilson, A., S2.58
Wilson, L., S2.39
Wilson, R. A., S2.43, S2.90
Wilson, R. F., S2.183
Windham, M., S2.54
Wingard, J. V., S2.62
Wingfield, M. J., 400
Winter, M., 682
Wintermantel, W. M., 501, S2.160
Winter rye, effectiveness as a cover crop to reduce incidence of *Pseudomonas syringae*, S2.147
Winters, S. A., S1.9
Winter wheat
adult-plant resistance to *Puccinia striiformis* f. sp. *tritici*, S2.97
calculating fungicide dose decisions for *Mycosphaerella graminicola*, 666
effect of Fusarium head blight-Stagnospora leaf blotch management on yield and quality, S2.173
effect of QoIs on Fusarium head blight, S2.33
effect of rain and simulated rain on deoxynivalenol levels, S2.97
fungicide strategies in resistance management for *Mycosphaerella graminicola*, 690
operational warning for Septoria leaf blotch and leaf rust, S2.38
resistance to *Puccinia striiformis* f. sp. *tritici*, S2.97
screening germplasm for resistance to leaf and stripe rust, S3.5
Winton, L., S2.2
Wischmeyer, C., S2.140
Wise, J. C., S2.2
Wise, K., S2.123, S2.175
Wiseman, M. S., S2.160
Wisotsky, S., S2.102
Wisser, R. J., S2.36, S4.3
Woeste, K., S2.66
Wohanka, W., 1001
Wolfenbarger, S., S2.38, S2.161
Woloshuk, C., S2.80, S2.104, S2.123
Wong, J., S2.188
Wong, P., S2.180
Wong, V. L., S2.150, S2.161
Wood, B. W., S2.17
Wood, D., S2.29
Wood decay
co-expression analysis of *Phanerochaete carnosa* genes, S2.180
evolution of the Agaricomycotina, S2.181
in extreme environments, S2.180
fossil record of wood-rotting fungi, S2.180
mechanisms inferred from genome investigations, S2.180
novel industrial lignocellulose-degrading enzymes, S2.181
in the Ozark Highlands, S2.180
Wood, E. M., S2.161
Woodhall, J. W., S2.96
Wood-rotting fungi, fossil record of, S2.180
Woodward, J. E., S1.1, S1.11, S2.161
Worchel, E., S2.161
Workneh, F., 1235, S2.162
Worobo, R. W., S2.69
Worthington, C. J., S2.106
Woudenberg, J. H. C., S2.162
Wright, K. M., 333
WRKY transcription factors, S1.4
potential roles in regulating maize defense against *Aspergillus flavus*, S2.45
Wscs, S2.167
Wubet, T., S2.13
Wu, D., 641
Wu, F., S2.170
Wu, H., S2.84
Wu, J., S2.69
Wu, R., S2.170
Wu, T., S2.162
Wu, Y., 1162

Xanthomonas albilineans, S2.54
Xanthomonas alfalfae subsp. *citrumelonis*, 409
Xanthomonas arboricola pv. *corylina*, S2.64
Xanthomonas arboricola pv. *pruni*

and leaf abscission on peach and nectarine, S2.173
oxytetracycline resistance in, S2.11
potential role of bacteriophage in the coevolution of on peach trees, S2.135
Xanthomonas axonopodis pv. *dieffenbachiae*
anthurium susceptibility index, S2.6
biological control, S2.6
genetic analysis of, 237
Xanthomonas axonopodis pv. *glycines*, S2.25
Xanthomonas campestris, S2.170
Xanthomonas campestris pv. *campestris*, S2.76
Xanthomonas campestris pv. *vesicatoria*
antibacterial activity of shiitake mycelial extracts, S2.105
role of sRNAs in the virulence of, S2.187
Xanthomonas campestris pv. *vitians*
detection and characterization of strains, S1.3
internal colonization of lettuce leaves, S2.21
Xanthomonas citri
mechanism of avirulence factor AvrGf1 in inducing hypersensitive response on citrus, S2.168
specificities of TAL effectors, S2.131
Xanthomonas citri pv. *citri*
effect of postharvest treatments on survival, S2.6
See also Citrus canker
Xanthomonas citri subsp. *citri*
acquisition of copper resistance genes, 409
characterization of a variant triggering a host-specific disease response, 555
comparison of culture and bioassay for detection of, S2.17
convergence of TAL effectors on a single host susceptibility gene, S2.62
evaluation of *Citrus sinensis* for resistance to, S2.50
Flg22-triggered defense responses in mandarin and grapefruit, S2.132
pan-genome analysis, S2.67
Xanthomonas cucurbitae
chemical and biocontrol agents for management in pumpkin, S2.144
detection in pumpkin seed, S2.119
pathogenic and genetic variation among isolates, S2.119
Xanthomonas fragariae, S2.155
Xanthomonas hortorum pv. *perlargonii*, S2.94
Xanthomonas oryzae
characterization of host transcription in response to infection by, S2.88
detection by loop-mediated isothermal amplification, S2.76
detection of pathovars from rice seed, S2.152
Xanthomonas oryzae pv. *oryzae*, S2.118
Xanthomonas perforans
characteristics of strains from Florida tomatoes, S2.146
development of biopesticide extractives from switchgrass, S2.109
effect of photocatalytic nanoscale formulations of titanium dioxide on, 228
Xanthomonas spp.
acquisition of copper resistance genes in citrus-associated Xanthomonads, 409
causing common bacterial blight disease of common bean, multilocus sequence analysis, S2.106
contributions of type III/TAL effectors to pathogenicity, S2.170
flagellar motility and fitness in, S2.171
genome and transcriptome analysis to reveal adaptation mechanisms, S2.170
patterns of host transcriptome modulation as a measure of TAL effector content, S2.171
Xanthomonas translucens pv. *undulosa*, S2.127
Xanthomonas vesicatoria, S2.6
Xflg22, S2.132
Xia, C., S2.156
Xiang, Y., S2.124, S2.163
Xiao, C. L., S2.22, S2.133, S2.160, S2.163
Xia, X., 169
Xia, Y., S2.163
Xie, F., S2.46
Xie, G., S2.115
Xie, L., 1162
Xie, L.-H., 949
Xiong, Q., S2.188
Xiong, Z., S2.94
XopAG effector, S2.50
XopAJ effector, S2.148
Xue, B., 175, S2.129
Xue, C., 641
Xu, J., 594
Xu, J. R., S2.53, S2.81, S2.167
Xu, J.-R., 400
Xu, L., S2.84
Xu, Q., S2.163
Xu, S., S3.2
Xu, X., 594
Xu, X.-M., 108, 768
Xylanase, S2.152
Xylella fastidiosa
bacterial leaf scorch of amenity trees in Washington D. C., S4.2
cell-cell signaling and endophytic behaviors, S2.186
characterization of the *popP* gene, S2.132
characterization of toxin-antitoxin systems, S2.78
disruption of biofilm production, S2.102
effects of grapevine sap phenolics on in vitro growth, S2.154
effects of rootstock on infection and grapevine sap phenolics, S2.154
identification of genes undergoing adaptive evolution in, S2.44
incidence and severity in a New Jersey urban forest, S2.51
PhoP/Q regulatory system, S2.191
pilYI homolog responsible for twitching motility response to calcium, S2.32
role of a thioredoxin family protein in virulence, S2.69
role of cell surface lipopolysaccharide in grapevine colonization and insect acquisition, S2.119
synthetic detection circuits targeting diffusible signal factor, S2.148
therapeutic and prophylactic application of phage, S2.34
zinc regulation of biofilm and exopolysaccharide production in, S2.101
Xylella fastidiosa subsp. *fastidiosa*, S2.107, S2.126
Xylella fastidiosa subsp. *multiplex*, S2.14, S2.107
Xylem discontinuity, 682
Xylogone ganodermophthora KACC93082P, S2.71

Yaghmour, M. A., S2.84, S2.163
Yahr, R., S2.149
Yang, B., S2.62
Yang, C. C., S2.28
Yang, F.-J., 888
Yang, H., S2.167
Yang, H. C., S2.164
Yang, J., 949, S1.2
Yang, P., S2.30
Yang, Q., S4.3
Yang, X., S2.164, S2.189
Yang, X.-B., 400
Yang, Y., S2.164
Yan, Y., S2.62
Yao, J., S2.11
Yao, J. N., 927
Yashuhara-Bell, J., 1220
Yasmin, T., S2.164
Yeasts, gut-inhabiting, S2.150
Yeh, H. H., S2.82
Yellow bud in onion, S1.3
Yellow pine forests, response of ectomycorrhizal communities to recurring prescribed fires, S2.107
Yellow vein disease of blackberries, S2.87
Yellow vein diseases, of ornamental plants, S1.5
Yepes, M. C., S2.145
yidR gene, 362
Yin, C., S2.36, S2.164
Yli-Mattila, T., 400
Yokomi, R., S2.156, S2.157
You, M., S2.53
Youngblood, S. B., S2.177
Young, C. A., S2.44, S2.55, S2.133, S2.142, S2.165
Young Kelly, H. M., S2.165
Young, M. E., S2.59
Young, R. F., S2.34
Yuan, J. S., S2.119
Yuan, Q., S2.165
Yuen, G. Y., S2.138, S2.168
Yuen, J., S2.145, S3.8
Yu, F. Q., 245
Yu, J., S2.184
Yu, J. M., S2.155, S2.164, S2.165
Yu, L., S2.84
Yu, N., 255, S2.94
Yu, S. H., S2.165
Yu, W., S2.167

Zablotowicz, R. M., S2.176
Zalamea, P. C., S2.48
Zambell, C. B., S2.165
Zamora-Segura, R., S2.16
Zamudio, K. R., S2.15, S2.67
Zancan, W., S3.9
Zanne, A., S2.180
Zanotto, E., S2.166
Zasada, I. A., S2.139
Zaunbrecher, J., S2.106
Zebra chip disease. *See* '*Candidatus* Liberibacter solanacearum'; Potato zebra chip disease
Zeglin, L., S2.182
Zeller, K. A., S2.30
Zeng, F., S2.166
Zeng, Q., S2.2
Zerillo, M., S2.64, S2.65
Zernova, O. V., 984, S3.7
Zhai, Y., S2.110
Zhang, B., S2.46
Zhang, C., S2.166
Zhang, D., S2.84, S2.87
Zhang, G., 1103, S2.166
Zhang, H., 1162, S2.167
Zhang, H. C., 927
Zhang, H. M., S2.94
Zhang, J., S2.62, S2.82, S2.105, S2.167
Zhang, M., 15
Zhan, G. M., 927
Zhang, N., 400, S2.96, S2.173
Zhang, S., 15, S2.44, S2.95, S2.98, S2.111, S3.6
Zhang, T., S2.83, S2.87
Zhang, X., S2.166, S2.167, S2.183
Zhang, Y., S2.7, S2.45, S2.66, S2.184
Zhao, B., S2.46, S4.2
Zhao, G., S2.53
Zhao, J., 927
Zhao, L., S2.167
Zhao, S., S2.170
Zhao, S. Y., S2.54
Zhao, X., 594
Zhao, Y., S2.6, S2.26, S2.172, S4.1
Zheng, D., 427, 633
Zheng, Z., 623

Zhivaeva, T., 972
Zhongguo, X., 255
Zhong, S., S2.78
Zhou, H., 600
Zhou, J., 966, S1.11
Zhou, L., S2.72, S2.184
Zhou, M. G., S2.184
Zhou, T., S2.184
Zhou, X., S1.5, S2.53, S2.81, S2.168
Zhou, X. G., S2.168
Zhou, Y., 169, S2.163, S2.184
Zhou, Z., 594
Zhuang, W. Y., S2.125
Zhu, H.-M.-Y., 135
Zhu, L., 594
Zhu, M., S2.189
Zhu, T.-H., 135
Zimmerman, K., S2.54
Zinc, regulation of biofilm and exopolysaccharide production in *Xylella fastidiosa*, S2.102
Zitter, S. M., S2.101
Zitter, T. A., S2.101
Zoysiagrass, large patch management, S1.8
Zucchi, T. D., S2.166
Zurn, J., S3.9
Zygomycetes
  hyphal tip ultrastructure and cytoplasmic organization, S2.44
  spindle pole bodies, S2.93
Zymoseptoria tritici, 1209